SDS v1 GHS / CLP

Revised Date: 2024-05-30 00:00

Product: Black Bomb

Careco LLC 22542 Shannon Circle Lake Forest, CA 92630 www.scentbomb.com

Page 1 of 8 Print Date: 2024-05-30 14:30

Identification of the substance/mixture and of the company/undertaking 1.

1.1 Product identifier

Trade Name: Black Bomb

Product/Sales No:

UFI#

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: Careco LLC 22542 Shannon Circle Lake Forest, CA 92630 www.scentbomb.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

2 Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed		
Acute Toxicity Dermal, Category 5	H313 : May be harmful in contact with skin		
Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation		
Sensitization, Skin, Category 1A	H317 : May cause an allergic skin reaction		
Eye Damage/Eye Irritation, Category 2A	H319 : Causes serious eye irritation		
Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled		
Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life		
Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects		
Classification EU (67/548/EEC, 199/45/EC) and No 1272/2008 (CLP)			
Skin Corrosion/Irritation Category 2	H315 · Causes skin irritation		

Skin Corrosion/Irritation, Category 2 Sensitization, Skin, Category 1A Eye Damage/Eye Irritation, Category 2 Aquatic Acute Toxicity, Category 1 Aquatic Chronic Toxicity, Category 2

- H315 : Causes skin irritation
- H317 : May cause an allergic skin reaction
- H319 : Causes serious eye irritation
- H400 : Very Toxic to aquatic life
- H411 : Toxic to aquatic life with long lasting effects

2.2 Label elements

Labelling (GHS)

Hazard pictograms

SDS v1 GHS / CLP

Revised Date: 2024-05-30 00:00

Print Date: 2024-05-30 14:30

Page 2 of 8

Product: Black Bomb

Careco LLC 22542 Shannon Circle Lake Forest, CA 92630 www.scentbomb.com



Signal	Word:	Warning
--------	-------	---------

Hazard statments	
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention:

P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment

Response:

P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P337 + P313	If eye irritation persists: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage

2.3 Other Hazards

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# EC#		Conc. Range	GHS Classification
120-51-4	204-402-9	45 - 50 %	H302; H313; H400; H411
Benzyl Be	nzoate		

SDS v1 GHS / CLP

Revised Date: 2024-05-30 00:00

Product: Black Bomb

Careco LLC	
22542 Shannon Circle	
Lake Forest CA 92630	

t, CA 92630

	Page 3 of 8
I	Print Date: 2024-05-30 14:30

www.scentbomb. CAS# Ingredient	EC#	Conc. Range	GHS Classification
18479-58-8	242-362-4	9 - 10 %	H227; H303; H315; H319; H402
2,6-dimeti	hyloct-7-en-2-ol		
101-86-0	202-983-3	4 - 5 %	H303; H316; H317; H400; H411
Hexyl cinr	namal		
78-70-6	201-134-4	4 - 5 %	H227; H303; H315; H317; H319; H402
Linalool			
32388-55-9	251-020-3	4 - 5 %	H303; H317; H400; H410
Acetyl ceo	drene		
103-95-7	203-161-7	4 - 5 %	H227; H303; H315; H317; H401; H412
Cyclamen	n Aldehyde		
8007-35-0	232-357-5	1 - 2 %	H316; H401; H411
Terpineol	acetate		
19870-74-7	243-384-7	1 - 2 %	H317; H400; H410
Cedrol me	ethyl ether		
1222-05-5	214-946-9	1 - 2 %	H316; H400; H410
Hexameth	hylindanopyran		
105-95-3	203-347-8	1 - 2 %	H401
Ethylene l	brassylate		
105-87-3	203-341-5	0.7 - 1.0 %	H315; H317; H401; H412
Geranyl A	cetate		
470-82-6	207-431-5	0.7 - 1.0 %	H226; H303; H317; H320; H402
Eucalypto	bl		
141-12-8	205-459-2	0.7 - 1.0 %	H317; H401
Neryl ace	tate		
87-44-5	201-746-1	0.7 - 1.0 %	H304; H317; H413
Beta-Cary	/ophyllene		
35044-57-6	252-333-8	0.7 - 1.0 %	H227; H317; H412
2,4-Cyclo	hexadiene-1-cai	boxylic Acid, 2,6	5,6-triemethyl-, ethyl ester
2705-87-5	220-292-5	0.7 - 1.0 %	H302; H312; H317; H332; H400; H410
Allyl cyclo	hexylpropionate	,	
See Section 1	6 for full text of	GHS classification	on codes

See Section 16 for full text of GHS classification codes which where not shown in section 2

4.First Aid Measures4.1Description of first aid measures	
Inhalation:	Remove from exposure site to fresh air and keep at rest. Obtain medical advice.
Eye Exposure:	Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.
Skin Exposure:	Remove contaminated clothes. Wash thoroughly with water (and soap). Contact physician if symptoms persist.

SDS v1 GHS / CLP

Revised Date: 2024-05-30 00:00

Product:	Black Bomb
Careco LLC 22542 Shannon Circle Lake Forest, CA 92630 www.scentbomb.com	Page 4 of 8 Print Date: 2024-05-30 14:30
Ingestion:	Rinse mouth with water and obtain medical advice.
4.2 Most important symptoms and effect	ts, both acute and delayed
Symptoms:	no data available
Risks:	Refer to Section 2.2 "Hazard Statements"
4.3 Indication of any immediate medical	attention and special treatment needed
Treatment:	Refer to Section 2.2 "Response"
5. Fire-Fighting measures	
5.1 Extinguishing media	
Suitable:	Carbon dioxide (CO2), Dry chemical, Foam
Unsuitable	Do not use a direct water jet on burning material
5.2 Special hazards arising from the sub	ostance or mixture
During fire fighting:	Water may be ineffective
5.3 Advice for firefighters	
Further information:	Standard procedure for chemical fires

Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

6.2 Environmental precautions

6.

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

Reference to other sections 6.4

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

Specific end uses 7.3

No information available

SDS v1 GHS / CLP

Revised Date: 2024-05-30 00:00

Print Date: 2024-05-30 14:30

Page 5 of 8

Product: Black Bomb

Careco LLC 22542 Shannon Circle Lake Forest, CA 92630 www.scentbomb.com

8.

Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits:	Contains no substances with occupational exposure limit values.		
Engineering Controls:	Use local exhaust as needed.		
8.2 Exposure controls - Personal protective equipment			
Eye protection:	Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure		
Respiratory protection:	Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.		
Skin protection:	Avoid Skin contact. Use chemically resistant gloves as needed.		

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Conforms to Standard
Viscosity:	>20 cSt @ 40 C (104 F)
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0283
%VOC:	0.565
Specific Gravity @ 25 C:	Not determined
Density @ 25 C:	Not determined
Refractive Index @ 20 C:	Not determined
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

SDS v1 GHS / CLP

Revised Date: 2024-05-30 00:00

Print Date: 2024-05-30 14:30

Page 6 of 8

Product: Black Bomb

Careco LLC 22542 Shannon Circle Lake Forest, CA 92630 www.scentbomb.com

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg	(LD50: 2398.0815) May be harmful if swallowed
Acute toxicity - Dermal - (Rabbit) mg/kg	(LD50: 4854.1019) May be harmful in contact with skin
Acute toxicity - Inhalation - (Rat) mg/L/4hr	(LD50: 69.3006) May be harmful if inhaled
Skin corrosion / irritation	Causes skin irritation
Serious eye damage / irritation	Causes serious eye irritation
Respiratory sensitization	Not classified - the classification criteria are not met
Skin sensitization	May cause an allergic skin reaction
Germ cell mutagenicity	Not classified - the classification criteria are not met
Carcinogenicity	Not classified - the classification criteria are not met
Reproductive toxicity	Not classified - the classification criteria are not met
Specific target organ toxicity - single exposure	Not classified - the classification criteria are not met
Specific target organ toxicity - repeated exposure	Not classified - the classification criteria are not met
Aspiration hazard	Not classified - the classification criteria are not met

12. Ecological Information

12.1 Toxicity

•	
Acute acquatic toxicity	Very Toxic to aquatic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

SDS v1 GHS / CLP

Revised Date: 2024-05-30 00:00

Print Date: 2024-05-30 14:30

Page 7 of 8

Product: Black Bomb

Careco LLC 22542 Shannon Circle Lake Forest, CA 92630 www.scentbomb.com

14. Transport Information

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued. In accordance with ADR / RID / IMDG / IATA / AND

LIMITED QUANTITY EXEMPTION: The manner in which this product is packaged, meets standards for a Limited Quantity Exemption in accordance with Special Provision 375 of ADR, 2.10.2.7 of IMDG, Special Provision A197 of IATA, 5.2.1.8.1 of ADN, and Special provision 375 of RID. When meeting all applicable packaging requirements and transported in single or combination packaging containing a net quantity per single or inner packaging of 5 L or less, this product may not be subject to any other provisions of the regulations. See applicable regulations.

ALL PACKAGE LEVELS NET LESS THAN 5L: UNIT = 10z (0.02957 L) INNER PACK = 200z (0.5615 L) MASTER CASE = 1600z (4.732 L)

Marine Pollutant	Yes. Ingredient of impact : 120-51-4	•			
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated -	Not Dangerous	Goods	
Chemicals NOI					
ADR/RID (International Road	d/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082

15. Regulatory Information		
Additional European Regulations		
European Union (EINECS, ELINCS or NLP Additional Asian Regulations	100.00% (By Wt) of the components are listed or exempt.	
Australian AICS	100.00% (By Wt) of the ingredients on AICS or notified.	
Chinese IECS	100.00% (By Wt) of the ingredients on IECS.	
Japan ENCS	99.10% (By Wt) of the ingredients on ENCS, fall within the 1000 kilogram per annum exemption or have been notified.	
Korea KECL	99.80% (By Wt) of the ingredients on KECL, fall within the 100 kilogram per annum exemption or have been notified.	
New Zealand NZloc	100.00% (By Wt) of the ingredients on NZIoc.	
Philippines PICCS 100.00% (By Wt) of the ingredients on PICCS.		
The Status of the following ingredient(s) is NOT known for the registration lists noted;		
Asian Disclosure	Lists noted within <> brackets after name	
67634-00-8 266-803-5 0.1 - 1.0 %	Isoamyl Allylglycollate: <encs></encs>	
35044-57-6 252-333-8 0.1 - 1.0 %	2,4-Cyclohexadiene-1-carboxylic Acid, 2,6,6-triemethyl-, ethyl ester: <kecl></kecl>	

SDS v1 GHS / CLP

Print Date: 2024-05-30 14:30

Page 8 of 8

Product: Black Bomb

Careco LLC 22542 Shannon Circle Lake Forest, CA 92630 www.scentbomb.com

Other Information 16.

GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour	H227 : Combustible liquid
H302 : Harmful if swallowed	H304 : May be fatal if swallowed and enters airways
H312 : Harmful in contact with skin	H316 : Causes mild skin irritation
H317 : May cause an allergic skin reaction	H319 : Causes serious eye irritation
H320 : Causes eye irritation	H332 : Harmful if inhaled
H401 : Toxic to aquatic life	H402 : Harmful to aquatic life
H410 : Very toxic to aquatic life with long lasting effects	H412 : Harmful to aquatic life with long lasting effects
H413 : May cause long lasting harmful effects to aquatic life	
Total Fractional Values	
(TFV) Risk	(TFV) Risk
(72.15) Acute Toxicity Inhalation, Category 5	(39.66) Aquatic Chronic Toxicity, Category 3
(9.10) Sensitization, Skin, Category 1	(9.10) Sensitization, Skin, Category 1A
(4.00) Sensitization, Skin, Category 1B	(3.95) Aquatic Chronic Toxicity, Category 2
(2.24) Skin Corrosion/Irritation, Category 3	(2.21) Aquatic Chronic Toxicity, Category 4
(2.09) Acute Toxicity Oral, Category 5	(1.97) Aquatic Acute Toxicity, Category 1
(1.51) Skin Corrosion/Irritation, Category 2	(1.44) Eye Damage/Eye Irritation, Category 2
(1.36) Eye Damage/Eye Irritation, Category 2A	(1.03) Acute Toxicity Dermal, Category 5

Department issuing data sheet:	Regulatory Affairs Group
Department E-mail address:	team@scentbomb.com

Remarks

This safety data sheet is based on the properties of the material known to Careco LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment Careco LLC holds no responsibility. This document is not intended for quality assurance purposes.

Revised Date: 2024-05-30 00:00