according to 1907/2006/EC, Article 31, as amended by UK REACH Regulation SI 2019/758

Printing date 08.06.2023 Version number 1 Revision: 08.06.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: IG® Hybrid Ceramic Rain Repellent

Product Code(s): 08129 UFI: FXF7-6C3C-WX9F-WG5J

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Sector of Use:** Product supplied for both public and professional use **Application of the substance / the preparation:** Glass cleaner.

#### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

Stoner Incorporated 1070 Robert Fulton Hwy. Quarryville, PA 17566 United States

Tel: +1 717-786-7355 Fax: +1 717-786-4665

Email: dswartz@stonersolutions.com

## 1.4 Emergency telephone number(s):

CHEMTREC UK: +44 20 3807 3798

NHS Direct: 111

National Poisons Information Service (NPIS): 0121 507 4123 (healthcare professionals only).

Ireland - National Poisons Information Centre: 01 837 9964 or 01 809 2566 (healthcare professionals only).

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3 H226 Flammable liquid and vapour. Eye Irrit. 2 H319 Causes serious eye irritation.

#### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008:

The product is classified and labelled according to the GB CLP regulation.

#### Hazard pictograms:





GHS02 GHS07

## Signal word: Warning

#### **Hazard statements:**

H226 Flammable liquid and vapour. H319 Causes serious eye irritation.

#### **Precautionary statements:**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

# according to 1907/2006/EC, Article 31, as amended by UK REACH Regulation SI 2019/758

Printing date 08.06.2023 Version number 1 Revision: 08.06.2023

Trade name: IG® Hybrid Ceramic Rain Repellent

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### Additional information:

Product contains: Reportable explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9.

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

#### **SECTION 3: Composition/information on ingredients**

**Description:** Mixture consisting of the following components.

Hazardous components:				
	CAS: 67-64-1 EINECS: 200-662-2 Index number: 606-001-00-8	acetone Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336, EUH066	≥2.5-<10%	
	CAS: 67-63-0 EINECS: 200-661-7 Index number: 603-117-00-0	Propan-2-ol Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	<2.5%	
	CAS: 111-76-2 EINECS: 203-905-0 Index number: 603-014-00-0	2-butoxyethanol Acute Tox. 3, H311; Acute Tox. 3, H331; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335-H336 ATE: LD50 oral: 1,200 mg/kg LC50/4h inhalative: 3 mg/L	<2.5%	

Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

**General information:** Immediately remove any clothing soiled by the product. **After inhalation:** Move patient to fresh air, if symptoms persist consult a doctor.

After skin contact: Immediately rinse with water.

#### After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

### 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing agents: Carbon dioxide (CO2). Dry chemical. Foam.

#### 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

according to 1907/2006/EC, Article 31, as amended by UK REACH Regulation SI 2019/758

Printing date 08.06.2023 Version number 1 Revision: 08.06.2023

Trade name: IG® Hybrid Ceramic Rain Repellent

#### 5.3 Advice for firefighters

Protective equipment: No special measures required.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

#### 6.2 Environmental precautions

Prevent seepage into sewage system, workpits and basements.

Dilute with plenty of water.

#### 6.3 Methods and material for containment and cleaning up

Ensure adequate ventilation.

Dispose contaminated material as waste according to section 13.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

No special measures required.

No special precautions are necessary if used correctly.

#### Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep container tightly closed.

7.3 Specific end use(s): No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Ingre	Ingredients with limit values that require monitoring at the workplace:				
67-64	67-64-1 acetone				
	Short-term value: 3620 mg/m³, 1500 ppm Long-term value: 1210 mg/m³, 500 ppm				
<b>I</b>	67-63-0 Propan-2-ol				
WEL	Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm				
111-7	1-76-2 2-butoxyethanol				
WEL	Short-term value: 246 mg/m³, 50 ppm Long-term value: 123 mg/m³, 25 ppm Sk, BMGV				

#### Ingredients with biological limit values:

#### 111-76-2 2-butoxyethanol

BMGV 240 mmol/mol creatinine

Medium: urine

Sampling time: post shift Parameter: butoxyacetic acid

according to 1907/2006/EC, Article 31, as amended by UK REACH Regulation SI 2019/758

Printing date 08.06.2023 Version number 1 Revision: 08.06.2023

Trade name: IG® Hybrid Ceramic Rain Repellent

Additional information: The lists valid during the making were used as basis.

#### 8.2 Exposure controls

#### Individual protection measures, such as personal protective equipment

#### General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Avoid contact with the eyes.

Avoid contact with the eyes and skin. **Respiratory protection:** Not required.

### Hand protection



Protective gloves.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/the preparation/ the chemical mixture.

Select the glove material based on a consideration of the penetration times, rates of diffusion and the degradation.

#### Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material:

The exact break through time must be determined by the manufacturer of the protective gloves.

#### Eye/face protection



Safety goggles (EN 166).

Goggles recommended during refilling

Body protection: Protective work clothing.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

**General Information** 

Physical state Fluid
Colour: Milky white.
Odour: None to very faint
Odour threshold: Not determined.
Melting point/freezing point: Not determined.

Boiling point or initial boiling point and boiling

range Not determined. Flammability Flammable.

Lower and upper explosion limit

 Lower:
 2 Vol %

 Upper:
 14.3 Vol %

 Flash point:
 40 °C

Auto-ignition temperature: Not determined.

Decomposition temperature: Not determined.

pH at 20 °C 4-5

according to 1907/2006/EC, Article 31, as amended by UK REACH Regulation SI 2019/758

Printing date 08.06.2023 Version number 1 Revision: 08.06.2023

Trade name: IG® Hybrid Ceramic Rain Repellent

VOC (EC):

**Dynamic:** Not determined.

Solubility

Water: Fully miscible.

Partition coefficient n-octanol/water (log value)
Vapour pressure: Fully miscible.

Not determined.

Not determined.

Density and/or relative density

**Density:** Not determined.

Relative density at 20 °C 0.99 Vapour density at 20 °C >1 g/cm<sup>3</sup>

9.2 Other information

Appearance:

Form: Bulk liquid Explosive properties: Not determined.

Softening point/range

Oxidising properties Not determined. Evaporation rate Not determined.

Information with regard to physical hazard

classes

ExplosivesNot applicable.Flammable gasesNot applicable.AerosolsNot applicable.Oxidising gasesNot applicable.Gases under pressureNot applicable.

Flammable liquids Flammable liquid and vapour.

Flammable solids

Self-reactive substances and mixtures

Pyrophoric liquids

Pyrophoric solids

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Not applicable.

Substances and mixtures, which emit flammable

gases in contact with waterNot applicable.Oxidising liquidsNot applicable.Oxidising solidsNot applicable.Organic peroxidesNot applicable.Corrosive to metalsNot applicable.Desensitised explosivesNot applicable.

#### **SECTION 10: Stability and reactivity**

**10.1 Reactivity** No further relevant information available.

#### 10.2 Chemical stability

#### Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials No further relevant information available.
- 10.6 Hazardous decomposition products No further relevant information available.

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

according to 1907/2006/EC, Article 31, as amended by UK REACH Regulation SI 2019/758

Printing date 08.06.2023 Version number 1 Revision: 08.06.2023

Trade name: IG® Hybrid Ceramic Rain Repellent

LD/LC50 v	LD/LC50 values:		
67-64-1 acetone			
Oral	LD50	5,800 mg/kg (Rat)	
Dermal	LD50	20,000 mg/kg (Rabbit)	
67-63-0 Propan-2-ol		ol .	
Oral	LD50	5,840 mg/kg (Rat)	
Dermal	LD50	12,800 mg/kg (Rabbit)	
Inhalative	LC50/4h	30 mg/L (Rat)	
111-76-2 2-butoxyethanol		thanol	
Oral	LD50	1,200 mg/kg (ATE)	
		1,480 mg/kg (Rat)	
Dermal	LD50	400 mg/kg (rab)	

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Causes serious eye irritation.

Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

**Reproductive toxicity:** Based on available data, the classification criteria are not met. **STOT-single exposure:** Based on available data, the classification criteria are not met. **STOT-repeated exposure:** Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

#### 11.2 Information on other hazards

## 11.2.1 Endocrine disrupting properties

None of the ingredients are listed.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic to	Aquatic toxicity:		
-	ropan-2-ol		
LC50/96h	LC50/96h   9,640 mg/L (Fish)		
NOEC	1,050 mg/L (Microorganisms)		
LC50/24h	C50/24h  >10,000 mg/L (Daphnia)		
111-76-2 2	2-butoxyethanol		
LC50/96h	1,490 mg/L (Lepomis Macrochirus)		
EC50	>700 mg/L (Pseudomonas Putida)		
EC50/24h 1,815 mg/L (Daphnia Magna)			

- 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

#### 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

#### 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

according to 1907/2006/EC, Article 31, as amended by UK REACH Regulation SI 2019/758

Printing date 08.06.2023 Version number 1 Revision: 08.06.2023

Trade name: IG® Hybrid Ceramic Rain Repellent

#### 12.7 Other adverse effects

#### Additional environmental information:

#### **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): Slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

**Recommendation:** Do not allow product to reach sewage system.

Uncleaned packaging: Recommendation:

Disposal must be made in accordance with official regulations.

Packaging that may not be cleansed must be disposed of in the same manner as the product.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

#### **SECTION 14: Transport information**

14.1 UN number or ID number

ADR, IMDG, IATA UN1268

14.2 UN proper shipping name

**ADR** 1268 PETROLEUM DISTILLATES, N.O.S. **IMDG, IATA** PETROLEUM DISTILLATES, N.O.S.

14.3 Transport hazard class(es)

ADR, IMDG, IATA



Class 3 Flammable liquids.

Label 3

14.4 Packing group

ADR, IMDG, IATA

**14.5 Environmental hazards** Not applicable.

**14.6 Special precautions for user**Warning: Flammable liquids.

Hazard identification number (Kemler code): 30
EMS Number: F-E,S-E
Stowage Category A

14.7 Maritime transport in bulk according to

**IMO instruments** Not applicable.

**Transport/Additional information:** 

ADR

Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

Tunnel restriction code: D/E

**IMDG** 

Limited quantities (LQ) 5L

according to 1907/2006/EC, Article 31, as amended by UK REACH Regulation SI 2019/758

Printing date 08.06.2023 Version number 1 Revision: 08.06.2023

Trade name: IG® Hybrid Ceramic Rain Repellent

Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

#### **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients are listed.

Seveso category P5c FLAMMABLE LIQUIDS

Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients are listed.

#### **REGULATION (EU) 2019/1148**

## Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients are listed.

## Annex II - REPORTABLE EXPLOSIVES PRECURSORS

67-64-1 acetone

## Regulation (EC) No 273/2004 on drug precursors

67-64-1 acetone

3

# Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

67-64-1 acetone

3

## 15.2 Chemical safety assessment A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

Date of previous version: 06.06.2023

#### Abbreviations and acronyms:

WEL: Workplace Exposure Limits

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Liq. 2: Flammable liquids – Category 2

according to 1907/2006/EC, Article 31, as amended by UK REACH Regulation SI 2019/758

Printing date 08.06.2023 Version number 1 Revision: 08.06.2023

Trade name: IG® Hybrid Ceramic Rain Repellent

Flam. Liq. 3: Flammable liquids – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 3: Acute toxicity – Category 3
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3