

According to Regulation (EU) No. 1907/2006 (REACH), Annex II.

COMMISSION REGULATION (EU) No 2020/878

Report No: KEYS240613057001RH-03 Date: Jun. 17, 2024

Page 1 of 18

SDS

Supplier Name: Simply Brands (ASIA) Limited

Supplier Address: Unit 04-05, 16th Floor, The Broadway No. 54-62 Lockhart Road, Wanchai, Hong Kong

Manufacturer Name: Simply Brands (ASIA) Limited

Manufacturer address: Unit 04-05, 16th Floor, The Broadway No. 54-62 Lockhart Road, Wanchai, Hong Kong

Trade Mark: Simply Sample Name: CYCLE PUNCTURE REPAIR KIT Sample Model: CPRK1

Signed for and on behalf of

Tony Qian/Technical Directory

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China



According to Regulation (EU) No. 1907/2006 (REACH), Annex II.

COMMISSION REGULATION (EU) No 2020/878

Report No: KEYS240613057001RH-03 Date: Jun. 17, 2024

Page 2 of 18

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifierTrade Mark: SimplySample Name: CYCLE PUNCTURE REPAIR KITSample Model: CPRK1

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use: personal use

## **1.3. Details of the supplier of the safety data sheet**

Supplier Name: Simply Brands (ASIA) Limited

Supplier Address: Unit 04-05, 16th Floor, The Broadway No. 54-62 Lockhart Road, Wanchai, Hong Kong

Manufacturer Name: Simply Brands (ASIA) Limited

Manufacturer address: Unit 04-05, 16th Floor, The Broadway No. 54-62 Lockhart Road, Wanchai, Hong Kong

Contact Person: anna Tel.: +44(0) 1903 750355 Email: anna.beck@jrpdistribution.co.uk

## **1.4. Emergency telephone number**

Emergency telephone number: +44(0) 1903 750355

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China



According to Regulation (EU) No. 1907/2006 (REACH), Annex II.

COMMISSION REGULATION (EU) No 2020/878

 Report No: KEYS240613057001RH-03
 Date: Jun. 17, 2024
 Page 3 of 18

**SECTION 2: Hazards identification** 

## 2.1. Classification of the substance or mixture

Classification (1272/2008/CE):

## Calcium sulfate:

Classification: Category 3

Hazard description: H317-H319-H334-H341-H350-H360F-H411

Precautionary statements: P202-P273-P280-P302+P352-P305+P351+P338-P308+P313

Hazardous material symbols: T,N

Hazard class codes: R49-R42/43-R51/53

Safety Instructions: S53-S22-S36/37-S45-S60-S24/25

Dangerous Goods Transport Number: UN 3077 9/PG 3

Signal Word: Danger

Inhaling large amounts of dust can cause cancer.

## Natural latex:

Classification: Category 3

Safety instructions: S24/25; S7/9; S45; S36/37; S16; S53

Transport Number: UN 1307 3

Hazard statements: H226-H304-H312 + H332-H315-H319-H335-H360FD-H412

Warning Statement: P201-P210-P280-P301+P310-P308+P313-P331-P370+P378

Storage conditions: 2-8°C

Hazard Category Code: 60-61-10-20/21-36/37/38-52/53-65

Signal word: Danger

## For the whole product:

The product is not classified according to the CLP regulation.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of Regulation (EC) No.1272/2008. Classification system:

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China



According to Regulation (EU) No. 1907/2006 (REACH), Annex II.

COMMISSION REGULATION (EU) No 2020/878

 Report No: KEYS240613057001RH-03
 Date: Jun. 17, 2024
 Page 4 of 18

The classification is according to the latest edition of EU Regulation (EC) No. 1272/2008, and extended by company and literature data.

2.2. Label elements

## Calcium sulfate:

Labelling according to Regulation (EC) No. 1272/2008:

Hazard pictograms:



GHS08

Signal word: Danger

Hazard statements: Inhaling large amounts of dust can cause cancer.

Additional information: Not applicable

## Natural latex:

Labelling according to Regulation (EC) No. 1272/2008:

Hazard pictograms:

GHS07 GHS08

Signal word: Danger

Hazard statements: Inhaling large amounts of dust can cause cancer.

Additional information: Not applicable

## 2.3 Other hazards:

Results of PBT and vPvBassessment

PBT: Not applicable

vPvB: Not applicable

This product is NOT hazardous as defined For

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China



According to Regulation (EU) No. 1907/2006 (REACH), Annex II.

COMMISSION REGULATION (EU) No 2020/878

 Report No: KEYS240613057001RH-03
 Date: Jun. 17, 2024
 Page 5 of 18

(1) persistent, bioaccumulative and toxic or very persistent and very bioaccumulative in accordance with Annex XIII,

(2) the substance was included in the list established in accordance with Article 59(1) for having endocrine disrupting properties,

(3) the substance is a substance identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100(3) or Commission Regulation (EU) 2018/605

## Calcium sulfate:

Classification: Category 3

Signal Word: Danger

Inhaling large amounts of dust can cause cancer.

Precautionary Statement Prevention (inhalation): P261, P271

Precautionary Statement Response (inhalation): P304 + P340, P311, P321

## Natural latex:

Classification: Category 3

Signal word: Danger, Flammable liquids

Hazard statements: H226-H304-H312 + H332-H315-H319-H335-H360FD-H412

Warning Statement: P201-P210-P280-P301+P310-P308+P313-P331-P370+P378

Storage conditions: 2-8°C

Hazard Category Code: 60-61-10-20/21-36/37/38-52/53-65

For the whole product: Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Type of product: Mixture

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China



According to Regulation (EU) No. 1907/2006 (REACH), Annex II.

COMMISSION REGULATION (EU) No 2020/878

Report No: KEYS240613057001RH-03 Date: Jun. 17, 2024

Page 6 of 18

Chemical Name		CAS No.	Content/%			
		Water	7732-18-5	65		
Class	Methylcellulose		9004-67-5	15	50	
Glue	Polyethyl acetate latex		9003-20-7	15	50	
		Natural latex	9003-31-0	5		
	Patch		9003-17-2	30		
		Calcium sulfate	7778-18-9	98.6		
Chalk		Water	7732-18-5	1.2	5	
		Color paste	10127-03-4	0.1		
Crayon		471-34-1 57-11-4 8009-03-8 8042-47-5	5			
Metal Abrasive Sheet		12597-68-1	10			

#### 3.2. Mixtures

No information available.

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

General notes:

In all case of doubt, or when symptoms persist, seek medical attention.

#### **Eyes contact:**

In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China



According to Regulation (EU) No. 1907/2006 (REACH), Annex II.

COMMISSION REGULATION (EU) No 2020/878

## Report No: KEYS240613057001RH-03 Date: Jun. 17, 2024

Page 7 of 18

flushing by separating the eyelids with fingers. If the person feels unwell, Call a physician.

## Skin contact:

In case of skin contact, flush with copious amounts of water. If the person feels unwell, Call a physician.

## **Oral Exposure:**

If swallowed, wash out mouth with water provided person is conscious. Call a physician.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment is advised.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media: sprayed water jet, extinguishing powder, Carbon dioxide (CO<sub>2</sub>),

Foam, Dry chemical

Unsuitable extinguishing media: No information available.

## 5.2. Special hazards arising from the substance or mixture

Burning releases carbon monoxide, carbon dioxide, oxides of nitrogen and traces of hydrogen cyanide. In the event of fire and/or explosion do not breathe fumes.

## **5.3 Advice for fire-fighters:**

Firemen must wear self-contained breathing apparatus.

Do not allow contaminated extinguishing water to enter the soil, ground-water or surface waters.

## **SECTION 6: Accidental release measures**

Product is a solid, no leakage.

## 6.4 Reference to other sections:

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China



According to Regulation (EU) No. 1907/2006 (REACH), Annex II.

COMMISSION REGULATION (EU) No 2020/878

Report No: KEYS240613057001RH-03 Date: Jun. 17, 2024

Page 8 of 18

For further disposal measures see section 13.

## Section 7 - Handling and Storage

## 7.1. Precautions for safe handling

 $\cdot$ wear rubber gloves.

- · From direct sunlight, heat and workplace forbids smoking.
- $\cdot$  Use explosion-proof type ventilation systems and equipment.
- · Prevent steam leakage into the workplace atmosphere.
- Avoid contact with antioxidants. Handling want light light, prevent packaging and container unloading damage.
- Equipped with corresponding varieties and number of fire equipment and leakage emergency treatment equipment.
- · Empty containers may remain pests.

## 7.2. Conditions for safe storage, including any incompatibilities

- · Stored in a cool, well-ventilated area.
- · Far from fire, heat source.
- · Keep out of reach of children & pets.
- · With oxidant, edible chemicals should be stored apart, avoid by all means is mixed storage.
- · Equipped with corresponding varieties and number of fire equipment.
- Storage areas shall be equipped with emergency treatment equipment and appropriate leakage of asylum materials.
- · Extremely toxic substances shall strictly carry out the "five pairs of" management system.

## 7.3. Specific end use(s)

No other specific use.

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China



According to Regulation (EU) No. 1907/2006 (REACH), Annex II.

COMMISSION REGULATION (EU) No 2020/878

Report No: KEYS240613057001RH-03 Date: Jun. 17, 2024

Page 9 of 18

## Section 8: Exposure Controls/Personal Protection

## 8.1. Control parameters

Occupational exposure limits: Not available.

## 8.2. Exposure controls

#### **Respiratory protection:**

In case of dust formation use respiratory equipment with filter type particle filter P1 according to

#### Hand protection:

Suitable materials for safety gloves;

Polyvinyl chloride - PVC (>= 0.5 mm)

Contaminated and/or damaged gloves must be changed.

#### **Eye protection:**

Wear eye/face protection.

#### Skin and body protection:

Wear suitable protective clothing.

## **Section 9-Physical and Chemical Properties**

#### 9.1. Information on basic physical and chemical properties

Appearance:	Solid+ liquid
Colour:	Transparent+black+red
Odour:	Odourless
pH:	Not applicable
Softening point:	Not applicable
Upper/lower flammability or explosive limits:	Not applicable
Vapour pressure:	Not applicable
Density:	Not applicable

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

Guangdong KEYS Testing Technology Co., Ltd.



According to Regulation (EU) No. 1907/2006 (REACH), Annex II. COMMISSION REGULATION (EU) No 2020/878

 Report No: KEYS240613057001RH-03
 Date: Jun. 17, 2024
 Page 10 of 18

Bulk density:	Not applicable
Water solubility:	Practically insolub
Autoignition temperature:	Not applicable
Refractive index:	Not applicable
The light transmittance :	Not applicable.
The relative density :	Not applicable
Hardness:	Not applicable
The modulus of elasticity:	Not applicable.
Volumetric modulus of elasticity:	Not applicable
Ultimate tensile strength:	Not applicable.

## 9.2. Other information

No data available.

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Stable under recommended storage and handling conditions (see section 7, handling and storage).

#### 10.2. Chemical stability

Stable under normal conditions use.

## **10.3.** Possibility of hazardous reactions

No hazardous reactions observed.

#### 10.4. Conditions to avoid

Open flames, hot surfaces, and sources of ignition. Avoid contact with incompatible materials.

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China



According to Regulation (EU) No. 1907/2006 (REACH), Annex II. COMMISSION REGULATION (EU) No 2020/878

 Report No: KEYS240613057001RH-03
 Date: Jun. 17, 2024
 Page 11 of 18

#### **10.5. Incompatible materials**

Strong acid. Strong bases.

#### 10.6. Hazardous decomposition products

Caused by smouldering and incomplete combustion toxic fumes mainly consisting of CO and  $CO_2$  may be developed.

## **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity

Oral, LD<sub>50</sub>: No data available. Inhalation, LC<sub>50</sub>: No data available. Dermal,, LD<sub>50</sub>: No data available.

Skin corrosion/irritation: No data available. Serious eye damage/irritation: No data available. Respiratory or skin sensitization: No data available. Germ cell mutagen city: No data available. Carcinogenicity: No data available. Reproductive toxicity: No data available. STOT-single exposure: No data available. STOT-repeated exposure: No data available. Aspiration hazard: No data available.

## **SECTION 12: Ecological information**

## 12.1. Toxicity

No harmful effects under normal use.

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China



According to Regulation (EU) No. 1907/2006 (REACH), Annex II. COMMISSION REGULATION (EU) No 2020/878

Report No: KEYS240613057001RH-03 Date: Jun. 17, 2024

Page 12 of 18

## 12.2. Persistence and degradability

No information available.

## 12.3. Bioaccumulative potential

No information available.

## 12.4. Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

## 12.6 Other adverse effects

No further relevant information available.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

- 1. To process to others products
- 2. Local agency to understand correlative procedure.

## **SECTION 14: Transport information**

14.1. UN numberNot regulated14.2. UN proper shipping nameNot regulated14.3. Transport hazard class(es)Not regulated

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China



According to Regulation (EU) No. 1907/2006 (REACH), Annex II.

## COMMISSION REGULATION (EU) No 2020/878

 Report No: KEYS240613057001RH-03
 Date: Jun. 17, 2024
 Page 13 of 18

14.4. Packing groupNot regulated14.5. Environmental hazardsNot regulated14.6. Special precautions for userNot regulated

**14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not regulated This product is NOT hazardous as defined For

(1) persistent, bioaccumulative and toxic or very persistent and very bioaccumulative in accordance with Annex XIII,

(2) the substance was included in the list established in accordance with Article 59(1) for having endocrine disrupting properties,

(3) the substance is a substance identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100(3) or Commission Regulation (EU) 2018/605

## **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixtureWater contaminating class (Germany): not water endangering(in accordance with Annex 1 to the Directive on Water-Hazardous Substances)

## 15.2. Chemical safety assessment

No data available.

## **SECTION 16: Other information**

**Other Information:** the above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the result of its use, this information is

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China



According to Regulation (EU) No. 1907/2006 (REACH), Annex II. COMMISSION REGULATION (EU) No 2020/878 Report No: KEYS240613057001RH-03 Date: Jun. 17, 2024 Page 14 of 18

furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

KEYS confirmed the ninth item, the above content as reference information only. Please the user according to the demand to judge it usability. KEYS has no any responsibility.

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
ΙΑΤΑ	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China



Г

# Safety Data Sheet

According to Regulation (EU) No. 1907/2006 (REACH), Annex II.

COMMISSION REGULATION (EU) No 2020/878

Report No: KEYS240613057001RH-03 Date: Jun. 17, 2024

Page 15 of 18

Abbreviations and acronyms:		
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China



According to Regulation (EU) No. 1907/2006 (REACH), Annex II.

## COMMISSION REGULATION (EU) No 2020/878

Report No: KEYS240613057001RH-03 Date: Jun. 17, 2024

Page 16 of 18

Abbreviations and acronyms:	
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3	
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2	
EUH208	Contains 4-TERT-BUTYLCYCLOHEXYL ACETATE, COUMARIN, METHYLCINNAMIC ALDEHYDE, TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES. May produce an allergic reaction.	
H301	Toxic if swallowed.	
H311	Toxic in contact with skin.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H331	Toxic if inhaled.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	

This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China



According to Regulation (EU) No. 1907/2006 (REACH), Annex II.


## COMMISSION REGULATION (EU) No 2020/878

Report No: KEYS240613057001RH-03 Date: Jun. 17, 2024

Page 17 of 18

Full text of H- and EUH-statements:	
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

## Sample Name:



This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China



According to Regulation (EU) No. 1907/2006 (REACH), Annex II.

### COMMISSION REGULATION (EU) No 2020/878

Report No: KEYS240613057001RH-03 Date: Jun. 17, 2024

Page 18 of 18



This report is only responsible for the test results of the samples submitted for inspection, and is not responsible for the source of the samples submitted for inspection. This report shall not be altered, increased or deleted. Without written approval of KEYS, this test report shall not be copied except in full and published as advertisement.

Guangdong KEYS Testing Technology Co., Ltd.

Address: Building 1, No.18, Shihuan Road, Dongcheng Subdistrict, Dongguan, Guangdong, China