



## Safety Data Sheet (SDS)

Prepared in accordance with Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by  
Commission Regulation (EU) 2020/878.

### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name:** Silicone sealant(acetic)

**1.2. Relevant identified uses of the substance or mixture and uses advised against:** It is used for sealing and bonding. **Restrictions on use:** Do NOT use it in an application which may contaminate food or do harm to human health.

#### 1.3. Details of the supplier of the safety data sheet

Company: Simply Brands Deutschland GmbH i. Gr  
Address: Ernst – August – Platz 10, 30159 Hannover,  
Deutschland  
TEL: +86 769 88288882  
Email: Sales@visbella.com

#### 1.4. Emergency telephone number

Emergency telephone number: +44(0)1903750355  
Intended use: It is used for sealing and bonding.  
Further information: Simply Brands Deutschland GmbH i. Gr

### 2. Hazards identification

#### 2.1. Classification of the substance or mixture:

##### 2.1.1. Classification according to Regulation (EC) No 1272/2008 (CLP):

Skin corrosion/irritation Category 2 - (H315)

**2.1.2. Additional information:** For full text of Hazard- and EU Hazard-statements: see SECTION 16.

#### 2.2. Label elements

**Labelling according to Regulation (EC) No 1272/2008 [CLP]:**

**Hazard Pictograms:**



**Signal Word:** Warning

**Hazard Statements:** H315 - Causes skin irritation

**Precautionary Statements:** P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P362 - Take off contaminated clothing and wash before reuse

**Response Precautionary Statements:** No special requirements.

**Storage precautionary statements:** No special requirements.

**Disposal precautionary statements:** No special requirements.

#### 2.3. Other hazards: Not found.

**Information of endocrine disrupting substances:** No endocrine disruptors.

This mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0. 1% or higher.



3. Composition/information on ingredients

Product description: substance ( ) ; preparation/mixture (√)

Ingredients/Components	CAS No.	EC No.	Index No.	% by weight	Classification according to Regulation (EC) No 1278/2008 (CLP).
Dimethyl silicone (Polydimethyl siloxane)	9006-65-9	618-433-4	Not available	60-90%	Physical Hazards: not classified Health hazards: not classified Environmental hazards: not classified
Silicon dioxide	14808-60-7	238-878-4	Not available	5-10%	Physical Hazards: not classified Health hazards: not classified Environmental hazards: not classified
Methylsilanetriyl triacetate	4253-34-3	224-221-9	Not available	1-5%	Physical Hazards: not classified Health hazards: not classified Environmental hazards: not classified
Acetic acid	64-19-7	200-580-7	Not available	1-5%	H226 Flam.Liq. 3 H314 Skin Corr. 1A

**Note:** The mixture does not contain endocrine disruptors.

## 4. First aid measures

### 4.1. Description of first aid measures:

**General notes:** No information available.

**Following inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

**Following skin contact:** Rinse skin with water [or shower]. If skin irritation occurs: Get medical advice/attention.

**Following eye contact:** Remove contact lenses if present and easy to do, continue rinsing. If eye irritation persists: Get medical advice/attention.

**Following ingestion:** Rinse mouth. Do not induce vomiting without professional instruction. Call a POISON CENTER or doctor/physician if you feel unwell.

**Self-protection of the first aider:** No special requirement.

**4.2. Most important symptoms/effects, acute and delayed:** Acute effect: Not found. Delayed effect: Not found.

**4.3. Indication of any immediate medical attention and special treatment needed:** Treat according to symptoms.

## 5. Fire-fighting measures

### 5.1. Extinguishing Media

**Suitable extinguishing media:** Use water spray, dry chemicals, carbon dioxide, foam, dry sand for extinction.

**Unsuitable Extinguishing Media:** High volume water jet. Discharging cylinder shape water from fire hose may lead to spread fire to the surroundings.

**5.2. Special hazards arising from the substance or mixture:** The product is not flammable, and has no special danger.

**Hazardous combustion products:** It may release smoke, carbon monoxide, carbon dioxide and other hazardous gas from thermal decomposition.



### 5.3. Advice for fire-fighters:

For initial fire, use dry powder, carbon dioxide, etc.

For large fire, it is effective to use fire foam, etc. to shut off air supply.

Fire-fighters must wear self-contained breathing apparatus and full protective equipment (e.g. fire-retardant clothing).

Deny unnecessary entry to the place around the fire.

Remove containers from fire area if it can be done without risk.

Cool surrounding facilities, etc. with water spray.

Extinguish fire from upwind, and the fire extinguishing method should be appropriate to the situation in the surroundings.

## 6. Accidental release measures

**6.1. Personal precautions, protective equipment and emergency procedures:** Use proper personal protective equipment as indicated in Section 8.

**6.2. Environmental Precautions:** Keep cleaning run-offs out of municipal sewers and open bodies of water. Comply with local and national laws and regulations.

**6.3. Methods and materials for containment and cleaning up:**

#### Small Spill:

Mop up or absorb with an inert dry material (e.g. sand, dry lime) and place in an appropriately labeled waste disposal container.

#### Large Spill:

Isolate contaminated area and set up a warning board. The persons handling emergency are recommended wearing protective clothing. Do NOT touch spilled material. Keep away from heat and sources of ignition.

Build up dike or dig pit for collection. Spray fog water to cool down and dilute vapor. Dilute the spilled liquid till it is not combustible. Protect the working staff. Collect the spilled material with explosion-proof pump into an appropriate container and transport the waste to the disposal place.

**6.4. Reference to other sections:**

For more information, please refer to Section 8 and Section 13.

## 7. Handling and storage

**7.1. Precautions for safe handling:**

Wash hands thoroughly after handling.

**7.2. Conditions for safe storage, including any incompatibilities**

**Technical measures and storage conditions:** Store it in a well-ventilated, cool and dry store room. Long-time direct sunlight and high temperature. Keep out of the reach of children.

**Incompatible materials:** No information available.

**Packaging materials:** Aluminum tube or plastic tube.

**Requirements for storage rooms and vessels:** Well-ventilated and dry.

**Storage class**



**Further information on storage conditions:** The storeroom should be equipped with proper facilities for accidental fire.

**7.3. Specific end use(s):** It is used for sealing and bonding.

## 8. Exposure controls/personal protection

**8.1. Control parameters:** Commission Directive 98/24/EC and related indicative lists: Not set up  
Exposure Controls:

Chemical name	Australia	Austria	Belgium	Denmark	European Union
SILICON DIOXIDE (CAS #: 14808-60-7)	0.1 mg/m <sup>3</sup>	TWA: 0.15 mg/m <sup>3</sup>	-	TWA: 0.3 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>	-
Acetic acid (CAS #: 64-19-7)	10 ppm 25 mg/m <sup>3</sup> 15 ppm STEL 37 mg/m <sup>3</sup> STEL	STEL 20 ppm STEL 50 mg/m <sup>3</sup> TWA: 10 ppm TWA: 25 mg/m <sup>3</sup>	-	TWA: 10 ppm TWA: 25 mg/m <sup>3</sup>	TWA 10 ppm TWA 25 mg/m <sup>3</sup>
Chemical name	Latvia	France	Finland	Germany	Italy
SILICON DIOXIDE (CAS #: 14808-60-7)	-	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup>	Skin	-
Acetic acid (CAS #: 64-19-7)	TWA: 10 ppm TWA: 25 mg/m <sup>3</sup>	STEL: 10 ppm STEL: 25 mg/m <sup>3</sup>	TWA: 5 ppm TWA: 13 mg/m <sup>3</sup> STEL: 10 ppm STEL: 25 mg/m <sup>3</sup>	TWA: 10 ppm TWA: 25 mg/m <sup>3</sup> Ceiling / Peak: 20 ppm Ceiling / Peak: 50 mg/m <sup>3</sup>	-
Chemical name	Poland	Portugal	Spain	Switzerland	Netherlands
SILICON DIOXIDE (CAS #: 14808-60-7)	TWA: 2 mg/m <sup>3</sup> TWA: 0.3 mg/m <sup>3</sup> TWA: 4.0 mg/m <sup>3</sup> TWA: 1.0 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.15 mg/m <sup>3</sup>	TWA: 0.075 mg/m <sup>3</sup>
Acetic acid (CAS #: 64-19-7)	STEL: 30 mg/m <sup>3</sup> TWA: 15 mg/m <sup>3</sup>	STEL: 15 ppm TWA: 10 ppm	STEL: 15 ppm STEL: 37 mg/m <sup>3</sup> TWA: 10 ppm TWA: 25 mg/m <sup>3</sup>	STEL: 20 ppm STEL: 50 mg/m <sup>3</sup> TWA: 10 ppm TWA: 25 mg/m <sup>3</sup>	TWA: 25 mg/m <sup>3</sup>
Chemical name	Norway	United Kingdom	ACGIH TLV	OSHA PEL	NIOSH IDLH
SILICON DIOXIDE (CAS #: 14808-60-7)	TWA: 0.3 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup> STEL: 0.3 mg/m <sup>3</sup> STEL: 0.1 mg/m <sup>3</sup>	STEL: 0.3 mg/m <sup>3</sup> TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.025 mg/m <sup>3</sup> respirable fraction	(vacated) TWA: 0.1 mg/m <sup>3</sup> respirable dust : (30)/(%SiO <sub>2</sub> + 2) mg/m <sup>3</sup> TWA total dust : (250)/(%SiO <sub>2</sub> + 5) mppcf TWA respirable fraction : (10)/(%SiO <sub>2</sub> + 2) mg/m <sup>3</sup> TWA respirable fraction	IDLH: 50 mg/m <sup>3</sup> respirable dust TWA: 0.05 mg/m <sup>3</sup> respirable dust
Acetic acid (CAS #: 64-19-7)	TWA: 10 ppm TWA: 25 mg/m <sup>3</sup> STEL: 10 ppm STEL: 25 mg/m <sup>3</sup>	-	STEL: 15 ppm TWA: 10 ppm	TWA: 10 ppm TWA: 25 mg/m <sup>3</sup> (vacated) TWA: 10 ppm (vacated) TWA: 25 mg/m <sup>3</sup>	IDLH: 50 ppm TWA: 10 ppm TWA: 25 mg/m <sup>3</sup> STEL: 15 ppm STEL: 37 mg/m <sup>3</sup>



## 8.2. Exposure controls:

### 8.2.1. Appropriate engineering controls

Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. Install washer eyes and safety showers near to the handling and storage area.

### 8.2.2. Personal protection equipment:

#### Hand protection:

Recommend wearing protective gloves (e.g. rubber gloves).



#### Eye protection:

Wear safety glasses when liquid may splash.



#### Respiratory Protection:

Use an approved respirator if exposure limits are exceeded or if irritation or other symptoms occur.



#### Body Protection:

Recommend wearing general working clothing.



### General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Avoid contact with eyes and broken skin.

### 8.2.3 Environmental exposure controls:

Maintain levels below Community environmental protection thresholds.

**9. Physical and chemical properties****9.1. Information on basic physical and chemical properties**

General Information	
Physical state	Paste
Colour	white, transparent, brown, black
Quality	Acetic
Odour	No irritating smell
Odour threshold	No data available
pH	No data available
Melting point/freezing point	No data available
Initial boiling point and boiling range	No data available
Flash point	>93 °C (>200 °F)
Evaporation rate	No data available
Flammability (solid, gas)	Non-flammable
Flammable/Explosive Limits-Lower Vol %	No data available
Flammable/Explosive Limits-Upper Vol %	No data available
Vapour pressure	No data available
Vapour density	No data available
Density	1.00±0.20 g/cm <sup>3</sup>
Solubility (water)	No data available
Partition coefficient: n-octanol/water	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity (mm <sup>2</sup> /s)	No data available
Explosive properties	No data available
Oxidizing properties	No data available

**9.2 Other information:** Not available.



## 10. Stability and reactivity

**10.1. Reactivity:** This product is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

**10.2. Chemical stability:** No information available.

**10.3. Possibility of hazardous reactions:** The product is not flammable, and has no special danger.

**10.4. Conditions to avoid:** Long-time direct sunlight and high temperature.

**10.5. Incompatible materials:** No information available.

**10.6. Hazardous decomposition products:** It may release smoke, carbon monoxide, carbon dioxide and other hazardous gas from thermal decomposition.

## 11. Toxicological information

### 11.1. Information on toxicological effects:

#### Acute toxicity:

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
SILICON DIOXIDE (CAS #: 14808-60-7)	= 500 mg/kg ( Rat )	-	-
Methylsilanetriyl triacetate (CAS#: 4253-34-3)	= 2060 mg/kg ( Rat )	-	-
Acetic acid (CAS #: 64-19-7)	= 3310 mg/kg ( Rat )	= 1060 mg/kg ( Rabbit )	= 11.4 mg/L ( Rat ) 4 h

**Skin corrosion/irritation:** No classification for this product.

**Serious eye damage/eye irritation:** No classification for this product.

**Respiratory sensitizer:** No classification for this product.

**Skin sensitizer:** No classification for this product.

**Germ cell mutagenicity:** No classification for this product.

**Carcinogenicity:**

Chemical name	European Union	IARC
SILICON DIOXIDE (CAS #: 14808-60-7)	-	Group 1

**Reproductive Toxicity:** No classification for this product.

**Specific target organ toxicity, single exposure:** No classification for this product.

**Specific target organ toxicity, repeated exposure:** No classification for this product.

**Aspiration hazard:** No classification for this product.

**Effects on or via lactation:** No classification for this product.

**Endocrine disruptor information:** The mixture does not contain endocrine disruptors.



## 12. Ecological information

### 12.1. Toxicity:

Chemical name	Algae/Aquatic plants EC50	Fish LC50	Crustacea EC50
Acetic acid (CAS #: 64-19-7)	-	79: 96 h Pimephales promelas mg/L LC50 static 75: 96 h Lepomis macrochirus mg/L LC50 static	47: 24 h Daphnia magna mg/L EC50 65: 48 h Daphnia magna mg/L EC50 Static

**12.2. Persistence and Degradability:** No data available for the whole product.

### 12.3. Bioaccumulative Potential:

Chemical name	Partition coefficient (LogPow)
Acetic acid (CAS #: 64-19-7)	-0.31
Chemical name	Bioconcentration factor (BCF)
Acetic acid (CAS #: 64-19-7)	3.16

**12.4. Mobility in Soil:** No information available.

**12.5. Results of PBT and vPvB Assessment:** This mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0. 1% or higher.

**12.6. Endocrine disruptor information:** The mixture does not contain endocrine disruptors.

**12.7. Additional information:** No information available.

## 13. Disposal considerations

### 13.1. Waste treatment methods

#### 13.1.1. Product / Packaging disposal:

It is recommended to use incineration method to dispose of waste.

After contents are completely removed, dispose of its container at hazardous or special waste collection point.

#### Waste codes / waste designations according to LoW

EWC code: 20 01 28

In other countries different conditions might be valid. All national and local laws have to be considered.

#### 13.1.2. Waste treatment-relevant information:

Paste a label on the container indicating the possible hazards of the waste.

#### 13.1.3. Sewage disposal-relevant information:

Do not discharge waste into sewage without any treatment.

**13.1.4. Other disposal recommendations:** Any disposal practice must be in compliance with country, local, state, and federal laws and regulations.

## 14. Transport Information

### ADR and RID / Air-Transportation- IATA DGR/ICAO/Sea-Transportation-IMO/IMDG.:

**14.1. UN number or ID number:** Not applicable.

**14.2. UN proper shipping name:** Not regulated.

**14.3. Transport hazard class (es):** Not applicable.



**14.4. Packing group:** Not applicable.

**14.5. Assigned Pictogram:** Not applicable.

**14.6. Environmental hazards (Marine Pollutant (Yes/No)):** No.

**14.7.EMS NO.:** Not applicable

**14.8. Special precautions for user:** Check whether the package is completed or sealed before transporting; make sure no damage of packages and prevent goods from falling down during transporting; the transport vehicle should be equipped with facilities for fire-fighting and accidental release handling; do NOT transport this product together with incompatible substances; stay away from fire and areas of high temperature during stopovers.

**14.9. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:** Not applicable.

## 15. Regulatory information

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:**

The product is classified and labelled according to Regulation (EC)No 1272/2008 and related amending regulations. The safety data sheet, is compiled According to Regulation (EU) 2015/830.

Candidate List of Substances of very high concern (SVHC) according to ECHA: Not listed.

REACH Regulation Annex XVII Regulation List: Not listed.

REACH Regulation Annex XIV Authorization List: Not listed.

Germany – WGK: Not classified.

**15.2. Chemical Safety Assessment:** A Chemical Safety Assessment has not been carried out.

**Other relevant regulations:**

**Sara:**

**Section 355 (extremely hazardous substances):** Not listed.

**SARA 313:** Not listed.

**Toxic Substances Control Act (TSCA):**

Ingredient (s)	CAS No.	TSCA Inventory
Dimethyl silicone (Polydimethyl siloxane)	9006-65-9	Listed
Silicon dioxide	14808-60-7	Listed
Methylsilanetriyl triacetate	4253-34-3	Listed
Acetic acid	64-19-7	Listed

**Clean Water Act:**

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA – Hazardous Substances
Not applicable	Not applicable	Not listed	Not listed	Not listed

**Carcinogenicity categories:** Not listed by ACGIH, IARC and NTP.

**16. Other information****DISCLAIMER:**

All the information of this SDS is true and effective, and only for reference. Our company will not control the way how people use it, neither will we be responsible for any consequence. The users shall decide how to properly use the product or adopt certain production way for some special purpose. The above-mentioned precautionary measures are helpful to avoid damage to the property or life safety during the operation or use of this product. The users of this SDS must make independent judgments on the correctness and completeness and then decide its suitability according to the actual situation. The users should take the relevant legal responsibilities for the consequences of use.

**References:**

EC No.1907/2006 (REACH)

EC No. 1272/2008 (CLP)

Commission Regulation (EU) 2015/830

**For full text of Hazard- and EU Hazard-statements:**

Not applicable.

Not applicable.

**Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:**

Classification according to Regulation (EC) Nr.	Classification procedure
1272/2008	
Not applicable.	Not applicable.

**Full description of some acronyms:**

CAS-Chemical Abstracts Service

EINECS-European Inventory of Existing Commercial Chemical Substances

ADR:European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

IMO-International Maritime Organization

IMDG-International Maritime Dangerous Goods

IATA DGR-International Air Transport Association Dangerous Goods Regulations

ICAO-International Civil Aviation Organization

MARPOL-International Convention for the Prevention of Pollution from Ships

IBC Code-International Code for the Construction and Equipment, of Ships Carrying Dangerous Chemicals in Bulk

TSCA-Toxic Substances Control Act

OSHA-Occupational Safety and Health Administration

ACGIH-American Conference of Governmental Industrial Hygienists

The Issuing date: January 10, 2024

SDS Version: 1