



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scent Laguna Breeze

Version number: GHS 2.0
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name **California Scents Car Scent Laguna Breeze**
Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Consumer use: Air Freshener

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc.
25225 Detroit Rd.
Westlake OH 44145
United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)
Website: <http://data.energizer.com>

Energizer Trading Ltd.
Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376
e-mail: ConsumerServiceEU@energizer.com

1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727
This number is only available during the following
office hours: Mon-Fri 09:00 AM - 05:00 PM

Poison centre

| Name | Postal code/city | Telephone |
|------------------|------------------|---|
| UK poison centre | | Product information has been submitted to the UK National Poisons Information Service (NPIS) and is accessible to medical health professionals. |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

California Scents Car Scent Laguna Breeze

Version number: GHS 2.0
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class | Category | Hazard class and category | Hazard statement |
|---------|---|----------|---------------------------|------------------|
| 3.4S | skin sensitisation | 1 | Skin Sens. 1 | H317 |
| 4.1C | hazardous to the aquatic environment - chronic hazard | 3 | Aquatic Chronic 3 | H412 |

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word warning

- Pictograms

GHS07



- Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with national regulations.

2.2.1.7- Hazardous ingredients for labelling

Aldehyde C-16, Orange Terpenes, Anisyl acetate

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)









3.2 Mixtures

California Scents Car Scent Laguna Breeze

Version number: GHS 2.0
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

Description of the mixture

| Name of substance | CAS No | Wt% | Classification acc. to GHS | Pictograms |
|-------------------|-------------------------|-----------|--|--|
| Benzyl acetate | 140-11-4 | 10 – < 25 | Aquatic Chronic 3 / H412 | |
| Aldehyde C-16 | 77-83-8 | 1 – < 5 | Skin Sens. 1B / H317 Aquatic Chronic 2 / H411 |   |
| Methyl Ionone | 127-51-5 | 1 – < 5 | Aquatic Chronic 2 / H411 |  |
| Orange Terpenes | 68647-72-3 8028-48-6 | < 1 | Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411 |     |
| Anisyl acetate | 104-21-2 | < 1 | Skin Sens. 1B / H317 |  |

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scent Laguna Breeze

Version number: GHS 2.0
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scent Laguna Breeze

Version number: GHS 2.0
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

| Country | Name of agent | CAS No | Identifier | TWA [ppm] | TWA [mg/m ³] | STEL [ppm] | STEL [mg/m ³] | Ceiling-C [ppm] | Ceiling-C [mg/m ³] | Notation | Source |
|---------|---------------|-----------|------------|-----------|--------------------------|------------|---------------------------|-----------------|--------------------------------|----------|-----------|
| GB | cellulose | 9004-34-6 | WEL | | 10 | | 20 | | | i | EH40/2005 |
| GB | cellulose | 9004-34-6 | WEL | | 4 | | | | | r | EH40/2005 |

Notation

Ceiling-C

i

r

STEL

TWA

ceiling value is a limit value above which exposure should not occur

inhalable fraction

respirable fraction

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

| Name of substance | CAS No | End-point | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
|-------------------|----------|-----------|-----------------|------------------------------------|-------------------|--------------------------|
| Benzyl acetate | 140-11-4 | DNEL | 12.5 mg/kg | human, dermal | worker (industry) | acute - systemic effects |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scent Laguna Breeze

Version number: GHS 2.0
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

Relevant DNELs of components of the mixture

| Name of substance | CAS No | End-point | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
|-------------------|-------------------------|-----------|--------------------------|------------------------------------|-------------------|----------------------------|
| Benzyl acetate | 140-11-4 | DNEL | 43.8 mg/m ³ | human, inhalatory | worker (industry) | acute - systemic effects |
| Benzyl acetate | 140-11-4 | DNEL | 9 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| Benzyl acetate | 140-11-4 | DNEL | 2.5 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| Aldehyde C-16 | 77-83-8 | DNEL | 2.45 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| Aldehyde C-16 | 77-83-8 | DNEL | 0.7 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| Methyl Ionone | 127-51-5 | DNEL | 8.22 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| Methyl Ionone | 127-51-5 | DNEL | 0.375 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| Orange Terpenes | 68647-72-3 8028-48-6 | DNEL | 31.1 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| Orange Terpenes | 68647-72-3 8028-48-6 | DNEL | 8.89 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |
| Orange Terpenes | 68647-72-3 8028-48-6 | DNEL | 185.8 µg/cm ² | human, dermal | worker (industry) | acute - local effects |
| Anisyl acetate | 104-21-2 | DNEL | 2.468 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| Anisyl acetate | 104-21-2 | DNEL | 0.7 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects |

Relevant PNECs of components of the mixture

| Name of substance | CAS No | End-point | Threshold level | Organism | Environmental compartment | Exposure time |
|-------------------|----------|-----------|-----------------|-------------------|---------------------------|------------------------------|
| Benzyl acetate | 140-11-4 | PNEC | 0.04 mg/l | aquatic organisms | water | intermittent release |
| Benzyl acetate | 140-11-4 | PNEC | 0.018 mg/l | aquatic organisms | freshwater | short-term (single instance) |
| Benzyl acetate | 140-11-4 | PNEC | 0.002 mg/l | aquatic organisms | marine water | short-term (single instance) |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scent Laguna Breeze

Version number: GHS 2.0
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

Relevant PNECs of components of the mixture

| Name of substance | CAS No | End-point | Threshold level | Organism | Environmental compartment | Exposure time |
|-------------------|----------|-----------|-----------------|-----------------------|------------------------------|------------------------------|
| Benzyl acetate | 140-11-4 | PNEC | 8.55 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| Benzyl acetate | 140-11-4 | PNEC | 0.526 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| Benzyl acetate | 140-11-4 | PNEC | 0.053 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| Benzyl acetate | 140-11-4 | PNEC | 0.094 mg/kg | terrestrial organisms | soil | short-term (single instance) |
| Aldehyde C-16 | 77-83-8 | PNEC | 23.3 mg/kg | aquatic organisms | water | short-term (single instance) |
| Aldehyde C-16 | 77-83-8 | PNEC | 0.084 mg/l | aquatic organisms | water | intermittent release |
| Aldehyde C-16 | 77-83-8 | PNEC | 0.008 mg/l | aquatic organisms | freshwater | short-term (single instance) |
| Aldehyde C-16 | 77-83-8 | PNEC | 8.4 µg/l | aquatic organisms | marine water | short-term (single instance) |
| Aldehyde C-16 | 77-83-8 | PNEC | 10 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| Aldehyde C-16 | 77-83-8 | PNEC | 0.214 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| Aldehyde C-16 | 77-83-8 | PNEC | 0.021 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| Aldehyde C-16 | 77-83-8 | PNEC | 0.038 mg/kg | terrestrial organisms | soil | short-term (single instance) |
| Methyl Ionone | 127-51-5 | PNEC | 1.43 µg/l | aquatic organisms | freshwater | short-term (single instance) |
| Methyl Ionone | 127-51-5 | PNEC | 0.143 µg/l | aquatic organisms | marine water | short-term (single instance) |
| Methyl Ionone | 127-51-5 | PNEC | 10 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| Methyl Ionone | 127-51-5 | PNEC | 0.443 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| Methyl Ionone | 127-51-5 | PNEC | 44.3 µg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| Methyl Ionone | 127-51-5 | PNEC | 87.8 µg/kg | terrestrial organisms | soil | short-term (single instance) |

California Scents Car Scent Laguna Breeze

Version number: GHS 2.0
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

| Relevant PNECs of components of the mixture | | | | | | |
|---|-------------------------|-----------|-----------------|-----------------------|------------------------------|------------------------------|
| Name of substance | CAS No | End-point | Threshold level | Organism | Environmental compartment | Exposure time |
| Orange Terpenes | 68647-72-3 8028-48-6 | PNEC | 5.77 µg/l | aquatic organisms | water | intermittent release |
| Orange Terpenes | 68647-72-3 8028-48-6 | PNEC | 5.4 µg/l | aquatic organisms | freshwater | short-term (single instance) |
| Orange Terpenes | 68647-72-3 8028-48-6 | PNEC | 0.54 µg/l | aquatic organisms | marine water | short-term (single instance) |
| Orange Terpenes | 68647-72-3 8028-48-6 | PNEC | 2.1 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| Orange Terpenes | 68647-72-3 8028-48-6 | PNEC | 1.3 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| Orange Terpenes | 68647-72-3 8028-48-6 | PNEC | 0.13 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| Orange Terpenes | 68647-72-3 8028-48-6 | PNEC | 0.261 mg/kg | terrestrial organisms | soil | short-term (single instance) |

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

PVA: polyvinyl alcohol, Nitrile

- Material thickness

>0.5 mm

- Breakthrough times of the glove material

>120 minutes (permeation: level 4)



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scent Laguna Breeze

Version number: GHS 2.0
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--|---|
| Physical state | liquid |
| Colour | various |
| Odour | characteristic |
| Melting point/freezing point | not determined |
| Boiling point or initial boiling point and boiling range | 196.2 °C at 101.3 kPa |
| Flammability | this material is combustible, but will not ignite readily |
| Lower and upper explosion limit | not determined |
| Flash point | >94 °C |
| Auto-ignition temperature | 460 °C |
| Decomposition temperature | not relevant |
| pH (value) | not determined |
| Kinematic viscosity | not determined |
| Solubility(ies) | not determined |

Partition coefficient

| | |
|---|-----------------------------------|
| Partition coefficient n-octanol/water (log value) | this information is not available |
|---|-----------------------------------|



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scent Laguna Breeze

Version number: GHS 2.0
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

| | |
|-----------------|------------------|
| Vapour pressure | 23.5 Pa at 25 °C |
|-----------------|------------------|

Density and/or relative density

| | |
|-------------------------|--|
| Density | not determined |
| Vapour density | this information is not available |
| Relative vapour density | Information on this property is not available not relevant (liquid) |

| | |
|--------------------------|-------------------|
| Particle characteristics | no data available |
|--------------------------|-------------------|

9.2 Other information

| | |
|--|--|
| Information with regard to physical hazard classes | hazard classes acc. to GHS (physical hazards): |
|--|--|

Other safety characteristics

| | |
|--------------------------------------|---|
| Temperature class (EU, acc. to ATEX) | T1 (maximum permissible surface temperature on the equipment: 450°C) |
|--------------------------------------|---|

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scent Laguna Breeze

Version number: GHS 2.0
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful in contact with skin.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

California Scents Car Scent Laguna Breeze

Version number: GHS 2.0
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

| Aquatic toxicity (chronic) of components of the mixture | | | | | |
|---|-------------------------|----------------------|-----------|-----------------------|---------------|
| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
| Benzyl acetate | 140-11-4 | EC50 | 855 mg/l | microorganisms | 3 h |
| Benzyl acetate | 140-11-4 | NOEC | 0.92 mg/l | fish | 28 d |
| Aldehyde C-16 | 77-83-8 | EC50 | 95 mg/l | aquatic invertebrates | 24 h |
| Aldehyde C-16 | 77-83-8 | growth (EbCx) 10% | 80 mg/l | aquatic invertebrates | 24 h |
| Orange Terpenes | 68647-72-3 8028-48-6 | EL50 | 1.4 mg/l | aquatic invertebrates | 24 h |
| Anisyl acetate | 104-21-2 | EC50 | 52 mg/l | aquatic invertebrates | 24 h |
| Anisyl acetate | 104-21-2 | growth (EbCx) 10% | 19 mg/l | aquatic invertebrates | 24 h |

12.2 Persistence and degradability

| Degradability of components of the mixture | | | | | | |
|--|----------|---------------------------|------------------|------|--------|--------|
| Name of substance | CAS No | Process | Degradation rate | Time | Method | Source |
| Benzyl acetate | 140-11-4 | carbon dioxide generation | 100.9 % | 28 d | | ECHA |
| Aldehyde C-16 | 77-83-8 | oxygen depletion | 11 % | 5 d | | ECHA |
| Methyl Ionone | 127-51-5 | oxygen depletion | 42.51 % | 28 d | | ECHA |
| Anisyl acetate | 104-21-2 | oxygen depletion | 78 % | 21 d | | ECHA |

12.3 Bioaccumulative potential

Data are not available.



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scent Laguna Breeze

Version number: GHS 2.0
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

Bioaccumulative potential of components of the mixture

| Name of substance | CAS No | BCF | Log KOW | BOD5/COD |
|-------------------|-------------------------|----------|------------------------------|----------|
| Benzyl acetate | 140-11-4 | 8 | 1.96 (pH value: 7, 25 °C) | |
| Aldehyde C-16 | 77-83-8 | | 2.4 (25 °C) | |
| Methyl Ionone | 127-51-5 | | 4.288 (pH value: 4.7, 25 °C) | |
| Orange Terpenes | 68647-72-3 8028-48-6 | 32 - 156 | 2.78 - 4.88 | |
| Anisyl acetate | 104-21-2 | | 1.9 (35 °C) | |

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

| | |
|---------------------------------|--------------------------------------|
| 14.1 UN number | not subject to transport regulations |
| 14.2 UN proper shipping name | not assigned |
| 14.3 Transport hazard class(es) | none |
| 14.4 Packing group | not assigned |



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scent Laguna Breeze

Version number: GHS 2.0
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

- 14.5 Environmental hazards** non-environmentally hazardous acc. to the dangerous goods regulations
- 14.6 Special precautions for user**
There is no additional information.
- 14.7 Maritime transport in bulk according to IMO instruments**
The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

DOT

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

not assigned

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
Relevant provisions of the European Union (EU)
Restrictions according to REACH, Annex XVII

| Dangerous substances with restrictions (REACH, Annex XVII) | | | | |
|--|--|--------|-------------|----|
| Name of substance | Name acc. to inventory | CAS No | Restriction | No |
| California Scents Car Scent Laguna Breeze | this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC | | R3 | 3 |
| Orange Terpenes | flammable / pyrophoric | | R40 | 40 |

Legend

R3

- Shall not be used in:
 - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
 - tricks and jokes,
 - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- Articles not complying with paragraph 1 shall not be placed on the market.
- Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
 - can be used as fuel in decorative oil lamps for supply to the general public, and,
 - present an aspiration hazard and are labelled with R65 or H304,
- Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
- Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scent Laguna Breeze

Version number: GHS 2.0
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

Legend

of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

(a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';

(b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';

(c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.

6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.

7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

R40 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:

- metallic glitter intended mainly for decoration,
- artificial snow and frost,
- 'whoopie' cushions,
- silly string aerosols,
- imitation excrement,
- horns for parties,
- decorative flakes and foams,
- artificial cobwebs,
- stink bombs.

2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:
'For professional users only'.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).

4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

none of the ingredients are listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

none of the ingredients are listed

National inventories



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scent Laguna Breeze

Version number: GHS 2.0
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

| Country | Inventory | Status |
|---------|------------|--------------------------------|
| AU | AICS | not all ingredients are listed |
| CA | DSL | not all ingredients are listed |
| CN | IECSC | all ingredients are listed |
| EU | ECSI | not all ingredients are listed |
| EU | REACH Reg. | not all ingredients are listed |
| JP | CSCL-ENCS | not all ingredients are listed |
| JP | ISHA-ENCS | not all ingredients are listed |
| KR | KECI | not all ingredients are listed |
| MX | INSQ | not all ingredients are listed |
| NZ | NZIoC | all ingredients are listed |
| PH | PICCS | not all ingredients are listed |
| TR | CICR | not all ingredients are listed |
| TW | TCSI | not all ingredients are listed |
| US | TSCA | not all ingredients are listed |

Legend

| | |
|------------|---|
| AICS | Australian Inventory of Chemical Substances |
| CICR | Chemical Inventory and Control Regulation |
| CSCL-ENCS | List of Existing and New Chemical Substances (CSCL-ENCS) |
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EINECS, ELINCS, NLP) |
| IECSC | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ | National Inventory of Chemical Substances |
| ISHA-ENCS | Inventory of Existing and New Chemical Substances (ISHA-ENCS) |
| KECI | Korea Existing Chemicals Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| REACH Reg. | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scent Laguna Breeze

Version number: GHS 2.0
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|---|--|-----------------|
| 2.2.1.7 | - Hazardous ingredients for labelling: Aldehyde C-16, Methyl Ionone, Orange Terpenes, Cinnamic aldehyde | - Hazardous ingredients for labelling: Aldehyde C-16, Orange Terpenes, Anisyl acetate | yes |
| 3.2 | | Description of the mixture: change in the listing (table) | yes |
| 4.1 | Following skin contact: Rinse skin with water/shower. | Following skin contact: Wash with plenty of soap and water. | yes |
| 5.1 | Suitable extinguishing media: Water, Foam, ABC-powder | Suitable extinguishing media: Water spray, BC-powder, Carbon dioxide (CO ₂) | yes |
| 5.2 | Special hazards arising from the substance or mixture: Deposited combustible dust has considerable explosion potential. | Special hazards arising from the substance or mixture | yes |
| 6.3 | Advice on how to contain a spill: Covering of drains, Take up mechanically | Advice on how to contain a spill: Covering of drains | yes |
| 6.3 | Advice on how to clean up a spill: Take up mechanically. | Advice on how to clean up a spill: Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder | yes |
| 6.3 | | Appropriate containment techniques: Use of adsorbent materials. | yes |
| 7.1 | - Measures to prevent fire as well as aerosol and dust generation: Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment. | - Measures to prevent fire as well as aerosol and dust generation: Use local and general ventilation. Use only in well-ventilated areas. | yes |
| 7.1 | Specific notes/details: Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion. | | yes |
| 7.2 | Managing of associated risks | | yes |
| 7.2 | - Explosive atmospheres: Removal of dust deposits. | | yes |
| 7.2 | - Ventilation requirements: Use local and general ventilation. | | yes |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scent Laguna Breeze

Version number: GHS 2.0
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|--|--|-----------------|
| 8.1 | | Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table) | yes |
| 8.1 | | Relevant DNELs of components of the mixture: change in the listing (table) | yes |
| 8.1 | | Relevant PNECs of components of the mixture: change in the listing (table) | yes |
| 8.2 | Hand protection: Wear protective gloves. | Hand protection: Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. | yes |
| 8.2 | | Type of material: PVA: polyvinyl alcohol, Nitrile | yes |
| 8.2 | | Material thickness: >0.5 mm | yes |
| 8.2 | | Breakthrough times of the glove material: >120 minutes (permeation: level 4) | yes |
| 8.2 | Respiratory protection: Particulate filter device (EN 143). | Respiratory protection: In case of inadequate ventilation wear respiratory protection. | yes |
| 9.1 | Appearance | | yes |
| 9.1 | Physical state: solid | Physical state: liquid | yes |
| 9.1 | Other safety parameters | | yes |
| 9.1 | Initial boiling point and boiling range: 213.5 °C | Boiling point or initial boiling point and boiling range: 196.2 °C at 101.3 kPa | yes |
| 9.1 | | Lower and upper explosion limit: not determined | yes |
| 9.1 | Flash point: not applicable | Flash point: >94 °C | yes |
| 9.1 | Evaporation rate: not determined | | yes |
| 9.1 | Explosion limits of dust clouds: not determined | | yes |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scent Laguna Breeze

Version number: GHS 2.0
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|--|---|-----------------|
| 9.1 | Viscosity: not relevant (solid matter) | | yes |
| 9.1 | Explosive properties: none | | yes |
| 9.1 | Oxidising properties: none | | yes |
| 9.1 | Auto-ignition temperature | Auto-ignition temperature: 460 °C | yes |
| 9.1 | | Decomposition temperature: not relevant | yes |
| 9.1 | pH (value): not applicable | pH (value): not determined | yes |
| 9.1 | | Kinematic viscosity: not determined | yes |
| 9.1 | Vapour pressure: 0.23 Pa at 20 °C | Vapour pressure: 23.5 Pa at 25 °C | yes |
| 9.1 | | Density and/or relative density | yes |
| 9.1 | Relative density: information on this property is not available | Relative vapour density: Information on this property is not available not relevant (liquid) | yes |
| 9.1 | | Particle characteristics: no data available | yes |
| 9.2 | | Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards): | yes |
| 9.2 | | Other safety characteristics | yes |
| 10.4 | Hints to prevent fire or explosion: The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion. | | yes |
| 11.1 | Acute toxicity: Shall not be classified as acutely toxic. | Acute toxicity: Shall not be classified as acutely toxic. GHS of the United Nations, annex 4: May be harmful in contact with skin. | yes |
| 11.2 | | Information on other hazards: There is no additional information. | yes |
| 12.1 | | Aquatic toxicity (chronic) of components of the mixture: change in the listing (table) | yes |



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scent Laguna Breeze

Version number: GHS 2.0
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|---|--|-----------------|
| 12.2 | | Degradability of components of the mixture: change in the listing (table) | yes |
| 12.3 | | Bioaccumulative potential of components of the mixture: change in the listing (table) | yes |
| 12.7 | Other adverse effects | Other adverse effects: Data are not available. | yes |
| 14.2 | UN proper shipping name: not relevant | UN proper shipping name: not assigned | yes |
| 14.4 | Packing group: not assigned to a packing group | Packing group: not assigned | yes |
| 14.7 | Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN): Not subject to ADR, RID and ADN. | Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information: not assigned | yes |
| 15.1 | | Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table) | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------------|---|
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |
| ADR | Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road) |
| Aquatic Chronic | Hazardous to the aquatic environment - chronic hazard |
| Asp. Tox. | Aspiration hazard |
| BCF | Bioconcentration factor |
| BOD | Biochemical Oxygen Demand |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| COD | Chemical oxygen demand |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scent Laguna Breeze

Version number: GHS 2.0
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

| Abbr. | Descriptions of used abbreviations |
|-------------|---|
| DNEL | Derived No-Effect Level |
| DOT | Department of Transportation (USA) |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EH40/2005 | EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| EL50 | Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms |
| ELINCS | European List of Notified Chemical Substances |
| Flam. Liq. | Flammable liquid |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods Code |
| log KOW | n-Octanol/water |
| NLP | No-Longer Polymer |
| NOEC | No Observed Effect Concentration |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |
| Skin Corr. | Corrosive to skin |
| Skin Irrit. | Irritant to skin |
| Skin Sens. | Skin sensitisation |
| STEL | Short-term exposure limit |
| SVHC | Substance of Very High Concern |
| TWA | Time-weighted average |



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scent Laguna Breeze

Version number: GHS 2.0
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

| Abbr. | Descriptions of used abbreviations |
|-------|--|
| vPvB | Very Persistent and very Bioaccumulative |
| WEL | Workplace exposure limit |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

| Code | Text |
|------|--|
| H226 | Flammable liquid and vapour. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.