according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Santa Barbara Berry

Version number: GHS 2.0 Revision: 2020-12-07 Replaces version of: 2020-12-07 (GHS 1)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name California Scents Car Scents Santa Barbara Berry

Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Consumer use: Air Freshener

1.3 Details of the supplier of the safety data sheet

Energizer Brands, LLC 533 Maryville University Drive St. Louis MO 63141 United States

e-mail: CarinA.Stuart@energizer.com Website: https://www.energizer.com

Energizer Trading Ltd.

Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376

e-mail: ConsumerServiceEU@energizer.com

e-mail (competent person) CarinA.Stuart@energizer.com (Carin A. Stuart)

1.4 Emergency telephone number

Emergency information service This number is only available during the following

office hours: Mon-Fri 09:00 AM - 05:00 PM

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class | Category | Hazard class and category | Hazard state- ment |
|---------|-------------------------------------------------------|----------|---------------------------|-----------------------|
| 3.45 | skin sensitisation | 1 | Skin Sens. 1 | H317 |
| 4.1C | hazardous to the aquatic environment - chronic hazard | 3 | Aquatic Chronic 3 | H412 |

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word warning

United Kingdom: en Page: 1 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Santa Barbara Berry

Version number: GHS 2.0 Revision: 2020-12-07 Replaces version of: 2020-12-07 (GHS 1)

- Pictograms

GHS07



- Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with national regulations.

2.2.1.7 - Hazardous ingredients for labelling

Aldehyde C-16

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

| Name of substance | Identifier | Wt% | Classification acc. to GHS | Pictograms |
|-------------------|--------------------------------------------|--------|----------------------------|------------|
| Benzaldehyde | CAS No 100-52-7 | 10-<25 | Acute Tox. 4 / H302 | <u>(!)</u> |
| | EC No 202-860-4 | | | ~ |
| | Index No 605-012-00-5 | | | |
| | REACH Reg. No 01-2119455540-44- xxxx | | | |
| Aldehyde C-14 | CAS No 104-67-6 | 5-<10 | Aquatic Chronic 3 / H412 | |
| | EC No 203-225-4 | | | |
| | REACH Reg. No 01-2119959333-34- xxxx | | | |
| | | | | |
| | | | | |

United Kingdom: en Page: 2 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Santa Barbara Berry

Version number: GHS 2.0 Revision: 2020-12-07 (GHS 1)

| Name of substance | Identifier | Wt% | Classification acc. to GHS | Pictograms |
|---------------------|-----------------------------------------------------------------------------------------|-------|--------------------------------------------------|------------|
| Aldehyde C-16 | CAS No 77-83-8 EC No 201-061-8 | 5-<10 | Skin Sens. 1B / H317 Aquatic Chronic 2 / H411 | (1) |
| | REACH Reg. No 01-2119967770-28- xxxx | | | |
| Ethyl vanillin | CAS No 121-32-4 EC No 204-464-7 REACH Reg. No 01-2119958961-24- xxxx | 1-<5 | Eye Irrit. 2 / H319 | 1 |
| Ethyl Maltol | CAS No 4940-11-8 EC No 225-582-5 REACH Reg. No 01-2120758795-36- xxxx | 1-<5 | Acute Tox. 4 / H302 | 1 |
| Methyl anthranilate | CAS No 134-20-3 EC No 205-132-4 REACH Reg. No 01-2120478941-44- xxxx | 1-<5 | Eye Irrit. 2 / H319 | 1 |
| Ethyl butyrate | CAS No 105-54-4 EC No 203-306-4 REACH Reg. No 01-2120118576-54- xxxx | 1-<5 | Flam. Liq. 3 / H226 Eye Irrit. 2 / H319 | |

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

United Kingdom: en Page: 3 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Santa Barbara Berry

Version number: GHS 2.0 Revision: 2020-12-07 Replaces version of: 2020-12-07 (GHS 1)

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

United Kingdom: en Page: 4 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Santa Barbara Berry

Version number: GHS 2.0 Revision: 2020-12-07 Replaces version of: 2020-12-07 (GHS 1)

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

| Coun try | Name of agent | CAS No | Iden- tifier | TWA [ppm] | TWA [mg/ m³] | STEL [ppm] | STEL [mg/ m³] | Ceil- ing-C [ppm] | Ceil- ing-C [mg/ m³] | Nota tion | Sourc e |
|-------------|---------------|---------------|-----------------|--------------|--------------------|---------------|---------------------|-------------------------|-------------------------------|--------------|---------------|
| GB | cellulose | 9004-34- 6 | WEL | | 10 | | 20 | | | i | EH40/ 2005 |
| GB | cellulose | 9004-34- 6 | WEL | | 4 | | | | | r | EH40/ 2005 |

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

inhalable fraction respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

(unless otherwise specified)

United Kingdom: en Page: 5 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Santa Barbara Berry

Version number: GHS 2.0 Revision: 2020-12-07 Replaces version of: 2020-12-07 (GHS 1)

Notation

TWA

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

| Name of substance | CAS No | End- point | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
|---------------------|-----------|---------------|------------------------|------------------------------------|-------------------|---------------------------------|
| Benzaldehyde | 100-52-7 | DNEL | 9.8 mg/m³ | human, inhalatory | worker (industry) | chronic - system- ic effects |
| Benzaldehyde | 100-52-7 | DNEL | 9.8 mg/m³ | human, inhalatory | worker (industry) | chronic - local ef- fects |
| Benzaldehyde | 100-52-7 | DNEL | 1.14 mg/kg bw/day | human, dermal | worker (industry) | chronic - system- ic effects |
| Aldehyde C-14 | 104-67-6 | DNEL | 5.38 mg/kg | human, dermal | worker (industry) | chronic - system- ic effects |
| Aldehyde C-14 | 104-67-6 | DNEL | 19 mg/m³ | human, inhalatory | worker (industry) | chronic - system- ic effects |
| Aldehyde C-16 | 77-83-8 | DNEL | 2.45 mg/m ³ | human, inhalatory | worker (industry) | chronic - system- ic effects |
| Aldehyde C-16 | 77-83-8 | DNEL | 0.7 mg/kg bw/day | human, dermal | worker (industry) | chronic - system- ic effects |
| Ethyl Maltol | 4940-11-8 | DNEL | 58.7 mg/m ³ | human, inhalatory | worker (industry) | chronic - system- ic effects |
| Ethyl Maltol | 4940-11-8 | DNEL | 16.7 mg/kg bw/day | human, dermal | worker (industry) | chronic - system- ic effects |
| Methyl anthranilate | 134-20-3 | DNEL | 5.28 mg/m ³ | human, inhalatory | worker (industry) | chronic - system- ic effects |
| Methyl anthranilate | 134-20-3 | DNEL | 1.5 mg/kg bw/day | human, dermal | worker (industry) | chronic - system- ic effects |
| Ethyl vanillin | 121-32-4 | DNEL | 49 mg/m³ | human, inhalatory | worker (industry) | chronic - system- ic effects |
| Ethyl vanillin | 121-32-4 | DNEL | 98 mg/m³ | human, inhalatory | worker (industry) | acute - systemic effects |
| Ethyl vanillin | 121-32-4 | DNEL | 7 mg/kg bw/day | human, dermal | worker (industry) | chronic - system- ic effects |
| Ethyl butyrate | 105-54-4 | DNEL | 49.3 mg/m³ | human, inhalatory | worker (industry) | chronic - system- ic effects |
| Ethyl butyrate | 105-54-4 | DNEL | 2.33 mg/kg bw/day | human, dermal | worker (industry) | chronic - system- ic effects |

United Kingdom: en Page: 6 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Santa Barbara Berry

Version number: GHS 2.0 Revision: 2020-12-07 Replaces version of: 2020-12-07 (GHS 1)

Relevant PNECs of components of the mixture

| Name of substance | CAS No | End- point | Threshold level | Organism | Environmental compartment | Exposure time |
|-------------------|----------|---------------|-------------------------------------|----------------------------|-----------------------------------|---------------------------------|
| Benzaldehyde | 100-52-7 | PNEC | 0.011 ^{mg} / _l | aquatic organisms | water | intermittent re- lease |
| Benzaldehyde | 100-52-7 | PNEC | 0 ^{mg} / _l | aquatic organisms | freshwater | short-term (single instance) |
| Benzaldehyde | 100-52-7 | PNEC | 0 ^{mg} / _l | aquatic organisms | marine water | short-term (single instance) |
| Benzaldehyde | 100-52-7 | PNEC | 7.59 ^{mg} / _l | aquatic organisms | sewage treat- ment plant (STP) | short-term (single instance) |
| Benzaldehyde | 100-52-7 | PNEC | 0.004 ^{mg} / _{kg} | aquatic organisms | freshwater sedi- ment | short-term (single instance) |
| Benzaldehyde | 100-52-7 | PNEC | 0 ^{mg} / _{kg} | aquatic organisms | marine sediment | short-term (single instance) |
| Benzaldehyde | 100-52-7 | PNEC | 0.001 ^{mg} / _{kg} | terrestrial organ- isms | soil | short-term (single instance) |
| Aldehyde C-14 | 104-67-6 | PNEC | 66.7 ^{mg} / _{kg} | aquatic organisms | water | short-term (single instance) |
| Aldehyde C-14 | 104-67-6 | PNEC | 0.0585 ^{mg} / _l | aquatic organisms | water | intermittent re- lease |
| Aldehyde C-14 | 104-67-6 | PNEC | 84 ^{µg} / _I | aquatic organisms | freshwater | short-term (single instance) |
| Aldehyde C-14 | 104-67-6 | PNEC | 8.4 ^{µg} / _l | aquatic organisms | marine water | short-term (single instance) |
| Aldehyde C-14 | 104-67-6 | PNEC | 80 ^{mg} / _I | aquatic organisms | sewage treat- ment plant (STP) | short-term (single instance) |
| Aldehyde C-14 | 104-67-6 | PNEC | 5.341 ^{mg} / _{kg} | aquatic organisms | freshwater sedi- ment | short-term (single instance) |
| Aldehyde C-14 | 104-67-6 | PNEC | 0.534 ^{mg} / _{kg} | aquatic organisms | marine sediment | short-term (single instance) |
| Aldehyde C-14 | 104-67-6 | PNEC | 1.019 ^{mg} / _{kg} | terrestrial organ- isms | soil | short-term (single instance) |
| Aldehyde C-16 | 77-83-8 | PNEC | 23.3 ^{mg} / _{kg} | aquatic organisms | water | short-term (single instance) |
| Aldehyde C-16 | 77-83-8 | PNEC | 0.084 ^{mg} / _l | aquatic organisms | water | intermittent re- lease |
| Aldehyde C-16 | 77-83-8 | PNEC | 0.008 ^{mg} / _l | aquatic organisms | freshwater | short-term (single instance) |
| Aldehyde C-16 | 77-83-8 | PNEC | 8.4 ^{µg} / _l | aquatic organisms | marine water | short-term (single instance) |
| Aldehyde C-16 | 77-83-8 | PNEC | 10 ^{mg} / _l | aquatic organisms | sewage treat- ment plant (STP) | short-term (single instance) |

United Kingdom: en Page: 7 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Santa Barbara Berry

Version number: GHS 2.0 Revision: 2020-12-07 Replaces version of: 2020-12-07 (GHS 1)

Relevant PNECs of components of the mixture

| Name of substance | CAS No | End- point | Threshold level | Organism | Environmental compartment | Exposure time |
|---------------------|-----------|---------------|-------------------------------------|----------------------------|-----------------------------------|---------------------------------|
| Aldehyde C-16 | 77-83-8 | PNEC | 0.214 ^{mg} / _{kg} | aquatic organisms | freshwater sedi- ment | short-term (single instance) |
| Aldehyde C-16 | 77-83-8 | PNEC | 0.021 ^{mg} / _{kg} | aquatic organisms | marine sediment | short-term (single instance) |
| Aldehyde C-16 | 77-83-8 | PNEC | 0.038 ^{mg} / _{kg} | terrestrial organ- isms | soil | short-term (single instance) |
| Ethyl Maltol | 4940-11-8 | PNEC | 7.2 ^{µg} / _l | aquatic organisms | freshwater | short-term (single instance) |
| Ethyl Maltol | 4940-11-8 | PNEC | 0.72 ^{µg} / _l | aquatic organisms | marine water | short-term (single instance) |
| Ethyl Maltol | 4940-11-8 | PNEC | 1.55 ^{mg} / _l | aquatic organisms | sewage treat- ment plant (STP) | short-term (single instance) |
| Ethyl Maltol | 4940-11-8 | PNEC | 0.27 ^{mg} / _{kg} | aquatic organisms | freshwater sedi- ment | short-term (single instance) |
| Ethyl Maltol | 4940-11-8 | PNEC | 0.027 ^{mg} / _{kg} | aquatic organisms | marine sediment | short-term (single instance) |
| Ethyl Maltol | 4940-11-8 | PNEC | 0.049 ^{mg} / _{kg} | terrestrial organ- isms | soil | short-term (single instance) |
| Methyl anthranilate | 134-20-3 | PNEC | 0.009 ^{mg} / _l | aquatic organisms | freshwater | short-term (single instance) |
| Methyl anthranilate | 134-20-3 | PNEC | 0.001 ^{mg} / _l | aquatic organisms | marine water | short-term (single instance) |
| Ethyl vanillin | 121-32-4 | PNEC | 0.118 ^{mg} / _l | aquatic organisms | freshwater | short-term (single instance) |
| Ethyl vanillin | 121-32-4 | PNEC | 0.012 ^{mg} / _l | aquatic organisms | marine water | short-term (single instance) |
| Ethyl vanillin | 121-32-4 | PNEC | 10 ^{mg} / _l | aquatic organisms | sewage treat- ment plant (STP) | short-term (single instance) |
| Ethyl vanillin | 121-32-4 | PNEC | 15 ^{mg} / _{kg} | aquatic organisms | freshwater sedi- ment | short-term (single instance) |
| Ethyl vanillin | 121-32-4 | PNEC | 1.5 ^{mg} / _{kg} | aquatic organisms | marine sediment | short-term (single instance) |
| Ethyl vanillin | 121-32-4 | PNEC | 2.923 ^{mg} / _{kg} | terrestrial organ- isms | soil | short-term (single instance) |
| Ethyl butyrate | 105-54-4 | PNEC | 29.7 ^{µg} / _l | aquatic organisms | freshwater | short-term (single instance) |
| Ethyl butyrate | 105-54-4 | PNEC | 2.97 ^{µg} / _l | aquatic organisms | marine water | short-term (single instance) |
| Ethyl butyrate | 105-54-4 | PNEC | 23.6 ^{mg} / _l | aquatic organisms | sewage treat- ment plant (STP) | short-term (single instance) |

United Kingdom: en Page: 8 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Santa Barbara Berry

Version number: GHS 2.0 Revision: 2020-12-07 Replaces version of: 2020-12-07 (GHS 1)

Relevant PNECs of components of the mixture

| Name of substance | CAS No | End- point | Threshold level | Organism | Environmental compartment | Exposure time |
|-------------------|----------|---------------|-------------------------------------|----------------------------|---------------------------|---------------------------------|
| Ethyl butyrate | 105-54-4 | PNEC | 0.173 ^{mg} / _{kg} | aquatic organisms | freshwater sedi- ment | short-term (single instance) |
| Ethyl butyrate | 105-54-4 | PNEC | 17.3 ^{µg} / _{kg} | aquatic organisms | marine sediment | short-term (single instance) |
| Ethyl butyrate | 105-54-4 | PNEC | 17.1 ^{µg} / _{kg} | terrestrial organ- isms | soil | short-term (single instance) |

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

PVA: polyvinyl alcohol, Nitrile

- Material thickness

>0.5 mm

- Breakthrough times of the glove material

>120 minutes (permeation: level 4)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

United Kingdom: en Page: 9 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Santa Barbara Berry

Version number: GHS 2.0 Revision: 2020-12-07 Replaces version of: 2020-12-07 (GHS 1)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

| Physical state | liquid |
|----------------|----------------|
| Colour | light brown |
| Odour | characteristic |

Other safety parameters

| pH (value) | not determined |
|-----------------------------------------|-----------------------------------------------|
| Melting point/freezing point | not determined |
| Initial boiling point and boiling range | 121 °C at 972.4 hPa |
| Flash point | >94 °C |
| Evaporation rate | not determined |
| Flammability (solid, gas) | not relevant, (fluid) |
| Explosive limits | not determined |
| Vapour pressure | 1,750 Pa at 20 °C |
| Density | not determined |
| Vapour density | this information is not available |
| Relative density | information on this property is not available |
| Solubility(ies) | not determined |

Partition coefficient

| - n-octanol/water (log KOW) | this information is not available |
|-----------------------------|-----------------------------------|
| Auto-ignition temperature | 192 °C |
| Viscosity | not determined |
| Explosive properties | none |
| Oxidising properties | none |

United Kingdom: en Page: 10 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Santa Barbara Berry

Version number: GHS 2.0 Revision: 2020-12-07 Replaces version of: 2020-12-07 (GHS 1)

9.2 Other information

| Temperature class (EU, acc. to ATEX) T4 (maximum permissible surface temperature on the equinable 135°C) |
|-----------------------------------------------------------------------------------------------------------|
|-----------------------------------------------------------------------------------------------------------|

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if swallowed or in contact with skin.

Acute toxicity estimate (ATE) of components of the mixture

| Name of substance | CAS No | Exposure route | ATE |
|-------------------|-----------|----------------|-------------------------------------|
| Benzaldehyde | 100-52-7 | oral | 1,430 ^{mg} / _{kg} |
| Ethyl Maltol | 4940-11-8 | oral | 1,220 ^{mg} / _{kg} |

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

United Kingdom: en Page: 11 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Santa Barbara Berry

Version number: GHS 2.0 Revision: 2020-12-07 Replaces version of: 2020-12-07 (GHS 1)

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (chronic) of components of the mixture

| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
|-------------------|-----------|----------------------|------------------------------------|-----------------------|------------------|
| Benzaldehyde | 100-52-7 | EC50 | 50 ^{mg} / _l | aquatic invertebrates | 24 h |
| Benzaldehyde | 100-52-7 | LOEC | 0.9 ^{mg} / _l | fish | 7 d |
| Benzaldehyde | 100-52-7 | NOEC | 0.22 ^{mg} / _l | fish | 7 d |
| Aldehyde C-14 | 104-67-6 | EC50 | 3.7 ^{mg} / _l | aquatic invertebrates | 21 d |
| Aldehyde C-14 | 104-67-6 | NOEC | 0.138 ^{mg} / _l | aquatic invertebrates | 21 d |
| Aldehyde C-14 | 104-67-6 | LOEC | 1.83 ^{mg} / _l | aquatic invertebrates | 21 d |
| Aldehyde C-14 | 104-67-6 | growth (EbCx) 10% | 0.84 ^{mg} / _l | fish | 32 d |
| Aldehyde C-16 | 77-83-8 | EC50 | 95 ^{mg} / _l | aquatic invertebrates | 24 h |
| Aldehyde C-16 | 77-83-8 | growth (EbCx) 10% | 80 ^{mg} / _l | aquatic invertebrates | 24 h |
| Ethyl Maltol | 4940-11-8 | NOEC | 15.5 ^{mg} / _l | microorganisms | 28 d |
| Ethyl vanillin | 121-32-4 | EC50 | 24 ^{mg} / _l | aquatic invertebrates | 21 d |
| Ethyl vanillin | 121-32-4 | LOEC | 18 ^{mg} / _l | aquatic invertebrates | 21 d |
| Ethyl vanillin | 121-32-4 | NOEC | 10 ^{mg} / _l | aquatic invertebrates | 21 d |

United Kingdom: en Page: 12 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Santa Barbara Berry

Version number: GHS 2.0 Revision: 2020-12-07 Replaces version of: 2020-12-07 (GHS 1)

Aquatic toxicity (chronic) of components of the mixture

| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
|-------------------|----------|----------|------------------------------------|---------|------------------|
| Ethyl butyrate | 105-54-4 | NOEC | 1.483 ^{mg} / _l | fish | 28 d |

12.2 Persistence and degradability

Degradability of components of the mixture

| Name of sub- stance | CAS No | Process | Degradation rate | Time | Method | Source |
|------------------------|----------|------------------------------|---------------------|------|--------|--------|
| Benzaldehyde | 100-52-7 | DOC removal | 100 % | 19 d | | ECHA |
| Benzaldehyde | 100-52-7 | oxygen deple- tion | >60 % | 28 d | | ECHA |
| Benzaldehyde | 100-52-7 | carbon dioxide generation | 95 % | 28 d | | ECHA |
| Aldehyde C-14 | 104-67-6 | oxygen deple- tion | 16 % | 1 d | | ECHA |
| Aldehyde C-16 | 77-83-8 | oxygen deple- tion | 11 % | 5 d | | ECHA |
| Ethyl butyrate | 105-54-4 | oxygen deple- tion | 50 % | 42 d | | ECHA |

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

| Name of substance | CAS No | BCF | Log KOW | BOD5/COD |
|---------------------|-----------|-----|-------------------------------|----------|
| Benzaldehyde | 100-52-7 | | 1.4 (25 °C) | |
| Aldehyde C-14 | 104-67-6 | | 3.6 (25 °C) | |
| Aldehyde C-16 | 77-83-8 | | 2.4 (25 °C) | |
| Ethyl Maltol | 4940-11-8 | | 2.9 (25 °C) | |
| Methyl anthranilate | 134-20-3 | | 2.17 (22 °C) | |
| Ethyl vanillin | 121-32-4 | | 1.58 (25 °C) | |
| Ethyl butyrate | 105-54-4 | 8 | 2.433 (pH value: 6.68, 25 °C) | |

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

United Kingdom: en Page: 13 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Santa Barbara Berry

Version number: GHS 2.0 Revision: 2020-12-07 Replaces version of: 2020-12-07 (GHS 1)

12.6 Other adverse effects

Endocrine disrupting potential

None of the ingredients are listed.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

| 14.1 | UN number | not subject to transport regulations |
|------|-----------|--------------------------------------|
| | | |

14.2 UN proper shipping name not relevant

14.3 Transport hazard class(es) none

14.4 Packing group not assigned to a packing group

14.5 Environmental hazards non-environmentally hazardous acc. to the danger-

ous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

DOT

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG)

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR)

Not subject to ICAO-IATA.

United Kingdom: en Page: 14 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Santa Barbara Berry

Version number: GHS 2.0 Revision: 2020-12-07 Replaces version of: 2020-12-07 (GHS 1)

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 Relevant provisions of the European Union (EU) Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)

| Name of substance | Name acc. to inventory | CAS No | Restriction | No |
|-------------------------------------------------------|------------------------------------------------------------------------------------------------------------|--------|-------------|----|
| California Scents Car Scents Santa Bar- bara Berry | this product meets the criteria for clas- sification in accordance with Regula- tion No 1272/2008/EC | | R3 | 3 |
| Ethyl butyrate | flammable / pyrophoric | | R40 | 40 |

Legend

- 1. Shall not be used in:
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays
- tricks and jokes.
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- 2. Articles not complying with paragraph 1 shall not be placed on the market.
- 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if
- can be used as fuel in decorative oil lamps for supply to the general public, and,
 present an aspiration hazard and are labelled with R65 or H304,
- 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
- 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements
- (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil or even sucking the wick of lamps - may lead to life-threatening lung damage';
- (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
 (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque
- containers not exceeding 1 litre by 1 December 2010.
- 6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.
- 7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commis-
- R40 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following
 - metallic glitter intended mainly for decoration,
 - artificial snow and frost,
 - 'whoopee' cushions,
 - silly string aerosols, - imitation excrement,

 - horns for parties,
 - decorative flakes and foams,
 - artificial cobwebs,
 - stink bombs.
 - 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.
 - 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
 - 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

United Kingdom: en Page: 15 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Santa Barbara Berry

Version number: GHS 2.0 Revision: 2020-12-07 Replaces version of: 2020-12-07 (GHS 1)

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

none of the ingredients are listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and **Transfer Register (PRTR)**

none of the ingredients are listed

Water Framework Directive (WFD)

none of the ingredients are listed

National inventories

| Country | Inventory | Status |
|---------|------------|--------------------------------|
| AU | AICS | all ingredients are listed |
| CA | DSL | all ingredients are listed |
| CN | IECSC | all ingredients are listed |
| EU | ECSI | all ingredients are listed |
| EU | REACH Reg. | not all ingredients are listed |
| JP | CSCL-ENCS | not all ingredients are listed |
| JP | ISHA-ENCS | not all ingredients are listed |
| KR | KECI | all ingredients are listed |
| MX | INSQ | not all ingredients are listed |
| NZ | NZIoC | all ingredients are listed |
| PH | PICCS | all ingredients are listed |
| TR | CICR | not all ingredients are listed |
| TW | TCSI | all ingredients are listed |
| US | TSCA | all ingredients are listed |

Legend

AICS Australian Inventory of Chemical Substances Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS) CICR

CSCL-ENCS

DSL Domestic Substances List (DSL)

EC Substance Inventory (EINECS, ELINCS, NLP) **ECSI**

IECSC Inventory of Existing Chemical Substances Produced or Imported in China

INSQ National Inventory of Chemical Substances

Inventory of Existing and New Chemical Substances (ISHA-ENCS)
Korea Existing Chemicals Inventory ISHA-ENCS

KECI NZIoC

New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS) PICCS

REACH Reg. **REACH** registered substances TCSI Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

United Kingdom: en Page: 16 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Santa Barbara Berry

Version number: GHS 2.0 Revision: 2020-12-07 Replaces version of: 2020-12-07 (GHS 1)

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|-----------------------------|---------------------------|--------------------------|
| 9.2 | Solvent content: 67.33 % | | yes |
| 9.2 | Solid content: 32.67 % | | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute Tox. | Acute toxicity |
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |
| ADR | Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road) |
| Aquatic Chronic | Hazardous to the aquatic environment - chronic hazard |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BOD | Biochemical Oxygen Demand |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| COD | Chemical oxygen demand |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| DOT | Department of Transportation (USA) |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| EH40/2005 | EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |

United Kingdom: en Page: 17 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Santa Barbara Berry

Version number: GHS 2.0 Revision: 2020-12-07 Replaces version of: 2020-12-07 (GHS 1)

| Abbr. | Descriptions of used abbreviations |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ELINCS | European List of Notified Chemical Substances |
| Eye Dam. | Seriously damaging to the eye |
| Eye Irrit. | Irritant to the eye |
| Flam. Liq. | Flammable liquid |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| LOEC | Lowest Observed Effect Concentration |
| log KOW | n-Octanol/water |
| MARPOL | International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant") |
| NLP | No-Longer Polymer |
| NOEC | No Observed Effect Concentration |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |
| Skin Sens. | Skin sensitisation |
| STEL | Short-term exposure limit |
| SVHC | Substance of Very High Concern |
| TWA | Time-weighted average |
| vPvB | Very Persistent and very Bioaccumulative |
| WEL | Workplace exposure limit |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

United Kingdom: en Page: 18 / 19

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Santa Barbara Berry

Version number: GHS 2.0 Revision: 2020-12-07 Replaces version of: 2020-12-07 (GHS 1)

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

| Code | Text |
|------|----------------------------------------------------|
| H226 | Flammable liquid and vapour. |
| H302 | Harmful if swallowed. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom: en Page: 19 / 19