



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## California Scents Car Scents Can Malibu Melon

Version number: GHS 2.0  
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name **California Scents Car Scents Can Malibu Melon**  
Registration number (REACH) not relevant (mixture)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Consumer use: Air Freshener

#### 1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc.  
25225 Detroit Rd.  
Westlake OH 44145  
United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)  
Website: <http://data.energizer.com>

Energizer Trading Ltd.  
Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376  
e-mail: [ConsumerServiceEU@energizer.com](mailto:ConsumerServiceEU@energizer.com)

#### 1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727  
This number is only available during the following  
office hours: Mon-Fri 09:00 AM - 05:00 PM

Poison centre

Name	Postal code/city	Telephone
UK poison centre		Product information has been submitted to the UK National Poisons Information Service (NPIS) and is accessible to medical health professionals.

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

## California Scents Car Scents Can Malibu Melon

Version number: GHS 2.0  
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard statement
3.4S	skin sensitisation	1	Skin Sens. 1	H317
4.1C	hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word warning

- Pictograms

GHS07



- Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with national regulations.

2.2.1.7- Hazardous ingredients for labelling Aldehyde C-16, Aurantiol, Melonal

### 2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Not relevant (mixture)

### 3.2 Mixtures

# Safety Data Sheet









according to Regulation (EC) No. 1907/2006 (REACH)

## California Scents Car Scents Can Malibu Melon

Version number: GHS 2.0  
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

### Description of the mixture

Name of substance	CAS No	Wt%	Classification acc. to GHS	Pictograms
Aldehyde C-16	77-83-8	5 – < 10	Skin Sens. 1B / H317 Aquatic Chronic 2 / H411	 
α,α-dimethylphenethyl butyrate	10094-34-5	5 – < 10	Skin Irrit. 2 / H315 Aquatic Chronic 3 / H412	
Aldehyde C-14	104-67-6	1 – < 5	Aquatic Chronic 3 / H412	
Allyl Caproate	123-68-2	1 – < 5	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 Aquatic Acute 1 / H400 Aquatic Chronic 3 / H412	 
Diethyl malonate	105-53-3	1 – < 5	Eye Irrit. 2 / H319	
Allyl heptanoate	142-19-8	< 1	Acute Tox. 3 / H301 Acute Tox. 3 / H311 Aquatic Acute 1 / H400 Aquatic Chronic 3 / H412	 
Aurantiol	89-43-0	< 1	Eye Irrit. 2 / H319 Skin Sens. 1 / H317	
Melonal	106-72-9	< 1	Skin Sens. 1B / H317	

Name of substance	CAS No	Specific Conc. Limits	M-Factors	ATE	Exposure route
Allyl Caproate	123-68-2			100 mg/kg 820 mg/kg 3 mg/l/4h	oral dermal inhalation: vapour
Allyl heptanoate	142-19-8			218 mg/kg 810 mg/kg	oral dermal

For full text of abbreviations: see SECTION 16.



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

### California Scents Car Scents Can Malibu Melon

Version number: GHS 2.0  
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

#### SECTION 4: First aid measures

##### 4.1 Description of first aid measures

###### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

###### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

###### Following skin contact

Wash with plenty of soap and water.

###### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

###### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

##### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

##### 4.3 Indication of any immediate medical attention and special treatment needed

none

#### SECTION 5: Firefighting measures

##### 5.1 Extinguishing media

###### Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO<sub>2</sub>)

###### Unsuitable extinguishing media

Water jet

##### 5.2 Special hazards arising from the substance or mixture

###### Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

##### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

### California Scents Car Scents Can Malibu Melon

Version number: GHS 2.0  
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

#### SECTION 6: Accidental release measures

##### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

##### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

##### 6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

##### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

#### SECTION 7: Handling and storage

##### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

## California Scents Car Scents Can Malibu Melon

Version number: GHS 2.0  
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

### 7.2 Conditions for safe storage, including any incompatibilities

### 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
GB	cellulose	9004-34-6	WEL		10		20			i	EH40/2005
GB	cellulose	9004-34-6	WEL		4					r	EH40/2005

Notation

Ceiling-C

i

r

STEL

TWA

ceiling value is a limit value above which exposure should not occur

inhalable fraction

respirable fraction

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
α,α-dimethylphenethyl butyrate	10094-34-5	DNEL	4.4 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
α,α-dimethylphenethyl butyrate	10094-34-5	DNEL	8.33 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Aldehyde C-16	77-83-8	DNEL	2.45 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Aldehyde C-16	77-83-8	DNEL	0.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Aldehyde C-14	104-67-6	DNEL	5.38 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
Aldehyde C-14	104-67-6	DNEL	19 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## California Scents Car Scents Can Malibu Melon

Version number: GHS 2.0  
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

### Relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Diethyl malonate	105-53-3	DNEL	8.468 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Diethyl malonate	105-53-3	DNEL	1.213 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Allyl Caproate	123-68-2	DNEL	15 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Allyl Caproate	123-68-2	DNEL	4.3 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Allyl heptanoate	142-19-8	DNEL	2.97 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Allyl heptanoate	142-19-8	DNEL	0.84 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Melonal	106-72-9	DNEL	7.05 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Melonal	106-72-9	DNEL	21.16 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
Melonal	106-72-9	DNEL	17.63 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
Melonal	106-72-9	DNEL	52.89 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
Melonal	106-72-9	DNEL	2 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Melonal	106-72-9	DNEL	170 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects

### Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
α,α-dimethylphenethyl butyrate	10094-34-5	PNEC	4.766 µg/l	aquatic organisms	freshwater	short-term (single instance)
α,α-dimethylphenethyl butyrate	10094-34-5	PNEC	31.25 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
α,α-dimethylphenethyl butyrate	10094-34-5	PNEC	0.189 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## California Scents Car Scents Can Malibu Melon

Version number: GHS 2.0  
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

### Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
$\alpha,\alpha$ -dimethylphen-ethyl butyrate	10094-34-5	PNEC	0.103 mg/kg	terrestrial organisms	soil	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	23.3 mg/kg	aquatic organisms	water	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.084 mg/l	aquatic organisms	water	intermittent release
Aldehyde C-16	77-83-8	PNEC	0.008 mg/l	aquatic organisms	freshwater	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	8.4 µg/l	aquatic organisms	marine water	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.214 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.021 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.038 mg/kg	terrestrial organisms	soil	short-term (single instance)
Aldehyde C-14	104-67-6	PNEC	66.7 mg/kg	aquatic organisms	water	short-term (single instance)
Aldehyde C-14	104-67-6	PNEC	0.0585 mg/l	aquatic organisms	water	intermittent release
Aldehyde C-14	104-67-6	PNEC	84 µg/l	aquatic organisms	freshwater	short-term (single instance)
Aldehyde C-14	104-67-6	PNEC	8.4 µg/l	aquatic organisms	marine water	short-term (single instance)
Aldehyde C-14	104-67-6	PNEC	80 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Aldehyde C-14	104-67-6	PNEC	5.341 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Aldehyde C-14	104-67-6	PNEC	0.534 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Aldehyde C-14	104-67-6	PNEC	1.019 mg/kg	terrestrial organisms	soil	short-term (single instance)
Diethyl malonate	105-53-3	PNEC	11.8 µg/l	aquatic organisms	freshwater	short-term (single instance)

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

### California Scents Car Scents Can Malibu Melon

Version number: GHS 2.0  
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

#### Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Diethyl malonate	105-53-3	PNEC	1.18 µg/l	aquatic organisms	marine water	short-term (single instance)
Diethyl malonate	105-53-3	PNEC	0.108 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Diethyl malonate	105-53-3	PNEC	4.62 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Diethyl malonate	105-53-3	PNEC	0.924 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Diethyl malonate	105-53-3	PNEC	8.557 µg/kg	terrestrial organisms	soil	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	47.56 mg/kg	aquatic organisms	water	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	1.17 µg/l	aquatic organisms	water	intermittent release
Allyl Caproate	123-68-2	PNEC	0.117 µg/l	aquatic organisms	freshwater	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	0.012 µg/l	aquatic organisms	marine water	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	4.46 µg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	0.446 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
Allyl Caproate	123-68-2	PNEC	0.825 µg/kg	terrestrial organisms	soil	short-term (single instance)
Allyl heptanoate	142-19-8	PNEC	51.78 mg/kg	aquatic organisms	water	short-term (single instance)
Allyl heptanoate	142-19-8	PNEC	1.2 µg/l	aquatic organisms	water	intermittent release
Allyl heptanoate	142-19-8	PNEC	0.12 µg/l	aquatic organisms	freshwater	short-term (single instance)
Allyl heptanoate	142-19-8	PNEC	0.012 µg/l	aquatic organisms	marine water	short-term (single instance)
Allyl heptanoate	142-19-8	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)

## California Scents Car Scents Can Malibu Melon

Version number: GHS 2.0  
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Allyl heptanoate	142-19-8	PNEC	0.012 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Allyl heptanoate	142-19-8	PNEC	0.001 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Allyl heptanoate	142-19-8	PNEC	0.002 mg/kg	terrestrial organisms	soil	short-term (single instance)
Melonal	106-72-9	PNEC	0.002 mg/l	aquatic organisms	freshwater	short-term (single instance)
Melonal	106-72-9	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
Melonal	106-72-9	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Melonal	106-72-9	PNEC	0.045 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Melonal	106-72-9	PNEC	0.004 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Melonal	106-72-9	PNEC	0.021 mg/kg	terrestrial organisms	soil	short-term (single instance)

### 8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

PVA: polyvinyl alcohol, Nitrile

- Material thickness

>0.5 mm



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## California Scents Car Scents Can Malibu Melon

Version number: GHS 2.0  
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

- Breakthrough times of the glove material  
>120 minutes (permeation: level 4)
- Other protection measures  
Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.  
Wash hands thoroughly after handling.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	light brown
Odour	fruity
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	186.8 °C at 1,013 hPa
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	>94 °C
Auto-ignition temperature	470 °C
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	not determined



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## California Scents Car Scents Can Malibu Melon

Version number: GHS 2.0  
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

### Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	8.5 kPa at 25 °C
-----------------	------------------

### Density and/or relative density

Density	not determined
Vapour density	this information is not available
Relative vapour density	Information on this property is not available not relevant (liquid)

Particle characteristics	no data available
--------------------------	-------------------

## 9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards):
--	--

### Other safety characteristics

Temperature class (EU, acc. to ATEX)	T1 (maximum permissible surface temperature on the equipment: 450°C)
--------------------------------------	---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

Oxidisers

## California Scents Car Scents Can Malibu Melon

Version number: GHS 2.0  
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

##### Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful in contact with skin.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Allyl Caproate	123-68-2	oral	100 mg/kg
Allyl Caproate	123-68-2	dermal	820 mg/kg
Allyl Caproate	123-68-2	inhalation: vapour	3 mg/l/4h
Allyl heptanoate	142-19-8	oral	218 mg/kg
Allyl heptanoate	142-19-8	dermal	810 mg/kg

##### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

##### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

##### Respiratory or skin sensitisation

May cause an allergic skin reaction.

##### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

##### Carcinogenicity

Shall not be classified as carcinogenic.

##### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

## California Scents Car Scents Can Malibu Melon

Version number: GHS 2.0  
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## 11.2 Information on other hazards

There is no additional information.

## SECTION 12: Ecological information

### 12.1 Toxicity

Harmful to aquatic life with long lasting effects.

#### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
$\alpha,\alpha$ -dimethylphenethyl butyrate	10094-34-5	EC50	684 mg/l	microorganisms	3 h
$\alpha,\alpha$ -dimethylphenethyl butyrate	10094-34-5	NOEC	312.5 mg/l	microorganisms	3 h
$\alpha,\alpha$ -dimethylphenethyl butyrate	10094-34-5	LOEC	1,000 mg/l	microorganisms	3 h
Aldehyde C-16	77-83-8	EC50	95 mg/l	aquatic invertebrates	24 h
Aldehyde C-16	77-83-8	growth (EbCx) 10%	80 mg/l	aquatic invertebrates	24 h
Aldehyde C-14	104-67-6	EC50	3.7 mg/l	aquatic invertebrates	21 d
Aldehyde C-14	104-67-6	NOEC	0.138 mg/l	aquatic invertebrates	21 d
Aldehyde C-14	104-67-6	LOEC	1.83 mg/l	aquatic invertebrates	21 d
Aldehyde C-14	104-67-6	growth (EbCx) 10%	0.84 mg/l	fish	32 d
Diethyl malonate	105-53-3	EC50	285.8 mg/l	aquatic invertebrates	24 h
Melonal	106-72-9	NOEC	100 mg/l	microorganisms	39 d

## California Scents Car Scents Can Malibu Melon

Version number: GHS 2.0  
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

### 12.2 Persistence and degradability

Degradability of components of the mixture						
Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
$\alpha,\alpha$ -dimethylphenethyl butyrate	10094-34-5	oxygen depletion	18 %	6 d		ECHA
Aldehyde C-16	77-83-8	oxygen depletion	11 %	5 d		ECHA
Aldehyde C-14	104-67-6	oxygen depletion	16 %	1 d		ECHA
Diethyl malonate	105-53-3	DOC removal	0 %	0 d		ECHA
Allyl Caproate	123-68-2	oxygen depletion	19 %	2 d		ECHA
Allyl heptanoate	142-19-8	oxygen depletion	15 %	2 d		ECHA
Melonal	106-72-9	oxygen depletion	75 %	28 d		ECHA

### 12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
$\alpha,\alpha$ -dimethylphenethyl butyrate	10094-34-5		4.7 (25 °C)	
Aldehyde C-16	77-83-8		2.4 (25 °C)	
Aldehyde C-14	104-67-6		3.6 (25 °C)	
Diethyl malonate	105-53-3		0.96	
Allyl Caproate	123-68-2	59.2	3.191 (pH value: ~5, 20 °C)	
Allyl heptanoate	142-19-8	193.2	3.97 (pH value: 5.3, 20 °C)	
Melonal	106-72-9		3.4 (pH value: 7, 35 °C)	

### 12.4 Mobility in soil

Data are not available.



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## California Scents Car Scents Can Malibu Melon

Version number: GHS 2.0  
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagegings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

#### Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

## SECTION 14: Transport information

- |   |   |
|---|---|
| <b>14.1 UN number</b>   | not subject to transport regulations                                  |
| <b>14.2 UN proper shipping name</b>                                 | not assigned  |
| <b>14.3 Transport hazard class(es)</b>                              | none  |
| <b>14.4 Packing group</b>   | not assigned  |
| <b>14.5 Environmental hazards</b>                                   | non-environmentally hazardous acc. to the dangerous goods regulations |
| <b>14.6 Special precautions for user</b>                            | There is no additional information.                                   |
| <b>14.7 Maritime transport in bulk according to IMO instruments</b> | The cargo is not intended to be carried in bulk.                      |

### Information for each of the UN Model Regulations

DOT

### **Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information**

not assigned



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## California Scents Car Scents Can Malibu Melon

Version number: GHS 2.0  
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

### International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

#### Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
California Scents Car Scents Can Malibu Melon	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3

#### Legend

R3

1. Shall not be used in:
  - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
  - tricks and jokes,
  - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
2. Articles not complying with paragraph 1 shall not be placed on the market.
3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
  - can be used as fuel in decorative oil lamps for supply to the general public, and,
  - present an aspiration hazard and are labelled with R65 or H304,
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
  - (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even sucking the wick of lamps - may lead to life-threatening lung damage';
  - (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
  - (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.
7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

### List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## California Scents Car Scents Can Malibu Melon

Version number: GHS 2.0  
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

### Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

none of the ingredients are listed

### Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

### Water Framework Directive (WFD)

none of the ingredients are listed

### National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

#### Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

## California Scents Car Scents Can Malibu Melon

Version number: GHS 2.0  
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.2.1.7	- Hazardous ingredients for labelling: $\alpha,\alpha$ -dimethylphenethyl butyrate, Aldehyde C-16, Aurantiol	- Hazardous ingredients for labelling: Aldehyde C-16, Aurantiol, Melonal	yes
3.2		Description of the mixture: change in the listing (table)	yes
3.2		Description of the mixture: change in the listing (table)	yes
4.1	Following skin contact: Rinse skin with water/shower.	Following skin contact: Wash with plenty of soap and water.	yes
5.1	Suitable extinguishing media: Water, Foam, ABC-powder	Suitable extinguishing media: Water spray, BC-powder, Carbon dioxide (CO <sub>2</sub> )	yes
5.2	Special hazards arising from the substance or mixture: Deposited combustible dust has considerable explosion potential.	Special hazards arising from the substance or mixture	yes
6.3	Advice on how to contain a spill: Covering of drains, Take up mechanically	Advice on how to contain a spill: Covering of drains	yes
6.3	Advice on how to clean up a spill: Take up mechanically.	Advice on how to clean up a spill: Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder	yes
6.3		Appropriate containment techniques: Use of adsorbent materials.	yes
7.1	- Measures to prevent fire as well as aerosol and dust generation: Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment.	- Measures to prevent fire as well as aerosol and dust generation: Use local and general ventilation. Use only in well-ventilated areas.	yes
7.1	Specific notes/details: Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.		yes
7.2	Managing of associated risks		yes

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## California Scents Car Scents Can Malibu Melon

Version number: GHS 2.0  
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
7.2	- Explosive atmospheres: Removal of dust deposits.		yes
7.2	- Ventilation requirements: Use local and general ventilation.		yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
8.2	Hand protection: Wear protective gloves.	Hand protection: Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.	yes
8.2		Type of material: PVA: polyvinyl alcohol, Nitrile	yes
8.2		Material thickness: >0.5 mm	yes
8.2		Breakthrough times of the glove material: >120 minutes (permeation: level 4)	yes
8.2	Respiratory protection: Particulate filter device (EN 143).	Respiratory protection: In case of inadequate ventilation wear respiratory protection.	yes
9.1	Appearance		yes
9.1	Physical state: solid	Physical state: liquid	yes
9.1	Other safety parameters		yes
9.1	Initial boiling point and boiling range: 197 °C at 1,008 hPa	Boiling point or initial boiling point and boiling range: 186.8 °C at 1,013 hPa	yes
9.1		Lower and upper explosion limit: not determined	yes
9.1	Flash point: 94 °C	Flash point: >94 °C	yes

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## California Scents Car Scents Can Malibu Melon

Version number: GHS 2.0  
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
9.1	Evaporation rate: not determined		yes
9.1	Explosion limits of dust clouds: not determined		yes
9.1	Viscosity: not relevant (solid matter)		yes
9.1	Explosive properties: none		yes
9.1	Oxidising properties: none		yes
9.1	Auto-ignition temperature: not determined	Auto-ignition temperature: 470 °C	yes
9.1		Decomposition temperature: not relevant	yes
9.1	pH (value): not applicable	pH (value): not determined	yes
9.1		Kinematic viscosity: not determined	yes
9.1	Vapour pressure: 108 Pa at 20 °C	Vapour pressure: 8.5 kPa at 25 °C	yes
9.1		Density and/or relative density	yes
9.1	Relative density: information on this property is not available	Relative vapour density: Information on this property is not available not relevant (liquid)	yes
9.1		Particle characteristics: no data available	yes
9.2	other information: there is no additional information	Other information	yes
9.2		Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards):	yes
9.2		Other safety characteristics	yes
9.2		Temperature class (EU, acc. to ATEX): T1 (maximum permissible surface temperature on the equipment: 450°C)	yes
10.4	Hints to prevent fire or explosion: The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.		yes



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## California Scents Car Scents Can Malibu Melon

Version number: GHS 2.0  
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
11.1	Acute toxicity: Shall not be classified as acutely toxic.	Acute toxicity: Shall not be classified as acutely toxic. GHS of the United Nations, annex 4: May be harmful in contact with skin.	yes
11.1		Acute toxicity estimate (ATE) of components of the mixture: change in the listing (table)	yes
11.2		Information on other hazards: There is no additional information.	yes
12.1		Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)	yes
12.2		Degradability of components of the mixture: change in the listing (table)	yes
12.3		Bioaccumulative potential of components of the mixture: change in the listing (table)	yes
12.7	Other adverse effects	Other adverse effects: Data are not available.	yes
14.2	UN proper shipping name: not relevant	UN proper shipping name: not assigned	yes
14.4	Packing group: not assigned to a packing group	Packing group: not assigned	yes
14.7	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN): Not subject to ADR, RID and ADN.	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information: not assigned	yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)



# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## California Scents Car Scents Can Malibu Melon

Version number: GHS 2.0  
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

Abbr.	Descriptions of used abbreviations
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LOEC	Lowest Observed Effect Concentration
log KOW	n-Octanol/water
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic

## California Scents Car Scents Can Malibu Melon

Version number: GHS 2.0  
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

Abbr.	Descriptions of used abbreviations
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

### California Scents Car Scents Can Malibu Melon

Version number: GHS 2.0  
Replaces version of: 2020-09-17 (GHS 1)

Revision: 2020-12-15

Code	Text
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.