

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Fresh Linen

Version number: GHS 2.0 Revision: 2020-12-15 Replaces version of: 2020-09-17 (GHS 1)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name California Scents Car Scents Fresh Linen

Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Consumer use: Air Freshener

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc. 25225 Detroit Rd. Westlake OH 44145 United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)

Website: http://data.energizer.com

Energizer Trading Ltd.

Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376

e-mail: ConsumerServiceEU@energizer.com

1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727

This number is only available during the following

office hours: Mon-Fri 09:00 AM - 05:00 PM

Poison	centre
1 013011	centre

Name	Postal code/city	Telephone
UK poison centre		Product information has been submitted to the UK National Poisons Information Service (NPIS) and is accessible to medical health professionals.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

United Kingdom: en Page: 1 / 27



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Fresh Linen

Version number: GHS 2.0 Revision: 2020-12-15 Replaces version of: 2020-09-17 (GHS 1)

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.45	skin sensitisation	1	Skin Sens. 1	H317
4.1C	hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word warning

- Pictograms

GHS07



- Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P264 Wash hands thoroughly after handling. P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with national regulations.

2.2.1.7 - Hazardous ingredients for labelling

Cyclamal, Linalool, 2,4-dimethylcyclohex-3-ene-1-carbaldehyde, Dodecanal

Labelling of packages where the contents do not exceed 125 ml

- Signal word warning

United Kingdom: en Page: 2 / 27



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Fresh Linen

Version number: GHS 2.0 Revision: 2020-12-15 Replaces version of: 2020-09-17 (GHS 1)

- Hazard pictogram(s)

Warning.

- Hazard statements

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

- Precautionary statements

GHS07

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with national regulations.

- Contains Cyclamal, Linalool, 2,4-dimethylcyclohex-3-ene-1-carbaldehyde, Dodecanal

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	CAS No	Wt%	Classification acc. to GHS	Pictograms
Cyclamal	103-95-7	10-<25	Skin Irrit. 2 / H315 Skin Sens. 1B / H317 Aquatic Chronic 3 / H412	<u>(1)</u>
Benzyl acetate	140-11-4	5-<10	Aquatic Chronic 3 / H412	
Phenethyl alcohol	60-12-8	5 – < 10	Acute Tox. 4 / H302 Eye Irrit. 2 / H319	<u>(i)</u>
Dihydromyrcenol	18479-58-8	5 – < 10	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319	(1)
2-t-Butylcyclohexyl Acetate	88-41-5	1-<5	Aquatic Chronic 2 / H411	EFE CONTRACTOR
Aldehyde C-14	104-67-6	1-<5	Aquatic Chronic 3 / H412	

United Kingdom: en Page: 3 / 27



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Fresh Linen

Version number: GHS 2.0 Revision: 2020-12-15 Replaces version of: 2020-09-17 (GHS 1)

Name of substance	CAS No	Wt%	Classification acc. to GHS	Pictograms
Phenethyl acetate	103-45-7	1-<5	Eye Dam. 1 / H318	
Linalool	78-70-6	1-<5	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317	<u>(1)</u>
Methyl Ionone	127-51-5	1-<5	Aquatic Chronic 2 / H411	\$
Anisic Aldehyde	123-11-5	1-<5	Aquatic Chronic 3 / H412	
Dodecanal	112-54-9	<1	Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1B / H317	<u>(1)</u>
2,4-dimethylcyclohex-3- ene-1-carbaldehyde	68039-49-6	<1	Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Aquatic Chronic 2 / H411	<u>(1)</u>

Name of sub- stance	CAS No	Specific Conc. Limits	M-Factors	ATE	Exposure route
Phenethyl alcohol	60-12-8			1,603 ^{mg} / _{kg}	oral
Dodecanal	112-54-9		M-factor (acute) = 10.0		

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. In case of respiratory tract irritation, consult a physician. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

United Kingdom: en Page: 4 / 27



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Fresh Linen

Version number: GHS 2.0 Revision: 2020-12-15 Replaces version of: 2020-09-17 (GHS 1)

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

United Kingdom: en Page: 5 / 27



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Fresh Linen

Version number: GHS 2.0 Revision: 2020-12-15 Replaces version of: 2020-09-17 (GHS 1)

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
GB	cellulose	9004-34- 6	WEL		10		20			i	EH40/ 2005
GB	cellulose	9004-34- 6	WEL		4					r	EH40/ 2005

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

inhalable fraction respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period

(unless otherwise specified)

United Kingdom: en Page: 6 / 27



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Fresh Linen

Version number: GHS 2.0 Revision: 2020-12-15 Replaces version of: 2020-09-17 (GHS 1)

Notation

TWA

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
Cyclamal	103-95-7	DNEL	5.83 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Cyclamal	103-95-7	DNEL	1.67 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Cyclamal	103-95-7	DNEL	7.43 µg/ cm²	human, dermal	worker (industry)	chronic - local ef- fects
Dihydromyrcenol	18479-58-8	DNEL	73.5 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
Dihydromyrcenol	18479-58-8	DNEL	20.8 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Benzyl acetate	140-11-4	DNEL	12.5 mg/kg	human, dermal	worker (industry)	acute - systemic ef- fects
Benzyl acetate	140-11-4	DNEL	43.8 mg/m³	human, inhalatory	worker (industry)	acute - systemic ef- fects
Benzyl acetate	140-11-4	DNEL	9 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
Benzyl acetate	140-11-4	DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Phenethyl alcohol	60-12-8	DNEL	59.9 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Phenethyl alcohol	60-12-8	DNEL	21.2 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Linalool	78-70-6	DNEL	2.8 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Linalool	78-70-6	DNEL	16.5 mg/m ³	human, inhalatory	worker (industry)	acute - systemic ef- fects
Linalool	78-70-6	DNEL	2.5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Linalool	78-70-6	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic ef- fects
Methyl Ionone	127-51-5	DNEL	8.22 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects

United Kingdom: en Page: 7 / 27



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Fresh Linen

Version number: GHS 2.0 Revision: 2020-12-15 Replaces version of: 2020-09-17 (GHS 1)

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
Methyl Ionone	127-51-5	DNEL	0.375 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Phenethyl acetate	103-45-7	DNEL	6.5 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Phenethyl acetate	103-45-7	DNEL	2.27 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Anisic Aldehyde	123-11-5	DNEL	5.88 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Anisic Aldehyde	123-11-5	DNEL	3.33 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Aldehyde C-14	104-67-6	DNEL	5.38 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
Aldehyde C-14	104-67-6	DNEL	19 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
Dodecanal	112-54-9	DNEL	49.7 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
Dodecanal	112-54-9	DNEL	14.1 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Dodecanal	112-54-9	DNEL	0.57 μg/ cm²	human, dermal	worker (industry)	chronic - local ef- fects

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Cyclamal	103-95-7	PNEC	33.3 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (single instance)
Cyclamal	103-95-7	PNEC	10.92 ^{µg} / _l	aquatic organ- isms	water	intermittent re- lease
Cyclamal	103-95-7	PNEC	1.09 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Cyclamal	103-95-7	PNEC	0.11 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Cyclamal	103-95-7	PNEC	1 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)

United Kingdom: en Page: 8 / 27



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Fresh Linen

Version number: GHS 2.0 Revision: 2020-12-15 Replaces version of: 2020-09-17 (GHS 1)

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Cyclamal	103-95-7	PNEC	0.126 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Cyclamal	103-95-7	PNEC	0.013 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Cyclamal	103-95-7	PNEC	0.025 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	111 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.278 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Dihydromyrcenol	18479-58-8	PNEC	27.8 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	2.78 ^{µg} / _I	aquatic organ- isms	marine water	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.594 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.059 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Dihydromyrcenol	18479-58-8	PNEC	0.103 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Benzyl acetate	140-11-4	PNEC	0.04 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Benzyl acetate	140-11-4	PNEC	0.018 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Benzyl acetate	140-11-4	PNEC	0.002 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Benzyl acetate	140-11-4	PNEC	8.55 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Benzyl acetate	140-11-4	PNEC	0.526 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Benzyl acetate	140-11-4	PNEC	0.053 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Benzyl acetate	140-11-4	PNEC	0.094 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

United Kingdom: en Page: 9 / 27



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Fresh Linen

Version number: GHS 2.0 Revision: 2020-12-15 Replaces version of: 2020-09-17 (GHS 1)

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Phenethyl alcohol	60-12-8	PNEC	2.15 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Phenethyl alcohol	60-12-8	PNEC	0.215 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Phenethyl alcohol	60-12-8	PNEC	0.021 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Phenethyl alcohol	60-12-8	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Phenethyl alcohol	60-12-8	PNEC	1.454 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Phenethyl alcohol	60-12-8	PNEC	0.145 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Phenethyl alcohol	60-12-8	PNEC	0.164 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Linalool	78-70-6	PNEC	7.8 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (single instance)
Linalool	78-70-6	PNEC	2 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Linalool	78-70-6	PNEC	0.2 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Linalool	78-70-6	PNEC	0.02 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Linalool	78-70-6	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Linalool	78-70-6	PNEC	2.22 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Linalool	78-70-6	PNEC	0.222 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Linalool	78-70-6	PNEC	0.327 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Methyl Ionone	127-51-5	PNEC	1.43 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Methyl Ionone	127-51-5	PNEC	0.143 ^{µg} / _I	aquatic organ- isms	marine water	short-term (single instance)
Methyl Ionone	127-51-5	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)

United Kingdom: en Page: 10 / 27



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Fresh Linen

Version number: GHS 2.0 Revision: 2020-12-15 Replaces version of: 2020-09-17 (GHS 1)

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Methyl Ionone	127-51-5	PNEC	0.443 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Methyl Ionone	127-51-5	PNEC	44.3 ^{µg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Methyl Ionone	127-51-5	PNEC	87.8 ^{µg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Phenethyl acetate	103-45-7	PNEC	0.105 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Phenethyl acetate	103-45-7	PNEC	0.011 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Phenethyl acetate	103-45-7	PNEC	0.001 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Phenethyl acetate	103-45-7	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Phenethyl acetate	103-45-7	PNEC	0.128 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Phenethyl acetate	103-45-7	PNEC	0.013 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Phenethyl acetate	103-45-7	PNEC	0.019 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Anisic Aldehyde	123-11-5	PNEC	811.1 ^{µg} / _I	aquatic organ- isms	water	intermittent re- lease
Anisic Aldehyde	123-11-5	PNEC	13 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Anisic Aldehyde	123-11-5	PNEC	1.3 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Anisic Aldehyde	123-11-5	PNEC	8.5 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Anisic Aldehyde	123-11-5	PNEC	0.06 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Anisic Aldehyde	123-11-5	PNEC	0.006 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Anisic Aldehyde	123-11-5	PNEC	0.004 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Aldehyde C-14	104-67-6	PNEC	66.7 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (single instance)

United Kingdom: en Page: 11 / 27



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Fresh Linen

Version number: GHS 2.0 Revision: 2020-12-15 Replaces version of: 2020-09-17 (GHS 1)

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Aldehyde C-14	104-67-6	PNEC	0.0585 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Aldehyde C-14	104-67-6	PNEC	84 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Aldehyde C-14	104-67-6	PNEC	8.4 ^{µg} / _I	aquatic organ- isms	marine water	short-term (single instance)
Aldehyde C-14	104-67-6	PNEC	80 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Aldehyde C-14	104-67-6	PNEC	5.341 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Aldehyde C-14	104-67-6	PNEC	0.534 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Aldehyde C-14	104-67-6	PNEC	1.019 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Dodecanal	112-54-9	PNEC	313 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (single instance)
Dodecanal	112-54-9	PNEC	0.035 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Dodecanal	112-54-9	PNEC	0.004 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Dodecanal	112-54-9	PNEC	0 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Dodecanal	112-54-9	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Dodecanal	112-54-9	PNEC	1.41 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Dodecanal	112-54-9	PNEC	0.141 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Dodecanal	112-54-9	PNEC	0.278 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Appropriate engineering controls General ventilation.

United Kingdom: en Page: 12 / 27



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Fresh Linen

Version number: GHS 2.0 Revision: 2020-12-15 Replaces version of: 2020-09-17 (GHS 1)

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

PVA: polyvinyl alcohol, Nitrile

- Material thickness

>0.5 mm

- Breakthrough times of the glove material

>120 minutes (permeation: level 4)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	acc. to product description
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	193 °C at 100.9 kPa
Flammability	this material is combustible, but will not ignite readily

United Kingdom: en Page: 13 / 27



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Fresh Linen

Version number: GHS 2.0 Replaces version of: 2020-09-17 (GHS 1) Revision: 2020-12-15

s version of: 2020-09-17 (GHS 1)			
Lower and upper explosion limit	not determined		
Flash point	>94 °C		
Auto-ignition temperature	250 °C (auto-ignition temperature (liquids and gases))		
Decomposition temperature	not relevant		
pH (value)	not determined		
Kinematic viscosity	not determined		
Solubility(ies)	not determined		
Partition coefficient			
Partition coefficient n-octanol/water (log value)	this information is not available		
Vapour pressure	10 kPa at 143.6 °C		
Density and/or relative density			
Density	not determined		
Vapour density	this information is not available		
Relative vapour density	Information on this property is not available not relevant (liquid)		
Particle characteristics	no data available		
Other information			
Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards):		

9.2

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards):		
Other safety characteristics			
Temperature class (EU, acc. to ATEX)	T3 (maximum permissible surface temperature on the equipment: 200°C)		

United Kingdom: en Page: 14 / 27



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Fresh Linen

Version number: GHS 2.0 Revision: 2020-12-15 Replaces version of: 2020-09-17 (GHS 1)

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful if inhaled.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Phenethyl alcohol	60-12-8	oral	1,603 ^{mg} / _{kg}

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

United Kingdom: en Page: 15 / 27



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Fresh Linen

Version number: GHS 2.0 Revision: 2020-12-15 Replaces version of: 2020-09-17 (GHS 1)

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Cyclamal	103-95-7	EC50	1.7 ^{mg} / _l	aquatic invertebrates	21 d
Cyclamal	103-95-7	NOEC	0.71 ^{mg} / _l	aquatic invertebrates	21 d
Dihydromyrcenol	18479-58-8	EC50	17 ^{mg} / _l	aquatic invertebrates	21 d
Dihydromyrcenol	18479-58-8	NOEC	9.5 ^{mg} / _l	aquatic invertebrates	21 d
Benzyl acetate	140-11-4	EC50	855 ^{mg} / _l	microorganisms	3 h
Benzyl acetate	140-11-4	NOEC	0.92 ^{mg} / _l	fish	28 d
Phenethyl alcohol	60-12-8	EC50	>100 ^{mg} / _I	microorganisms	3 h
Phenethyl alcohol	60-12-8	NOEC	100 ^{mg} / _l	microorganisms	3 h
Linalool	78-70-6	LC50	27.8 ^{mg} / _l	fish	24 h

United Kingdom: en Page: 16 / 27



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Fresh Linen

Version number: GHS 2.0 Revision: 2020-12-15 Replaces version of: 2020-09-17 (GHS 1)

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Linalool	78-70-6	EC50	>100 ^{mg} / _l	microorganisms	30 min
Linalool	78-70-6	growth (EbCx) 10%	>100 ^{mg} / _l	microorganisms	3 h
Phenethyl acetate	103-45-7	EC50	>1,000 ^{mg} / _l	microorganisms	3 h
Phenethyl acetate	103-45-7	NOEC	100 ^{mg} / _l	microorganisms	3 h
Anisic Aldehyde	123-11-5	LC50	1.47 ^{mg} / _l	aquatic invertebrates	21 d
Anisic Aldehyde	123-11-5	EC50	1.22 ^{mg} / _l	aquatic invertebrates	21 d
Anisic Aldehyde	123-11-5	NOEC	0.71 ^{mg} / _l	aquatic invertebrates	21 d
Anisic Aldehyde	123-11-5	LOEC	1.53 ^{mg} / _l	aquatic invertebrates	21 d
Anisic Aldehyde	123-11-5	growth (EbCx) 20%	450 ^{mg} / _l	microorganisms	30 min
Aldehyde C-14	104-67-6	EC50	3.7 ^{mg} / _l	aquatic invertebrates	21 d
Aldehyde C-14	104-67-6	NOEC	0.138 ^{mg} / _l	aquatic invertebrates	21 d
Aldehyde C-14	104-67-6	LOEC	1.83 ^{mg} / _l	aquatic invertebrates	21 d
Aldehyde C-14	104-67-6	growth (EbCx) 10%	0.84 ^{mg} / _l	fish	32 d

12.2 Persistence and degradability

Degradability of components of the mixture

Name of sub- stance	CAS No	Process	Degradation rate	Time	Method	Source
Cyclamal	103-95-7	carbon dioxide generation	5.8 %	14 d		ECHA
Dihydromyrcen- ol	18479-58-8	carbon dioxide generation	72 %	28 d		ECHA
Dihydromyrcen- ol	18479-58-8	DOC removal	100 %	28 d		ECHA
Benzyl acetate	140-11-4	carbon dioxide generation	100.9 %	28 d		ECHA
Linalool	78-70-6	oxygen deple- tion	40.9 %	5 d		ECHA

United Kingdom: en Page: 17 / 27



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Fresh Linen

Version number: GHS 2.0 Revision: 2020-12-15 Replaces version of: 2020-09-17 (GHS 1)

Degradability of components of the mixture

Name of sub- stance	CAS No	Process	Degradation rate	Time	Method	Source
Methyl Ionone	127-51-5	oxygen deple- tion	42.51 %	28 d		ECHA
Phenethyl acet- ate	103-45-7	oxygen deple- tion	72 %	28 d		ECHA
Anisic Aldehyde	123-11-5	DOC removal	97 %	6 d		ECHA
Aldehyde C-14	104-67-6	oxygen deple- tion	16 %	1 d		ECHA
Dodecanal	112-54-9	oxygen deple- tion	18 %	2 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Cyclamal	103-95-7		3.4 (pH value: ~7, 35 °C)	
Dihydromyrcenol	18479-58-8	64.8	3.25 (pH value: 7, 40 °C)	
Benzyl acetate	140-11-4	8	1.96 (pH value: 7, 25 °C)	
Phenethyl alcohol	60-12-8		0.8 (pH value: 7, 20 °C)	
Linalool	78-70-6		2.9 (pH value: 7, 20 °C)	
Methyl Ionone	127-51-5		4.288 (pH value: 4.7, 25 °C)	
Phenethyl acetate	103-45-7		2.4 (25 °C)	
Anisic Aldehyde	123-11-5		1.56 (25 °C)	
Aldehyde C-14	104-67-6		3.6 (25 °C)	
2,4-dimethylcyclohex-3-ene-1-car- baldehyde	68039-49-6		2.34	
Dodecanal	112-54-9		4.9 (35 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

United Kingdom: en Page: 18 / 27



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Fresh Linen

Version number: GHS 2.0 Revision: 2020-12-15 Replaces version of: 2020-09-17 (GHS 1)

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN number	not subject to transport regulations

14.2 UN proper shipping name not assigned

14.3 Transport hazard class(es) none

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the danger-

ous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

DOT

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

not assigned

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

United Kingdom: en Page: 19 / 27



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Fresh Linen

Version number: GHS 2.0 Revision: 2020-12-15 Replaces version of: 2020-09-17 (GHS 1)

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU) Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
California Scents Car Scents Fresh Linen	this product meets the criteria for clas- sification in accordance with Regula- tion No 1272/2008/EC		R3	3

Legend

R3

- 1. Shall not be used in:
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- 2. Articles not complying with paragraph 1 shall not be placed on the market.
- 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
- can be used as fuel in decorative oil lamps for supply to the general public, and,
- present an aspiration hazard and are labelled with R65 or H304,
- 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
- 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
- (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil or even sucking the wick of lamps may lead to life-threatening lung damage';
- (b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';
- (c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
- 6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.
- 7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

none of the ingredients are listed

United Kingdom: en Page: 20 / 27



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Fresh Linen

Version number: GHS 2.0 Revision: 2020-12-15 Replaces version of: 2020-09-17 (GHS 1)

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and **Transfer Register (PRTR)**

none of the ingredients are listed

Water Framework Directive (WFD)

none of the ingredients are listed

National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AICS Australian Inventory of Chemical Substances CICR Chemical Inventory and Control Regulation

CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)

Domestic Substances List (DSL)

DSL ECSI IECSC INSQ

EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances

ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

KECI Korea Existing Chemicals Inventory

NZIoC

New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS) **PICCS**

REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory TCSI TSCA **Toxic Substance Control Act**

15.2 **Chemical Safety Assessment**

Chemical safety assessments for substances in this mixture were not carried out.

United Kingdom: en Page: 21 / 27



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Fresh Linen

Version number: GHS 2.0 Revision: 2020-12-15 Replaces version of: 2020-09-17 (GHS 1)

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2.1.7	- Hazardous ingredients for labelling: Cyclamal, Linalool, Methyl Ionone, 2,4-dimethyl- cyclohex-3-ene-1-carbaldehyde	- Hazardous ingredients for labelling: Cyclamal, Linalool, 2,4-dimethylcyclohex-3-ene-1- carbaldehyde, Dodecanal	yes
2.2.1.7	- Contains: Cyclamal, Linalool, Methyl Ionone, 2,4-dimethyl- cyclohex-3-ene-1-carbaldehyde	- Contains: Cyclamal, Linalool, 2,4-dimethylcyclohex-3-ene-1- carbaldehyde, Dodecanal	yes
3.2		Description of the mixture: change in the listing (table)	yes
3.2		Description of the mixture: change in the listing (table)	yes
4.1	Following skin contact: Rinse skin with water/shower.	Following skin contact: Wash with plenty of soap and water.	yes
5.1	Suitable extinguishing media: Water, Foam, ABC-powder	Suitable extinguishing media: Water spray, BC-powder, Carbon dioxide (CO2)	yes
5.2	Special hazards arising from the substance or mixture: Deposited combustible dust has considerable explosion potential.	Special hazards arising from the substance or mixture	yes
6.3	Advice on how to contain a spill: Covering of drains, Take up mechanically	Advice on how to contain a spill: Covering of drains	yes
6.3	Advice on how to clean up a spill: Take up mechanically.	Advice on how to clean up a spill: Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diat- omite), sand, universal binder	yes
6.3		Appropriate containment techniques: Use of adsorbent materials.	yes
7.1	- Measures to prevent fire as well as aerosol and dust generation: Use local and general ventilation. Take precautionary measures against static discharge. Use only in well-ventilated areas. Ground/bond container and receiving equipment.	- Measures to prevent fire as well as aerosol and dust generation: Use local and general ventilation. Use only in well-ventilated areas.	yes
7.1	Specific notes/details: Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.		yes
7.2	Managing of associated risks		yes

United Kingdom: en Page: 22 / 27



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Fresh Linen

Version number: GHS 2.0 Revision: 2020-12-15 Replaces version of: 2020-09-17 (GHS 1)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
7.2	- Explosive atmospheres: Removal of dust deposits.		yes
7.2	- Ventilation requirements: Use local and general ventilation.		yes
8.1		Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)	yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
8.2	Hand protection: Wear protective gloves.	Hand protection: Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.	yes
8.2		Type of material: PVA: polyvinyl alcohol, Nitrile	yes
8.2		Material thickness: >0.5 mm	yes
8.2		Breakthrough times of the glove material: >120 minutes (permeation: level 4)	yes
8.2	Respiratory protection: Particulate filter device (EN 143).	Respiratory protection: In case of inadequate ventilation wear respirat- ory protection.	yes
9.1	Appearance		yes
9.1	Physical state: solid	Physical state: liquid	yes
9.1	Other safety parameters		yes
9.1		Lower and upper explosion limit: not determined	yes
9.1	Flash point: 94 °C	Flash point: >94 °C	yes
9.1	Evaporation rate: not determined		yes

United Kingdom: en Page: 23 / 27



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Fresh Linen

Version number: GHS 2.0 Revision: 2020-12-15 Replaces version of: 2020-09-17 (GHS 1)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
9.1	Explosion limits of dust clouds: not determined		yes
9.1	Viscosity: not relevant (solid matter)		yes
9.1	Explosive properties: none		yes
9.1	Oxidising properties: none		yes
9.1	Auto-ignition temperature	Auto-ignition temperature: 250 °C (auto-ignition temperature (liquids and gases))	yes
9.1		Decomposition temperature: not relevant	yes
9.1	pH (value): not applicable	pH (value): not determined	yes
9.1		Kinematic viscosity: not determined	yes
9.1		Density and/or relative density	yes
9.1	Relative density: information on this property is not available	Relative vapour density: Information on this property is not available not relevant (liquid)	yes
9.1		Particle characteristics: no data available	yes
9.2		Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards):	yes
9.2		Other safety characteristics	yes
10.4	Hints to prevent fire or explosion: The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.		yes
11.1	Acute toxicity: Shall not be classified as acutely toxic.	Acute toxicity: Shall not be classified as acutely toxic.GHS of the United Nations, annex 4: May be harmful if in- haled.	yes
11.2		Information on other hazards: There is no additional information.	yes
12.1		Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)	yes

United Kingdom: en Page: 24 / 27



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Fresh Linen

Version number: GHS 2.0 Revision: 2020-12-15 Replaces version of: 2020-09-17 (GHS 1)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
12.2		Degradability of components of the mixture: change in the listing (table)	yes
12.3		Bioaccumulative potential of components of the mixture: change in the listing (table)	yes
12.7	Other adverse effects	Other adverse effects: Data are not available.	yes
14.2	UN proper shipping name: not relevant	UN proper shipping name: not assigned	yes
14.4	Packing group: not assigned to a packing group	Packing group: not assigned	yes
14.7	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN): Not subject to ADR, RID and ADN.	Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information: not assigned	yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand

United Kingdom: en Page: 25 / 27



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Fresh Linen

Version number: GHS 2.0 Revision: 2020-12-15 Replaces version of: 2020-09-17 (GHS 1)

Abbr.	Descriptions of used abbreviations
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 changes in response (e.g. on growth) during a specified time interval
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Natio
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 general lethality during a specified time interval
LOEC	Lowest Observed Effect Concentration
log KOW	n-Octanol/water
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation meth the classification of a mixture in which the substance is present
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulation concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin

United Kingdom: en Page: 26 / 27



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Fresh Linen

Version number: GHS 2.0 Revision: 2020-12-15 Replaces version of: 2020-09-17 (GHS 1)

Abbr.	Descriptions of used abbreviations
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom: en Page: 27 / 27