

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15 Replaces version of: 2020-10-06 (GHS 3)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name California Scents Car Scents Shasta Strawberry

Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Consumer use: Air Freshener

1.3 Details of the supplier of the safety data sheet

Energizer Manufacturing, Inc. 25225 Detroit Rd. Westlake OH 44145 United States

Telephone: 800-383-7323; 314-985-2000 (USA / CANADA)

Website: http://data.energizer.com

Energizer Trading Ltd.

Sword House, Totteridge Road, High Wycombe, HP13 6DG, UK

Telephone: +44(0)8000353376

e-mail: ConsumerServiceEU@energizer.com

1.4 Emergency telephone number

Emergency information service 1-314-985-1511 Int'l: 1-800-526-4727

This number is only available during the following

office hours: Mon-Fri 09:00 AM - 05:00 PM

Poison centre

Name	Postal code/city	Telephone
UK poison centre		Product information has been submitted to the UK National Poisons Information Service (NPIS) and is accessible to medical health professionals.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

United Kingdom: en Page: 1 / 31



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15 Replaces version of: 2020-10-06 (GHS 3)

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and category	Hazard state- ment
3.45	skin sensitisation	1	Skin Sens. 1	H317
4.1C	hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word warning

- Pictograms

GHS07, GHS09



- Hazard statements

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with national regulations.

- Supplemental hazard information

EUH066 Repeated exposure may cause skin dryness or cracking.

Labelling of packages where the contents do not exceed 125 ml

Labelling of packages where the contents do not exceed 12

- Signal word warning

- Hazard pictogram(s)

Warning. GHS07, GHS09

2.2.1.7 - Hazardous ingredients for labelling



- Hazard statements

H317 May cause an allergic skin reaction.

United Kingdom: en Page: 2 / 31

Aldehyde C-16, Methyl non-2-ynoate, Hexyl cin-

namaldehyde, Lemon Oil



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15

Replaces version of: 2020-10-06 (GHS 3)

- Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P501 Dispose of contents/container in accordance with national regulations.

- Supplemental hazard information

EUH066 Repeated exposure may cause skin dryness or cracking.

- Contains Aldehyde C-16, Methyl non-2-ynoate, Hexyl cinnamaldehyde, Lemon Oil

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of substance	CAS No	Wt%	Classification acc. to GHS	Pictograms
Aldehyde C-16	77-83-8	25 - < 50	Skin Sens. 1B / H317 Aquatic Chronic 2 / H411	<u>(!)</u>
Aldehyde C-14	104-67-6	5-<10	Aquatic Chronic 3 / H412	
Hexyl cinnamaldehyde	165184-98-5 101-86-0	1-<5	Skin Sens. 1 / H317 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411	<u>(!)</u>
Ethyl butyrate	105-54-4	1-<5	Flam. Liq. 3 / H226 Eye Irrit. 2 / H319	⋄ !
Ethyl acetate	141-78-6	1-<5	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336	⋄ !
Pentyl butyrate	540-18-1	1-<5	Flam. Liq. 3 / H226	&
3-methylbutyl isovalerate	659-70-1	1-<5	Aquatic Chronic 2 / H411	

United Kingdom: en Page: 3 / 31



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15 Replaces version of: 2020-10-06 (GHS 3)

Name of substance	CAS No	Wt%	Classification acc. to GHS	Pictograms
Methyl Ionone	127-42-4	1-<5	Aquatic Chronic 2 / H411	CE CE
Lemon Oil	8008-56-8 84929-31-7	<1	Flam. Liq. 3 / H226 Skin Irrit. 2 / H315 Skin Sens. 1 / H317 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411	
Methyl non-2-ynoate	111-80-8	<1	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Skin Sens. 1A / H317 Aquatic Acute 1 / H400 Aquatic Chronic 3 / H412	1 42

Name of sub- stance	CAS No	Specific Conc. Limits	M-Factors	ATE	Exposure route
Methyl non-2- ynoate	111-80-8			500 ^{mg} / _{kg}	oral

For full text of abbreviations: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

United Kingdom: en Page: 4 / 31



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15 Replaces version of: 2020-10-06 (GHS 3)

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

United Kingdom: en Page: 5 / 31



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15 Replaces version of: 2020-10-06 (GHS 3)

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Iden- tifier	TWA [ppm]	TWA [mg/ m³]	STEL [ppm]	STEL [mg/ m³]	Ceil- ing-C [ppm]	Ceil- ing-C [mg/ m³]	Nota tion	Sourc e
EU	ethyl acetate	141-78-6	IOELV	200	734	400	1,468				2017/ 164/ EU
GB	ethyl acetate	141-78-6	WEL	200	734	400	1,468				EH40/ 2005
GB	cellulose	9004-34- 6	WEL		10		20			i	EH40/ 2005
GB	cellulose	9004-34- 6	WEL		4					r	EH40/ 2005

Notation

Ceiling-C ceiling value is a limit value above which exposure should not occur

i inhalable fraction r respirable fraction

United Kingdom: en Page: 6 / 31



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15 Replaces version of: 2020-10-06 (GHS 3)

Notation

STEL

short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA

time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
Aldehyde C-16	77-83-8	DNEL	2.45 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Aldehyde C-16	77-83-8	DNEL	0.7 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Aldehyde C-14	104-67-6	DNEL	5.38 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
Aldehyde C-14	104-67-6	DNEL	19 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	DNEL	0.078 mg/ m³	human, inhalatory	worker (industry)	chronic - systemic effects
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	DNEL	6.28 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	DNEL	18.2 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	DNEL	525 μg/cm²	human, dermal	worker (industry)	chronic - local ef- fects
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	DNEL	525 μg/cm²	human, dermal	worker (industry)	acute - local effects
Ethyl butyrate	105-54-4	DNEL	49.3 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
Ethyl butyrate	105-54-4	DNEL	2.33 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Ethyl acetate	141-78-6	DNEL	734 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
Ethyl acetate	141-78-6	DNEL	1,468 mg/ m³	human, inhalatory	worker (industry)	acute - systemic ef- fects
Ethyl acetate	141-78-6	DNEL	734 mg/m³	human, inhalatory	worker (industry)	chronic - local ef- fects
Ethyl acetate	141-78-6	DNEL	1,468 mg/ m³	human, inhalatory	worker (industry)	acute - local effects

United Kingdom: en Page: 7 / 31



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15 Replaces version of: 2020-10-06 (GHS 3)

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Protection goal, route of expos- ure	Used in	Exposure time
Ethyl acetate	141-78-6	DNEL	63 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Lemon Oil	8008-56-8 84929-31-7	DNEL	23.3 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
Lemon Oil	8008-56-8 84929-31-7	DNEL	6.67 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Aldehyde C-16	77-83-8	PNEC	23.3 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.084 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Aldehyde C-16	77-83-8	PNEC	0.008 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	8.4 ^{µg} / _I	aquatic organ- isms	marine water	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.214 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.021 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Aldehyde C-16	77-83-8	PNEC	0.038 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Aldehyde C-14	104-67-6	PNEC	66.7 ^{mg} / _{kg}	aquatic organ- isms	water	short-term (single instance)
Aldehyde C-14	104-67-6	PNEC	0.0585 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Aldehyde C-14	104-67-6	PNEC	84 ^{µg} / _I	aquatic organ- isms	freshwater	short-term (single instance)
Aldehyde C-14	104-67-6	PNEC	8.4 ^{µg} / _I	aquatic organ- isms	marine water	short-term (single instance)

United Kingdom: en Page: 8 / 31



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15 Replaces version of: 2020-10-06 (GHS 3)

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Aldehyde C-14	104-67-6	PNEC	80 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Aldehyde C-14	104-67-6	PNEC	5.341 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Aldehyde C-14	104-67-6	PNEC	0.534 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Aldehyde C-14	104-67-6	PNEC	1.019 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	0.001 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	0 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	3.2 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	0.064 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Hexyl cinnamalde- hyde	165184-98-5 101-86-0	PNEC	0.398 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Ethyl butyrate	105-54-4	PNEC	29.7 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Ethyl butyrate	105-54-4	PNEC	2.97 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Ethyl butyrate	105-54-4	PNEC	23.6 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Ethyl butyrate	105-54-4	PNEC	0.173 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Ethyl butyrate	105-54-4	PNEC	17.3 ^{µg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Ethyl butyrate	105-54-4	PNEC	17.1 ^{µg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Ethyl acetate	141-78-6	PNEC	0.24 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Ethyl acetate	141-78-6	PNEC	0.024 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)

United Kingdom: en Page: 9 / 31



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15 Replaces version of: 2020-10-06 (GHS 3)

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshold level	Organism	Environmental compartment	Exposure time
Ethyl acetate	141-78-6	PNEC	650 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Ethyl acetate	141-78-6	PNEC	1.15 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Ethyl acetate	141-78-6	PNEC	0.115 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Ethyl acetate	141-78-6	PNEC	0.148 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
3-methylbutyl isova- lerate	659-70-1	PNEC	0.055 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
3-methylbutyl isova- lerate	659-70-1	PNEC	3.47 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
3-methylbutyl isova- lerate	659-70-1	PNEC	0.347 ^{µg} / _I	aquatic organ- isms	marine water	short-term (single instance)
3-methylbutyl isova- lerate	659-70-1	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
3-methylbutyl isova- lerate	659-70-1	PNEC	172 ^{µg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
3-methylbutyl isova- lerate	659-70-1	PNEC	17.2 ^{µg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
3-methylbutyl isova- lerate	659-70-1	PNEC	32.4 ^{µg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Lemon Oil	8008-56-8 84929-31-7	PNEC	5.4 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Lemon Oil	8008-56-8 84929-31-7	PNEC	0.54 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Lemon Oil	8008-56-8 84929-31-7	PNEC	2.1 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Lemon Oil	8008-56-8 84929-31-7	PNEC	1.3 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Lemon Oil	8008-56-8 84929-31-7	PNEC	0.13 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Lemon Oil	8008-56-8 84929-31-7	PNEC	0.29 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

United Kingdom: en Page: 10 / 31



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15 Replaces version of: 2020-10-06 (GHS 3)

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Type of material

PVA: polyvinyl alcohol, Nitrile

- Material thickness

>0.5 mm

- Breakthrough times of the glove material

>120 minutes (permeation: level 4)

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	various
Odour	characteristic
Melting point/freezing point	not determined

United Kingdom: en Page: 11 / 31



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15 Replaces version of: 2020-10-06 (GHS 3)

Boiling point or initial boiling point and boiling range	77.1 °C at 101.3 kPa
Flammability	non-combustible
Lower and upper explosion limit	2.2 vol% - 11.5 vol%
Flash point	>94 °C
Auto-ignition temperature	350 °C (auto-ignition temperature (liquids and gases))
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)		this information is not available
	Vapour pressure	9.187 kPa at 291.8 K

Density and/or relative density

Density	not determined
Vapour density	this information is not available
Relative vapour density	Information on this property is not available not relevant (liquid)

Particle characteristics	no data available
--------------------------	-------------------

9.2 Other information

United Kingdom: en Page: 12 / 31



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15 Replaces version of: 2020-10-06 (GHS 3)

Other safety characteristics

Temperature class (EU, acc. to ATEX)	T2 (maximum permissible surface temperature on the equipment: 300°C)
--------------------------------------	--

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4: May be harmful in contact with skin.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Methyl non-2-ynoate	111-80-8	oral	500 ^{mg} / _{kg}

United Kingdom: en Page: 13 / 31



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15 Replaces version of: 2020-10-06 (GHS 3)

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Other information

Repeated exposure may cause skin dryness or cracking.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Aldehyde C-16	77-83-8	EC50	95 ^{mg} / _l	aquatic invertebrates	24 h
Aldehyde C-16	77-83-8	growth (EbCx) 10%	80 ^{mg} / _l	aquatic invertebrates	24 h
Aldehyde C-14	104-67-6	EC50	3.7 ^{mg} / _l	aquatic invertebrates	21 d

United Kingdom: en Page: 14 / 31



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15 Replaces version of: 2020-10-06 (GHS 3)

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Aldehyde C-14	104-67-6	NOEC	0.138 ^{mg} / _l	aquatic invertebrates	21 d
Aldehyde C-14	104-67-6	LOEC	1.83 ^{mg} / _I	aquatic invertebrates	21 d
Aldehyde C-14	104-67-6	growth (EbCx) 10%	0.84 ^{mg} / _l	fish	32 d
Hexyl cinnamaldehyde	165184-98-5 101-86-0	EC50	>157 ^{µg} / _l	aquatic invertebrates	21 d
Hexyl cinnamaldehyde	exyl cinnamaldehyde 165184-98-5 NOEC 101-86-0		63 ^{µg} / _I	aquatic invertebrates	21 d
Hexyl cinnamaldehyde	165184-98-5 101-86-0	LOEC	157 ^{µg} / _l	aquatic invertebrates	21 d
Hexyl cinnamaldehyde	165184-98-5 101-86-0	growth (EbCx) 10%	107 ^{µg} / _l	aquatic invertebrates	21 d
Ethyl butyrate	105-54-4	NOEC	1.483 ^{mg} / _l	fish	28 d
Ethyl acetate	141-78-6	NOEC	2.4 ^{mg} / _l	aquatic invertebrates	21 d

12.2 Persistence and degradability

Degradability of components of the mixture

Name of sub- stance	CAS No	Process	Degradation rate	Time	Method	Source
Aldehyde C-16	77-83-8	oxygen deple- tion	11 %	5 d		ECHA
Aldehyde C-14	ldehyde C-14 104-67-6 oxygen depletion		16 %	1 d		ECHA
Hexyl cinnamal- dehyde	165184-98-5 101-86-0	oxygen deple- tion	97 %	28 d		ECHA
Ethyl butyrate	105-54-4	oxygen deple- tion	50 %	42 d		ECHA
Ethyl acetate	141-78-6	oxygen deple- tion	62 %	5 d		ECHA
3-methylbutyl isovalerate	659-70-1	oxygen deple- tion	70 %	28 d		ECHA
Methyl non-2- ynoate	111-80-8	oxygen deple- tion	71 %	28 d		ECHA

United Kingdom: en Page: 15 / 31



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15 Replaces version of: 2020-10-06 (GHS 3)

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Aldehyde C-16	77-83-8		2.4 (25 °C)	
Aldehyde C-14	104-67-6		3.6 (25 °C)	
Hexyl cinnamaldehyde	165184-98-5 101-86-0		5.3 (24 °C)	
Ethyl butyrate	105-54-4	8	2.433 (pH value: 6.68, 25 °C)	
Ethyl acetate	141-78-6	30	0.68 (pH value: 7, 25 °C)	
3-methylbutyl isovalerate	659-70-1		3.8 (35 °C)	
Methyl non-2-ynoate	111-80-8		3.4 (pH value: 7, 20 °C)	
Lemon Oil	8008-56-8 84929-31-7	66 – 258	3.33 - 6.3	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

United Kingdom: en Page: 16 / 31



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15 Replaces version of: 2020-10-06 (GHS 3)

14.1 UN number	14. I	u	IV	- 11	w		L)	er
----------------	-------	---	----	------	---	--	----	----

ADR/RID/ADN 3082 IMDG-Code 3082 ICAO-TI 3082

14.2 UN proper shipping name

ADR/RID/ADN ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LI-

QUID, N.O.S.

IMDG-Code ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LI-

QUID, N.O.S.

ICAO-TI Environmentally hazardous substance, liquid, n.o.s.

Technical name (hazardous ingredients)

Aldehyde C-16, Hexyl cinnamaldehyde

14.3 Transport hazard class(es)

ADR/RID/ADN 9
IMDG-Code 9
ICAO-TI 9

14.4 Packing group

ADR/RID/ADN III IMDG-Code III ICAO-TI III

14.5 Environmental hazards hazardous to the aquatic environment

Environmentally hazardous substance (aquatic environment)

Aldehyde C-16, Hexyl cinnamaldehyde

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Not regulated when carried in single or combination packaging containing a net quantity of 5L or less or 5 kg or less per the following:

DOT: 171.4(2) ADR: SP 375 IMDG: 2.10.2.7

IATA: special provision A197, DOT

United Kingdom: en Page: 17 / 31



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15 Replaces version of: 2020-10-06 (GHS 3)

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Particulars in the transport document UN3082, ENVIRONMENTALLY HAZARDOUS SUB-

STANCE, LIQUID, N.O.S., (contains: Aldehyde C-16,

Hexyl cinnamaldehyde), 9, III, (-)

Classification code M6

Danger label(s) 9, fish and tree

Environmental hazards yes (hazardous to the aquatic environment)

Special provisions (SP) 274, 335, 375, 601

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
Transport category (TC) 3
Tunnel restriction code (TRC) Hazard identification No 90
Emergency Action Code 32

International Maritime Dangerous Goods Code (IMDG) - Additional information

Particulars in the shipper's declaration UN3082, ENVIRONMENTALLY HAZARDOUS SUB-

STANCE, LIQUID, N.O.S., (contains: Aldehyde C-16,

Hexyl cinnamaldehyde), 9, III

Marine pollutant Yes (hazardous to the aquatic environment) (Aldehyde C-16)

Danger label(s) 9, fish and tree

Special provisions (SP) 274, 335, 969

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
EmS F-A, S-F

Stowage category A

United Kingdom: en Page: 18 / 31



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15 Replaces version of: 2020-10-06 (GHS 3)

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Particulars in the shipper's declaration UN3082, Environmentally hazardous substance, li-

quid, n.o.s., (contains: Aldehyde C-16, Hexyl cin-

namaldehyde), 9, III

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 9, fish and tree

Special provisions (SP) A97, A158, A197

Excepted quantities (EQ) E1
Limited quantities (LQ) 30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU) Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
California Scents Car Scents Shasta Strawberry	this product meets the criteria for clas- sification in accordance with Regula- tion No 1272/2008/EC		R3	3
Ethyl butyrate	flammable / pyrophoric		R40	40
Ethyl acetate	flammable / pyrophoric		R40	40
Pentyl butyrate	flammable / pyrophoric		R40	40

Legend

R3

- 1. Shall not be used in:
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- 2. Articles not complying with paragraph 1 shall not be placed on the market.
- 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
- can be used as fuel in decorative oil lamps for supply to the general public, and,
- present an aspiration hazard and are labelled with R65 or H304,
- 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
- 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

(a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010, 'Just a sip of lamp oil - or even suck-

United Kingdom: en Page: 19 / 31



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15 Replaces version of: 2020-10-06 (GHS 3)

Legend

ing the wick of lamps - may lead to life-threatening lung damage';

(b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter may lead to life threatening lung damage';

(c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque

containers not exceeding 1 litre by 1 December 2010.

6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.

7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commis-

R40

- 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:
- metallic glitter intended mainly for decoration,
- artificial snow and frost,
- 'whoopee' cushions,
- silly string aerosols,
- imitation excrement,
- horns for parties,
- decorative flakes and foams,
- artificial cobwebs.
- stink bombs.
- 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:

'For professional users only'.

- 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
- 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

none of the ingredients are listed

Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and **Transfer Register (PRTR)**

none of the ingredients are listed

Water Framework Directive (WFD)

none of the ingredients are listed

National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	not all ingredients are listed

United Kingdom: en Page: 20 / 31



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15

Replaces version of: 2020-10-06 (GHS 3)

Country	Inventory	Status
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AICS Australian Inventory of Chemical Substances CICR

Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) **CSCL-ENCS**

DSL Domestic Substances List (DSL)

ECSI

EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances **IECSC**

INSQ

ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

KECI Korea Existing Chemicals Inventory NZIoC New Zealand Inventory of Chemicals

PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)

REACH Reg. REACH registered substances

TCSI Taiwan Chemical Substance Inventory

TSCA **Toxic Substance Control Act**

Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.2	- Signal word: danger	- Signal word: warning	yes

United Kingdom: en Page: 21 / 31



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15 Replaces version of: 2020-10-06 (GHS 3)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		- Pictograms: change in the listing (table)	yes
2.2		- Hazard statements: change in the listing (table)	yes
2.2		- Precautionary statements: change in the listing (table)	yes
2.2	Tactile warning of danger: yes		yes
2.2.1.7	- Hazardous ingredients for labelling: Aldehyde C-16, Hexyl cinnamaldehyde, Methyl non-2-ynoate, Lemon Oil	- Hazardous ingredients for labelling: Aldehyde C-16, Methyl non-2-ynoate, Hexyl cin- namaldehyde, Lemon Oil	yes
2.2.1.7	- Signal word: danger	- Signal word: warning	yes
2.2.1.7		- Hazard pictogram(s): change in the listing (table)	yes
2.2.1.7		- Precautionary statements: change in the listing (table)	yes
2.2.1.7	- Contains: Aldehyde C-16, Hexyl cinnamaldehyde, Methyl non-2-ynoate, Lemon Oil	- Contains: Aldehyde C-16, Methyl non-2-ynoate, Hexyl cin- namaldehyde, Lemon Oil	yes
3.2		Description of the mixture: change in the listing (table)	yes
3.2		Description of the mixture: change in the listing (table)	yes
5.1	Suitable extinguishing media: Water, Foam, ABC-powder	Suitable extinguishing media: Water spray, BC-powder, Carbon dioxide (CO2)	yes
6.3	Advice on how to contain a spill: Covering of drains, Take up mechanically	Advice on how to contain a spill: Covering of drains	yes
6.3	Advice on how to clean up a spill: Take up mechanically.	Advice on how to clean up a spill: Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diat- omite), sand, universal binder	yes
6.3		Appropriate containment techniques: Use of adsorbent materials.	yes
7.1	- Measures to prevent fire as well as aerosol and dust generation: Use local and general ventilation. Use only in well-ventilated areas. Ground/bond container and receiving equipment.	- Measures to prevent fire as well as aerosol and dust generation: Use local and general ventilation. Use only in well-ventilated areas.	yes

United Kingdom: en Page: 22 / 31



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15 Replaces version of: 2020-10-06 (GHS 3)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
7.1	Specific notes/details: Dust deposits may accumulate on all deposition surfaces in a technical room. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.		yes
7.2	Managing of associated risks		yes
7.2	- Explosive atmospheres: Removal of dust deposits.		yes
7.2	- Flammability hazards: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		yes
8.1		Relevant DNELs of components of the mixture: change in the listing (table)	yes
8.1		Relevant PNECs of components of the mixture: change in the listing (table)	yes
8.2	Hand protection: Wear protective gloves.	Hand protection: Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.	yes
8.2		Type of material: PVA: polyvinyl alcohol, Nitrile	yes
8.2		Material thickness: >0.5 mm	yes
8.2		Breakthrough times of the glove material: >120 minutes (permeation: level 4)	yes
9.1	Appearance		yes
9.1	Physical state: solid	Physical state: liquid	yes
9.1	Other safety parameters		yes
9.1	Initial boiling point and boiling range: 180.6°C at 1,013 hPa	Boiling point or initial boiling point and boiling range: 77.1 °C at 101.3 kPa	yes
9.1	Flammability (solid, gas): flammable solid in accordance with GHS criteria	Flammability: non-combustible	yes

United Kingdom: en Page: 23 / 31



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15 Replaces version of: 2020-10-06 (GHS 3)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
9.1		Lower and upper explosion limit: 2.2 vol% - 11.5 vol%	yes
9.1	Flash point: not applicable	Flash point: >94 °C	yes
9.1	Evaporation rate: not determined		yes
9.1	Explosion limits of dust clouds: not determined		yes
9.1	Viscosity: not relevant (solid matter)		yes
9.1	Explosive properties: none		yes
9.1	Oxidising properties: none		yes
9.1	Auto-ignition temperature	Auto-ignition temperature: 350 °C (auto-ignition temperature (liquids and gases))	yes
9.1		Decomposition temperature: not relevant	yes
9.1	pH (value): not applicable	pH (value): not determined	yes
9.1		Kinematic viscosity: not determined	yes
9.1	Vapour pressure: 1.3 hPa at 20 °C	Vapour pressure: 9.187 kPa at 291.8 K	yes
9.1		Density and/or relative density	yes
9.1	Relative density: information on this property is not available	Relative vapour density: Information on this property is not available not relevant (liquid)	yes
9.1		Particle characteristics: no data available	yes
9.2		Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards):	yes
9.2		Other safety characteristics	yes

United Kingdom: en Page: 24 / 31



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15 Replaces version of: 2020-10-06 (GHS 3)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-
Section	Former entry (text/value)	Actual entry (text/value)	relev- ant
10.1	Reactivity: Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.	Reactivity: Concerning incompatibility: see below "Condi- tions to avoid" and "Incompatible materials".	yes
10.1	If heated: Risk of ignition		yes
10.4	Conditions to avoid: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	Conditions to avoid: There are no specific conditions known which have to be avoided.	yes
10.4	Hints to prevent fire or explosion: The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.		yes
11.1		Acute toxicity estimate (ATE) of components of the mixture: change in the listing (table)	yes
11.2		Information on other hazards: There is no additional information.	yes
12.1		Aquatic toxicity (chronic) of components of the mixture: change in the listing (table)	yes
12.2		Degradability of components of the mixture: change in the listing (table)	yes
12.3		Bioaccumulative potential of components of the mixture: change in the listing (table)	yes
12.7	Other adverse effects	Other adverse effects: Data are not available.	yes
14.1	UN number: 3175	UN number	yes
14.1		ADR/RID/ADN: 3082	yes
14.1		IMDG-Code: 3082	yes
14.1		ICAO-TI: 3082	yes
14.2	UN proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.	UN proper shipping name	yes

United Kingdom: en Page: 25 / 31



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15 Replaces version of: 2020-10-06 (GHS 3)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.2		ADR/RID/ADN: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LI- QUID, N.O.S.	yes
14.2		IMDG-Code: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LI- QUID, N.O.S.	yes
14.2		ICAO-TI: Environmentally hazardous substance, liquid, n.o.s.	yes
14.2	Technical name (hazardous ingredients): Ethyl acetate, Ethyl butyrate	Technical name (hazardous ingredients): Aldehyde C-16, Hexyl cinnamaldehyde	yes
14.3	Class: 4.1 (flammable solids) (environmentally hazard- ous)		yes
14.3		ADR/RID/ADN: 9	yes
14.3		IMDG-Code: 9	yes
14.3		ICAO-TI: 9	yes
14.4	Packing group: II (substance presenting medium danger)	Packing group	yes
14.4		ADR/RID/ADN: III	yes
14.4		IMDG-Code: III	yes
14.4		ICAO-TI: III	yes
14.5	Environmentally hazardous substance (aquatic environment): Aldehyde C-16	Environmentally hazardous substance (aquatic environment): Aldehyde C-16, Hexyl cinnamaldehyde	yes
14.7	Information for each of the UN Model Regula- tions: DOT	Information for each of the UN Model Regulations: Not regulated when carried in single or combination packaging containing a net quantity of 5L or less or 5 kg or less per the following: DOT: 171.4(2) ADR: SP 375 IMDG: 2.10.2.7 IATA: special provision A197, DOT	yes
14.7	UN number: 3175		yes

United Kingdom: en Page: 26 / 31



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15 Replaces version of: 2020-10-06 (GHS 3)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.7	Proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.		yes
14.7	Class: 4.1		yes
14.7	Packing group: II		yes
14.7	Particulars in the transport document: UN3175, SOLIDS CONTAINING FLAMMABLE LI- QUID, N.O.S., (Ethyl acetate, Ethyl butyrate, mix- ture), 4.1, II, (E), environmentally hazardous	Particulars in the transport document: UN3082, ENVIRONMENTALLY HAZARDOUS SUB- STANCE, LIQUID, N.O.S., (contains: Aldehyde C-16, Hexyl cinnamaldehyde), 9, III, (-)	yes
14.7	Classification code: F1	Classification code: M6	yes
14.7	Danger label(s): 4.1, fish and tree	Danger label(s): 9, fish and tree	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Special provisions (SP): 216, 274, 601, 800(ADN)	Special provisions (SP): 274, 335, 375, 601	yes
14.7	Excepted quantities (EQ): E2	Excepted quantities (EQ): E1	yes
14.7	Limited quantities (LQ): 1 kg	Limited quantities (LQ): 5 L	yes
14.7	Transport category (TC): 2	Transport category (TC): 3	yes
14.7	Tunnel restriction code (TRC): E	Tunnel restriction code (TRC): -	yes
14.7	Hazard identification No: 40	Hazard identification No: 90	yes
14.7	Emergency Action Code: 1Z	Emergency Action Code: 3Z	yes
14.7	UN number: 3175		yes
14.7	Proper shipping name: SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S.		yes
14.7	Class: 4.1		yes
14.7	Packing group: II		yes

United Kingdom: en Page: 27 / 31



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15 Replaces version of: 2020-10-06 (GHS 3)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.7	Particulars in the shipper's declaration: UN3175, SOLIDS CONTAINING FLAMMABLE LI- QUID, N.O.S., (Ethyl acetate, Ethyl butyrate, Alde- hyde C-16, mixture), 4.1, II, MARINE POLLUTANT	Particulars in the shipper's declaration: UN3082, ENVIRONMENTALLY HAZARDOUS SUB- STANCE, LIQUID, N.O.S., (contains: Aldehyde C-16, Hexyl cinnamaldehyde), 9, III	yes
14.7	Marine pollutant: yes (hazardous to the aquatic environment)	Marine pollutant: yes (hazardous to the aquatic environment) (Alde- hyde C-16)	yes
14.7	Danger label(s): 4.1, fish and tree	Danger label(s): 9, fish and tree	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Special provisions (SP): 216, 274	Special provisions (SP): 274, 335, 969	yes
14.7	Excepted quantities (EQ): E2	Excepted quantities (EQ): E1	yes
14.7	Limited quantities (LQ): 1 kg	Limited quantities (LQ): 5 L	yes
14.7	EmS: F-A, S-I	EmS: F-A, S-F	yes
14.7	Stowage category: B	Stowage category: A	yes
14.7	UN number: 3175		yes
14.7	Proper shipping name: Solids containing flammable liquid, n.o.s.		yes
14.7	Class: 4.1		yes
14.7	Packing group: II		yes
14.7	Particulars in the shipper's declaration: UN3175, Solids containing flammable liquid, n.o.s., (Ethyl acetate, Ethyl butyrate, mixture), 4.1, II	Particulars in the shipper's declaration: UN3082, Environmentally hazardous substance, liquid, n.o.s., (contains: Aldehyde C-16, Hexyl cin- namaldehyde), 9, III	yes
14.7	Danger label(s): 4.1	Danger label(s): 9, fish and tree	yes
14.7		Danger label(s): change in the listing (table)	yes
14.7	Special provisions (SP): A46	Special provisions (SP): A97, A158, A197	yes

United Kingdom: en Page: 28 / 31



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15 Replaces version of: 2020-10-06 (GHS 3)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.7	Excepted quantities (EQ): E2	Excepted quantities (EQ): E1	yes
14.7	Limited quantities (LQ): 5 kg	Limited quantities (LQ): 30 kg	yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2017/164/EU	Commission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	European Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
DOT	Department of Transportation (USA)

United Kingdom: en Page: 29 / 31



Replaces version of: 2020-10-06 (GHS 3)

according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15

Abbr.	Descriptions of used abbreviations
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
IOELV	Indicative occupational exposure limit value
LOEC	Lowest Observed Effect Concentration
log KOW	n-Octanol/water
NLP	No-Longer Polymer
NOEC	No Observed Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation

United Kingdom: en Page: 30 / 31



according to Regulation (EC) No. 1907/2006 (REACH)

California Scents Car Scents Shasta Strawberry

Version number: GHS 4.0 Revision: 2020-12-15

Replaces version of: 2020-10-06 (GHS 3)

Abbr.	Descriptions of used abbreviations
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom: en Page: 31 / 31