

Safety Data Sheet
PETRONAS Durance PETROL INJECTORS
CLEANER ML 250



Safety Data Sheet dated 3/7/2019, version 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: PETRONAS Durance PETROL INJECTORS CLEANER ML 250
Trade code: 9070

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Fuel additive

1.3. Details of the supplier of the safety data sheet

Supplier:

Arexons S.p.A.
via Antica di Cassano, 23, 20063
Cernusco sul Naviglio (MI), Italy
Arexons S.p.A.

Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306

Competent person responsible for the safety data sheet:

arexons@arexons.it

1.4. Emergency telephone number

Arexons S.p.A.

Tel. +39 (0)2/924361 - Fax +39 (0)2/92436306

Centro Antiveleni di Pavia IRCCS- Fondazione Maugeri tel. +39 (0)382 24444 (h24; it, en)

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

In Ireland: Beaumont Hospital - National Poisons Information Centre 01 809 2166 (7days, 8:00 - 22:00)

In South Africa: Poison Information Helpline 0861 555 777

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP):

⚠ Danger, Asp. Tox. 1, May be fatal if swallowed and enters airways.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

H304 May be fatal if swallowed and enters airways.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER.

P331 Do NOT induce vomiting.

Safety Data Sheet

PETRONAS Durance PETROL INJECTORS CLEANER ML 250



PETRONAS

P405 Store locked up.

P501 Dispose of contents/container in accordance with applicable regulations.

Special Provisions:

EUH066 Repeated exposure may cause skin dryness or cracking.

PACK1 The packing must be featured by a safety lock for children.

PACK2 The packing must have tactile indications of danger for blind people.

Contains

Distillates (petroleum), hydrotreated light

Hydrocarbons, C10, Aromatics, >1% Naphthalene

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

>= 80% - < 90% Distillates (petroleum), hydrotreated light

REACH No.: 01-2119456620-43, Index number: 649-422-00-2, CAS: 64742-47-8, EC: 926-141-6

⚠ 3.10/1 Asp. Tox. 1 H304

EUH066

>= 5% - < 7% Hydrocarbons, C10, Aromatics, >1% Naphthalene

REACH No.: 01-2119463588-24, CAS: 64742-94-5, EC: 919-284-0

⚠ 3.8/3 STOT SE 3 H336

⚠ 3.10/1 Asp. Tox. 1 H304

⚠ 4.1/C2 Aquatic Chronic 2 H411

EUH066

>= 3% - < 5% Polyolefin phenolic alkyleneamine , proprietà di Afton comP.di HiTEC

⚠ 3.2/2 Skin Irrit. 2 H315

>= 3% - < 5% Polyether polyol

4.1/C3 Aquatic Chronic 3 H412

>= 0.25% - < 0.5% naphthalene

CAS: 91-20-3, EC: 202-049-5

⚠ 3.6/2 Carc. 2 H351

⚠ 3.1/4/Oral Acute Tox. 4 H302

⚠ 4.1/A1 Aquatic Acute 1 H400 M=1.

⚠ 4.1/C1 Aquatic Chronic 1 H410 M=1.

⚠ 2.7/2 Flam. Sol. 2 H228

>= 0.25% - < 0.5% 2-Ethylhexan-1-ol

REACH No.: 01-2119487289-20, CAS: 104-76-7, EC: 203-234-3

⚠ 3.8/3 STOT SE 3 H335

⚠ 3.3/2 Eye Irrit. 2 H319

⚠ 3.2/2 Skin Irrit. 2 H315

Safety Data Sheet

PETRONAS Durance PETROL INJECTORS CLEANER ML 250



PETRONAS

⚠ 3.1/4/Inhal Acute Tox. 4 H332

>= 0.1% - < 0.25% Diethylbenzene
CAS: 25340-17-4, EC: 246-874-9
⚠ 2.6/3 Flam. Liq. 3 H226
⚠ 3.2/2 Skin Irrit. 2 H315
⚠ 3.10/1 Asp. Tox. 1 H304
⚠ 4.1/A1 Aquatic Acute 1 H400 M=1.
⚠ 4.1/C1 Aquatic Chronic 1 H410 M=1.

>= 0.1% - < 0.25% Mesitylene
CAS: 108-67-8, EC: 203-604-4
⚠ 2.6/3 Flam. Liq. 3 H226
⚠ 3.2/2 Skin Irrit. 2 H315
⚠ 3.3/2 Eye Irrit. 2 H319
⚠ 3.8/3 STOT SE 3 H335
⚠ 3.10/1 Asp. Tox. 1 H304
⚠ 4.1/C2 Aquatic Chronic 2 H411

>= 0.1% - < 0.25% 1,2,4-trimethylbenzene
CAS: 95-63-6, EC: 202-436-9
⚠ 2.6/3 Flam. Liq. 3 H226
⚠ 3.1/4/Inhal Acute Tox. 4 H332
⚠ 3.2/2 Skin Irrit. 2 H315
⚠ 3.3/2 Eye Irrit. 2 H319
⚠ 3.8/3 STOT SE 3 H335
⚠ 4.1/C2 Aquatic Chronic 2 H411

>= 0.02% - < 0.05% 2,2'-iminodiethanol
Index number: 603-071-00-1, CAS: 111-42-2, EC: 203-868-0
⚠ 3.1/4/Oral Acute Tox. 4 H302
⚠ 3.6/2 Carc. 2 H351
⚠ 3.9/2 STOT RE 2 H373
⚠ 3.3/1 Eye Dam. 1 H318
⚠ 3.2/2 Skin Irrit. 2 H315
4.1/C3 Aquatic Chronic 3 H412

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

Wash with plenty of water and soap.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do NOT induce vomiting.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

9070/7

Page n. 3 of 15

Safety Data Sheet

PETRONAS Durance PETROL INJECTORS CLEANER ML 250



PETRONAS

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:
None

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
Appropriate Extinguishing Media:
To carbon dioxide.
To dust.
Foam
Water spray.
Not Recommended Extinguishing Media:
Do not use direct water jets.
- 5.2. Special hazards arising from the substance or mixture
Do not inhale explosion and combustion gases.
Burning produces heavy smoke.
- 5.3. Advice for firefighters
Use suitable breathing apparatus .
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures
Wear personal protection equipment.
Remove persons to safety.
See protective measures under point 7 and 8.
- 6.2. Environmental precautions
Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.
Retain contaminated washing water and dispose it.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
Wash with plenty of water.
- 6.4. Reference to other sections
See also section 8 and 13

SECTION 7: Handling and storage

- 7.1. Precautions for safe handling
Avoid contact with skin and eyes, inhalation of vapours and mists.
Don't use empty container before they have been cleaned.
Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
See also section 8 for recommended protective equipment.
Advice on general occupational hygiene:
Contaminated clothing should be changed before entering eating areas.
Do not eat or drink while working.
- 7.2. Conditions for safe storage, including any incompatibilities
Keep away from food, drink and feed.
None in particular.
Instructions as regards storage premises:
Adequately ventilated premises.
- 7.3. Specific end use(s)

Safety Data Sheet

PETRONAS Durance PETROL INJECTORS CLEANER ML 250

None in particular



PETRONAS

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

- naphthalene - CAS: 91-20-3
 - EU - TWA(8h): 50 mg/m³, 10 ppm
 - ACGIH - TWA(8h): 10 ppm - Notes: Skin, A3 - URT irr, cataracts, hemolytic anemia
- 2-Ethylhexan-1-ol - CAS: 104-76-7
 - EU - TWA(8h): 5.4 mg/m³, 1 ppm
- Diethylbenzene - CAS: 25340-17-4
 - EU - TWA(8h): 10 mg/m³
- Mesitilene - CAS: 108-67-8
 - EU - TWA(8h): 100 mg/m³, 20 ppm
- 1,2,4-trimethylbenzene - CAS: 95-63-6
 - EU - TWA(8h): 100 mg/m³, 20 ppm
- 2,2'-iminodiethanol - CAS: 111-42-2
 - ACGIH - TWA(8h): 1 mg/m³ - Notes: (IFV), Skin, A3 - Liver and kidney dam
 - EU - TWA(8h): 15 mg/m³, 3 ppm - STEL(): 30 mg/m³, 6 ppm

DNEL Exposure Limit Values

- Hydrocarbons, C10, Aromatics, >1% Naphthalene - CAS: 64742-94-5
 - Worker Professional: 25 mg/kg - Consumer: 11 mg/kg - Exposure: Human Dermal
 - Worker Professional: 150 mg/m³ - Consumer: 32 mg/m³ - Exposure: Human Inhalation
 - Consumer: 11 mg/kg - Exposure: Human Oral
- naphthalene - CAS: 91-20-3
 - Worker Professional: 1 mg/kg - Consumer: 0.5 mg/kg - Exposure: Human Oral
 - Worker Professional: 3 mg/kg - Consumer: 1.5 mg/kg - Exposure: Human Dermal
 - Worker Professional: 0.037 mg/m³ - Consumer: 0.0183 mg/m³ - Exposure: Human Inhalation
- 2-Ethylhexan-1-ol - CAS: 104-76-7
 - Worker Professional: 23 mg/kg - Consumer: 2.3 mg/m³ - Exposure: Human Inhalation
 - Worker Professional: 23 mg/kg - Exposure: Human Dermal
 - Consumer: 1.1 mg/kg - Exposure: Human Oral
 - Consumer: 11.4 mg/m³ - Exposure: Human Inhalation
- 2,2'-iminodiethanol - CAS: 111-42-2
 - Worker Professional: 0.13 mg/kg - Consumer: 0.07 mg/kg - Exposure: Human Dermal
 - Consumer: 0.06 mg/kg - Exposure: Human Oral

PNEC Exposure Limit Values

- naphthalene - CAS: 91-20-3
 - Target: Fresh Water - Value: 0.0024 mg/l
 - Target: Marine water - Value: 0.0024 mg/l
- 2,2'-iminodiethanol - CAS: 111-42-2
 - Target: Fresh Water - Value: 0.02 mg/l

8.2. Exposure controls

Eye protection:

- Eye glasses with side protection.
- Compliant with EN 166

Protection for skin:

- protective clothing

Protection for hands:

- Nitrile or Viton gloves.
- Compliant with EN 374.

Respiratory protection:

- Not needed for normal use.

Thermal Hazards:

- None

Environmental exposure controls:

- None

Safety Data Sheet
PETRONAS Durance PETROL INJECTORS
CLEANER ML 250

Appropriate engineering controls:
 None



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes:
Appearance and colour:	Liquid, light yellow	--	--
Odour:	Characteristic	--	--
Odour threshold:	N.A.	--	--
pH:	N.A.	--	--
Melting point / freezing point:	N.A.	--	--
Initial boiling point and boiling range:	N.A.	--	--
Flash point:	>65°C	--	--
Evaporation rate:	N.A.	--	--
Solid/gas flammability:	N.A.	--	--
Upper/lower flammability or explosive limits:	N.A.	--	--
Vapour pressure:	N.A.	--	--
Vapour density:	N.A.	--	--
Relative density:	0,833 g/ml	--	--
Solubility in water:	N.A.	--	--
Solubility in oil:	N.A.	--	--
Partition coefficient (n-octanol/water):	N.A.	--	--
Auto-ignition temperature:	N.A.	--	--
Decomposition temperature:	N.A.	--	--
Viscosity:	N.A.	--	--
Explosive properties:	N.A.	--	--
Oxidizing properties:	N.A.	--	--

9.2. Other information

Safety Data Sheet
PETRONAS Durance PETROL INJECTORS
CLEANER ML 250



Properties	Value	Method:	Notes:	PETRONAS
Miscibility:	N.A.	--	--	
Fat Solubility:	N.A.	--	--	
Conductivity:	N.A.	--	--	
Substance Groups relevant properties	N.A.	--	--	

NA=not applicable

SECTION 10: Stability and reactivity

- 10.1. Reactivity
Stable under normal conditions
- 10.2. Chemical stability
Stable under normal conditions
- 10.3. Possibility of hazardous reactions
None
- 10.4. Conditions to avoid
Stable under normal conditions.
- 10.5. Incompatible materials
None in particular.
- 10.6. Hazardous decomposition products
None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the product:

PETRONAS Durance PETROL INJECTORS CLEANER ML 250

a) acute toxicity

Based on available data, the classification criteria are not met

b) skin corrosion/irritation

Based on available data, the classification criteria are not met

c) serious eye damage/irritation

Based on available data, the classification criteria are not met

d) respiratory or skin sensitisation

Based on available data, the classification criteria are not met

e) germ cell mutagenicity

Based on available data, the classification criteria are not met

f) carcinogenicity

Based on available data, the classification criteria are not met

g) reproductive toxicity

Based on available data, the classification criteria are not met

h) STOT-single exposure

Based on available data, the classification criteria are not met

i) STOT-repeated exposure

Safety Data Sheet

PETRONAS Durance PETROL INJECTORS CLEANER ML 250



PETRONAS

Based on available data, the classification criteria are not met

j) aspiration hazard

The product is classified: Asp. Tox. 1 H304

Toxicological information of the main substances found in the product:

Distillates (petroleum), hydrotreated light - CAS: 64742-47-8

a) acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat > 5000 mg/m³ - Duration: 8h

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg

b) skin corrosion/irritation:

Test: OECD TG 404 - Route: Skin Negative

c) serious eye damage/irritation:

Test: OECD TG 405 - Route: EYE Negative

d) respiratory or skin sensitisation:

Test: Inhalation Sensitization 3

Test: Skin Sensitization 3

j) aspiration hazard:

Test: May be fatal if swallowed and enters airways (physical-chemical properties) - Route:

Oral Positive

Hydrocarbons, C10, Aromatics, >1% Naphthalene - CAS: 64742-94-5

a) acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat > 5.28 mg/m³ - Duration: 4h

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg

c) serious eye damage/irritation:

Test: Eye Irritant - Route: EYE - Species: Rat Positive

d) respiratory or skin sensitisation:

Test: Skin Sensitization - Route: Skin - Species: IND Negative

e) germ cell mutagenicity:

Test: Mutagenesis - Species: vitro Negative

g) reproductive toxicity:

Test: Reproductive Toxicity - Route: Oral - Species: Rat Negative

Polyolefin phenolic alkyleneamine, propriet  di Afton comP.di HiTEC

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg

Test: LD50 - Route: Skin - Species: Rat > 5000 mg/kg

b) skin corrosion/irritation:

Test: Skin Irritant - Route: Skin - Species: Rabbit Positive

c) serious eye damage/irritation:

Test: Eye Irritant - Route: EYE - Species: Rabbit Positive

g) reproductive toxicity:

Test: Reproductive Toxicity - Route: Oral - Species: Rat Positive

Polyether polyol

a) acute toxicity:

Test: LD50 - Route: Skin - Species: Rabbit > 3000 mg/kg

Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg

b) skin corrosion/irritation:

Test: Skin Irritant - Route: Skin - Species: Rabbit Positive

c) serious eye damage/irritation:

Test: Eye Irritant - Route: EYE - Species: Rabbit Positive

d) respiratory or skin sensitisation:

Test: Skin Sensitization - Route: Skin - Species: IND Negative

e) germ cell mutagenicity:

Test: Mutagenesis - Species: vitro Negative

naphthalene - CAS: 91-20-3

a) acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat > 100 Ppm - Duration: 8h - Notes: IARC 2B

Safety Data Sheet

PETRONAS Durance PETROL INJECTORS CLEANER ML 250



PETRONAS

Test: LC50 - Route: Inhalation Vapour - Species: Rat > 0.4 mg/l - Duration: 4h

Test: LD50 - Route: Skin - Species: Rat > 2500 mg/kg

Test: LD50 - Route: Skin - Species: Rat > 16000 mg/kg

Test: LD50 - Route: Oral - Species: Mouse 533 mg/kg

Test: LD50 - Route: Oral - Species: Rat 2600 mg/kg

b) skin corrosion/irritation:

Test: Skin Irritant - Route: Skin - Species: Rabbit Positive

c) serious eye damage/irritation:

Test: Eye Irritant - Route: EYE - Species: Rabbit Positive

d) respiratory or skin sensitisation:

Test: Skin Sensitization - Route: Skin - Species: IND Negative

f) carcinogenicity:

Test: Carcinogeneticity - Species: Rat Positive

2-Ethylhexan-1-ol - CAS: 104-76-7

a) acute toxicity:

Test: LD50 - Route: Oral - Species: Rat 2040 mg/kg

Test: LD50 - Route: Skin - Species: Rabbit > 3000 mg/kg

Test: LC50 - Route: Inhalation - Species: Rat 0.89-5.3 mg/l - Duration: 4h

Test: LD50 - Route: Skin - Species: Rat 1970 mg/kg

b) skin corrosion/irritation:

Test: Skin Irritant - Route: Skin - Species: Rabbit Positive

c) serious eye damage/irritation:

Test: Eye Irritant - Route: EYE - Species: Rabbit Positive

d) respiratory or skin sensitisation:

Test: Respiratory Tract Irritant - Species: Rabbit Positive

e) germ cell mutagenicity:

Test: Mutagenesis - Species: vitro Negative

f) carcinogenicity:

Test: Carcinogeneticity - Route: Oral - Species: Mouse Negative

g) reproductive toxicity:

Test: Reproductive Toxicity - Route: Oral - Species: Rat Negative

Diethylbenzene - CAS: 25340-17-4

a) acute toxicity:

Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg

Test: LD50 - Route: Oral - Species: Rat 2050 mg/kg

b) skin corrosion/irritation:

Test: Skin Irritant - Route: Skin - Species: Rabbit Positive

c) serious eye damage/irritation:

Test: Eye Irritant - Route: EYE - Species: Rabbit Positive

d) respiratory or skin sensitisation:

Test: Skin Sensitization - Route: Skin - Species: IND Negative

e) germ cell mutagenicity:

Test: Mutagenesis - Species: vitro Negative

f) carcinogenicity:

Test: Carcinogeneticity - Route: Skin - Species: Mouse Negative

g) reproductive toxicity:

Test: Reproductive Toxicity - Route: Oral - Species: Rat Negative

Mesitilene - CAS: 108-67-8

a) acute toxicity:

Test: LC50 - Route: Inhalation - Species: Rat 24000 mg/l - Duration: 4h

Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg

b) skin corrosion/irritation:

Test: Skin Irritant - Route: Skin - Species: Rabbit Positive

c) serious eye damage/irritation:

Test: Eye Irritant - Route: EYE - Species: Rabbit Positive

d) respiratory or skin sensitisation:

Safety Data Sheet

PETRONAS Durance PETROL INJECTORS CLEANER ML 250



PETRONAS

- Test: Skin Sensitization - Route: Skin - Species: IND Negative
- e) germ cell mutagenicity:
Test: Mutagenesis - Species: vitro Negative
- g) reproductive toxicity:
Test: Reproductive Toxicity - Route: Inhalation - Species: Rat Positive
- 1,2,4-trimethylbenzene - CAS: 95-63-6
- a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat > 3440 mg/kg
Test: LD50 - Route: Skin - Species: Rabbit 3160 mg/kg
Test: LC50 - Route: Inhalation - Species: Rat > 10200 mg/l - Duration: 4h
Test: LD50 - Route: Oral - Species: Rat 5000 mg/kg
Test: LD50 - Route: Oral - Species: Rat 3400-6000 mg/kg
- b) skin corrosion/irritation:
Test: Skin Irritant - Route: Skin - Species: Rabbit Positive
- c) serious eye damage/irritation:
Test: Eye Irritant - Route: EYE - Species: Rabbit Positive
- d) respiratory or skin sensitisation:
Test: Skin Sensitization - Route: Skin - Species: IND Positive
- e) germ cell mutagenicity:
Test: Mutagenesis - Species: vitro Negative
- g) reproductive toxicity:
Test: Reproductive Toxicity - Route: Inhalation - Species: Rat Positive
- 2,2'-iminodiethanol - CAS: 111-42-2
- a) acute toxicity:
Test: LC50 - Route: Inhalation - Species: Rat 3.35 mg/l - Duration: 4h
Test: LD50 - Route: Skin - Species: Rabbit 12200 mg/kg
Test: LD50 - Route: Oral - Species: Rat 1600 mg/kg
- b) skin corrosion/irritation:
Test: Skin Irritant - Species: Rabbit Positive
- c) serious eye damage/irritation:
Test: Eye Irritant - Species: Rabbit Positive
- d) respiratory or skin sensitisation:
Test: Skin Sensitization - Species: IND Negative
- e) germ cell mutagenicity:
Test: oecd - Species: vitro Negative
- f) carcinogenicity:
Test: Carcinogeneticity - Species: Rat Positive
- g) reproductive toxicity:
Test: oecd 3 - Route: Oral - Species: Rat Positive

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

Distillates (petroleum), hydrotreated light - CAS: 64742-47-8

a) Aquatic acute toxicity:

Endpoint: EL0 - Species: Daphnia 1000 mg/l - Duration h: 48

Endpoint: EL0 - Species: Algae 1000 mg/l - Duration h: 72

Endpoint: CE7 - Species: Fish 1000 mg/l - Duration h: 96

Hydrocarbons, C10, Aromatics, >1% Naphthalene - CAS: 64742-94-5

a) Aquatic acute toxicity:

Endpoint: EL50 - Species: Algae > 1 mg/l - Duration h: 72

Endpoint: EL50 - Species: Daphnia = 1.4 mg/l - Duration h: 48

Endpoint: LL50 - Species: Fish = 2-5 mg/l - Duration h: 96

b) Aquatic chronic toxicity:

Endpoint: NOEL - Species: Fish = 1 mg/l - Duration h: 72

Endpoint: NOEL - Species: Daphnia = 0.48 mg/l - Duration h: 504

Safety Data Sheet

PETRONAS Durance PETROL INJECTORS CLEANER ML 250



PETRONAS

Polyolefin phenolic alkyleneamine , proprietà di Afton comP.di HiTEC

a) Aquatic acute toxicity:

Endpoint: EL50 - Species: Algae 84 mg/l - Duration h: 72
Endpoint: LL50 - Species: Daphnia 718 mg/l - Duration h: 96
Endpoint: LL50 - Species: Fish 175 mg/l - Duration h: 96

b) Aquatic chronic toxicity:

Endpoint: NOEL - Species: Algae 6.25 mg/l - Duration h: 72

naphthalene - CAS: 91-20-3

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Algae 2.96 mg/l - Duration h: 96
Endpoint: EC50 - Species: Daphnia 2.16 mg/l - Duration h: 48
Endpoint: EC50 - Species: Fish 0.96 mg/l - Duration h: 96

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Daphnia 0.59 mg/l - Duration h: 3000
Endpoint: NOEC - Species: Fish 0.12 mg/l - Duration h: 960

2-Ethylhexan-1-ol - CAS: 104-76-7

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia 39 mg/l - Duration h: 48
Endpoint: EL50 - Species: Algae 16.6 mg/l - Duration h: 72
Endpoint: LC50 - Species: Fish 17.1 mg/l - Duration h: 96

b) Aquatic chronic toxicity:

Endpoint: EL10 - Species: Algae 5.3 mg/l - Duration h: 72

Diethylbenzene - CAS: 25340-17-4

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Algae 1.21 mg/l - Duration h: 72
Endpoint: EC50 - Species: Daphnia 2.01 mg/l - Duration h: 48
Endpoint: LC50 - Species: Fish 0.673 mg/l - Duration h: 96
Endpoint: NOEC - Species: fanghi > 1000 mg/l - Duration h: 3

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Algae 0.547 mg/l - Duration h: 72

Mesitilene - CAS: 108-67-8

a) Aquatic acute toxicity:

Endpoint: EL50 - Species: Algae 25 mg/l - Duration h: 48
Endpoint: LL50 - Species: Daphnia 6 mg/l - Duration h: 72
Endpoint: LL50 - Species: Fish 12.52 mg/l - Duration h: 96

b) Aquatic chronic toxicity:

Endpoint: EL10 - Species: Algae 8.1 mg/l - Duration h: 48
Endpoint: NOEC - Species: Daphnia 0.4 mg/l - Duration h: 504

1,2,4-trimethylbenzene - CAS: 95-63-6

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Daphnia 3.6 mg/l - Duration h: 48
Endpoint: LC50 - Species: Fish 7.72 mg/l - Duration h: 96

2,2'-iminodiethanol - CAS: 111-42-2

a) Aquatic acute toxicity:

Endpoint: EL10 - Species: fanghi > 1000 mg/l - Duration h: 0.5
Endpoint: EL50 - Species: Algae 9.5 mg/l - Duration h: 72
Endpoint: EL50 - Species: Daphnia 30.1 mg/l - Duration h: 48
Endpoint: LC50 - Species: Fish 1370 mg/l - Duration h: 96
Endpoint: LL50 - Species: Fish 460 mg/l - Duration h: 96

b) Aquatic chronic toxicity:

Endpoint: EL10 - Species: Daphnia 0.78 mg/l - Duration h: 504
Endpoint: NOEL - Species: Algae 0.6 mg/l - Duration h: 72

12.2. Persistence and degradability

None

Hydrocarbons, C10, Aromatics, >1% Naphthalene - CAS: 64742-94-5

Biodegradability: 4 - Test: BIOGDG10 - Duration: 28gg - %: 58.6

Polyolefin phenolic alkyleneamine , proprietà di Afton comP.di HiTEC

Safety Data Sheet

PETRONAS Durance PETROL INJECTORS CLEANER ML 250



- Biodegradability: Non-readily biodegradable - Test: BIOGDG08 - Duration: 28gg - %: 0-2
naphthalene - CAS: 91-20-3
Biodegradability: Non-readily biodegradable - Test: OECD 302C - Duration: 28gg - %: 0-2
2-Ethylhexan-1-ol - CAS: 104-76-7
Biodegradability: 4 - Duration: 14 days - %: 100
Diethylbenzene - CAS: 25340-17-4
Biodegradability: Non-readily biodegradable - Test: BIOGDG06 - Duration: 28gg - %: 4.7
Mesitilene - CAS: 108-67-8
Biodegradability: Non-readily biodegradable - Duration: 28gg - %: 42
1,2,4-trimethylbenzene - CAS: 95-63-6
Biodegradability: Readily biodegradable
2,2'-iminodiethanol - CAS: 111-42-2
Biodegradability: Readily biodegradable - Test: BIOGDG10 - Duration: 28gg - %: 93
- 12.3. Bioaccumulative potential
Hydrocarbons, C10, Aromatics, >1% Naphthalene - CAS: 64742-94-5
Test: log Pow 2.8-6.5
Test: BCF - Bioconcentration factor 99-5780
naphthalene - CAS: 91-20-3
Test: log Pow 3.4
Test: BCF - Bioconcentration factor 36.5-168
2-Ethylhexan-1-ol - CAS: 104-76-7
Test: BCF - Bioconcentration factor 25.33
Test: log Pow 2.9
Diethylbenzene - CAS: 25340-17-4
Test: BCF - Bioconcentration factor 320-629
Mesitilene - CAS: 108-67-8
Test: log Pow 3.42
Test: BCF - Bioconcentration factor 161
1,2,4-trimethylbenzene - CAS: 95-63-6
Test: log Pow 3.63
Test: BCF - Bioconcentration factor 243
2,2'-iminodiethanol - CAS: 111-42-2
Bioaccumulation: Not bioaccumulative - Test: log Pow -1.43
- 12.4. Mobility in soil
N.A.
- 12.5. Results of PBT and vPvB assessment
vPvB Substances: None - PBT Substances: None
- 12.6. Other adverse effects
None

SECTION 13: Disposal considerations

- 13.1. Waste treatment methods
Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

N.A.

14.3. Transport hazard class(es)

N.A.

14.4. Packing group

9070/7

Page n. 12 of 15

Safety Data Sheet

PETRONAS Durance PETROL INJECTORS CLEANER ML 250



- N.A.
- 14.5. Environmental hazards
ADR-Environmental Pollutant: No
IMDG-Marine pollutant: No
- 14.6. Special precautions for user
N.A.
- 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code
No

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) 2015/830
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
Regulation (EU) n. 2016/918 (ATP 8 CLP)
Regulation (EU) n. 2016/1179 (ATP 9 CLP)
Regulation (EU) n. 2017/776 (ATP 10 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restriction 40

Restrictions related to the substances contained:

No restriction.

Volatile Organic compounds - VOCs = 86.75 %

Volatile Organic compounds - VOCs = 867.47 g/Kg

Volatile Organic compounds - VOCs = 722.60 g/l

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

Substances for which a Chemical Safety Assessment has been carried out:

None

SECTION 16: Other information

Text of phrases referred to under heading 3:

H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

Safety Data Sheet
PETRONAS Durance PETROL INJECTORS
CLEANER ML 250



H315 Causes skin irritation.
H412 Harmful to aquatic life with long lasting effects.
H351 Suspected of causing cancer.
H302 Harmful if swallowed.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H228 Flammable solid.
H335 May cause respiratory irritation.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H226 Flammable liquid and vapour.
H373 May cause damage to organs through prolonged or repeated exposure.
H318 Causes serious eye damage.

Hazard class and hazard category	Code	Description
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Flam. Sol. 2	2.7/2	Flammable solid, Category 2
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Asp. Tox. 1	3.10/1	Aspiration hazard, Category 1
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Carc. 2	3.6/2	Carcinogenicity, Category 2
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
STOT RE 2	3.9/2	Specific target organ toxicity - repeated exposure, Category 2
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Paragraphs modified from the previous revision:

SECTION 2: Hazards identification
SECTION 3: Composition/information on ingredients
SECTION 7: Handling and storage
SECTION 8: Exposure controls/personal protection
SECTION 11: Toxicological information
SECTION 12: Ecological information
SECTION 15: Regulatory information

Safety Data Sheet

PETRONAS Durance PETROL INJECTORS CLEANER ML 250

SECTION 16: Other information



PETRONAS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Asp. Tox. 1, H304	Calculation method
Aquatic Chronic 3, H412	Calculation method

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,
Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van
Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
NA:	Not applicable
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.

Safety Data Sheet
PETRONAS Durance PETROL INJECTORS
CLEANER ML 250

